

DAFTAR PUSTAKA

- [GBIF] Global Biodiversity Information Facility. *Botryococcus braunii* Kütz., 1849 in GBIF Secretariat. GBIF Backbone Taxonomy. Checklist dataset. <https://doi.org/10.15468/39omei>
- Ahn, S. J., Costa, J., & Emanuel, J. R. (1996). PicoGreen quantitation of DNA: Effective evaluation of samples pre- or post-PCR. *Nucleic Acids Research*, 24(13), 2623–2625. <https://doi.org/10.1093/nar/24.13.2623>
- Aziz, M. M. A., Kassim, K. A., Shokravi, Z., Jakarni, F. M., Lieu, H. Y., Zaini, N., Tan, L. S., Islam, S., & Shokravi, H. (2020). Two-stage cultivation strategy for simultaneous increases in growth rate and lipid content of microalgae: A review. *Renewable and Sustainable Energy Reviews*, 119(April 2019), 109621. <https://doi.org/10.1016/j.rser.2019.109621>
- Baba, M., & Shiraiwa, Y. (2013). Biosynthesis of lipids and hydrocarbons in algae. In *IntechOpen*. <https://doi.org/10.5772/56413>
- Boesenberg-Smith, K. A., Pessarakli, M. M., & Wolk, D. M. (2012). Assessment of DNA yield and purity: An overlooked detail of PCR troubleshooting. *Clinical Microbiology Newsletter*, 34(1), 1–6. <https://doi.org/10.1016/j.clinmicnews.2011.12.002>
- Cakmak, T., Angun, P., Demiray, Y. E., Ozkan, A. D., Elibol, Z., & Tekinay, T. (2012). Differential effects of nitrogen and sulfur deprivation on growth and biodiesel feedstock production of *Chlamydomonas reinhardtii*. *Biotechnology and Bioengineering*, 109(8), 1947–1957. <https://doi.org/10.1002/bit.24474>
- Castiglia, D., Landi, S., & Esposito, S. (2021). Advanced applications for protein and compounds from microalgae. *Plants*, 10(8), 1–15. <https://doi.org/10.3390/plants10081686>
- Cheng, P., Zhou, C., Wang, Y., Xu, Z., Xu, J., Zhou, D., Zhang, Y., Wu, H., Zhang, X., Liu, T., Tang, M., Yang, Q., Yan, X., & Fan, J. (2018). Comparative transcriptome analyses of oleaginous *Botryococcus braunii* race A reveal significant differences in gene expression upon cobalt enrichment. *Biotechnology for Biofuels*, 11(1), 1–19. <https://doi.org/10.1186/s13068-018-1331-5>
- Choi, B. Y., Shim, D., Kong, F., Auroy, P., Lee, Y., Li-Beisson, Y., Lee, Y., & Yamaoka, Y. (2022). The *Chlamydomonas* transcription factor

- MYB1 mediates lipid accumulation under nitrogen depletion. *New Phytologist*, 235(2), 595–610. <https://doi.org/10.1111/nph.18141>
- Corrêa, L. G. G., Riaño-Pachón, D. M., Guerra Schrago, C., Vicentini dos Santos, R., Mueller-Roeber, B., & Vincentz, M. (2008). The role of *bZIP* transcription factors in green plant evolution: Adaptive features emerging from four founder genes. *PLoS ONE*, 3(8). <https://doi.org/10.1371/journal.pone.0002944>
- Dayananda, C., Sarada, R., Shamala, T. R., & Ravishankar, G. A. (2006). Influence of nitrogen sources on growth, hydrocarbon and fatty acid production by *Botryococcus braunii*. *Asian Journal of Plant Sciences*, 5, 799–804. <https://doi.org/10.3923/ajps.2006.799.804>
- Doyle, J. J., & Doyle, J. L. (1987). A rapid procedure for DNA purification from small quantities of fresh leaf tissue. *Phytochemical Bulletin*, 19, 11–15.
- Dubos, C., Le Gourrierec, J., Baudry, A., Huep, G., Lanet, E., Debeaujon, I., Routaboul, J. M., Alboresi, A., Weisshaar, B., & Lepiniec, L. (2008). MYBL2 is a new regulator of flavonoid biosynthesis in *Arabidopsis thaliana*. *Plant Journal*, 55(6), 940–953. <https://doi.org/10.1111/j.1365-3113.2008.03564.x>
- El-Sheekh, M. M., Galal, H. R., Mousa, A. S. H., & Farghi, A. A. M. (2024). Impact of macronutrients and salinity stress on biomass and biochemical constituents in *Monoraphidium braunii* to enhance biodiesel production. *Scientific Reports*, 14(1), 1–15. <https://doi.org/10.1038/s41598-024-53216-8>
- Folch, J., Lees, M., & Stanley, G. S. S. (1957). A simple method for the isolation and purification of total lipides from animal tissues. *Journal of Biological Chemistry*, 226(1), 497–509.
- Gallo, C., Landi, S., d'Ippolito, G., Nuzzo, G., Manzo, E., Sardo, A., & Fontana, A. (2020). Diatoms synthesize sterols by inclusion of animal and fungal genes in the plant pathway. *Scientific Reports*, 10(1), 1–13. <https://doi.org/10.1038/s41598-020-60993-5>
- Ganapathi, S., Shetty, V., & Mokashi, K. (2016). Enhanced lipid productivity approaches in microalgae as an alternate for fossil fuels – A review. *Journal of the Energy Institute*, 89(3), 330–334. <https://doi.org/10.1016/j.joei.2015.03.008>
- Gupte, Y. (2012). Morpho-physiological characteristics of *Botryococcus braunii* (Kutzing, 1849) & its oil production from the species isolated

from Thane, Maharashtra, India. *Asian Journal of Microbiology, Biotechnology and Environmental Sciences*, 14, 523–526.

- Hamed, I. (2016). The evolution and versatility of microalgal biotechnology: A review. *Comprehensive Reviews in Food Science and Food Safety*, 15(6), 1104–1123. <https://doi.org/10.1111/1541-4337.12227>
- Hart, B. T., Bailey, P., Edwards, R., Hortle, K., James, K., McMahon, A., Meredith, C., & Swadling, K. (1991). A review of the salt sensitivity of the Australian freshwater biota. *Hydrobiologia*, 210(1), 105–144. <https://doi.org/10.1007/BF00014327>
- Hu, Q., Xiang, W., Dai, S., Li, T., Yang, F., Jia, Q., Wang, G., & Wu, H. (2015). The influence of cultivation period on growth and biodiesel properties of microalga *Nannochloropsis gaditana* 1049. *Bioresour. Technology*, 192, 157–164. <https://doi.org/10.1016/j.biortech.2015.04.106>
- Huang, M., Hu, Y., Liu, X., Li, Y., & Hou, X. (2015). *Arabidopsis* LEAFY COTYLEDON1 mediates postembryonic development via interacting with PHYTOCHROME-INTERACTING FACTOR4. *The Plant Cell*, 27(11), 3099–3111. <https://doi.org/10.1105/tpc.15.00750>
- Isnansetyo, A., & Kurniastuty. (1995). *Teknik Kultur Fitoplankton dan Zooplankton*. Kanisius.
- Kawachi, M., Tanoi, T., Demura, M., Kaya, K., & Watanabe, M. M. (2012). Relationship between hydrocarbons and molecular phylogeny of *Botryococcus braunii*. *Algal Research*, 1(2), 114–119. <https://doi.org/10.1016/j.algal.2012.05.003>
- Kim, Y. J. (2013). Taxonomic review of families Botryococcaceae and Characiaceae, order Chlorococcales, and class Chlorophyceae in Korea. *Journal of Ecology and Environment*, 36(4), 327–338. <https://doi.org/10.5141/ecoenv.2013.327>
- Koetsier, G., & Cantor, E. (2019). A practical guide to analyzing nucleic acid concentration and purity with microvolume spectrophotometers. *New England Biolabs*, 1(1), 1–8. https://www.neb.com/-/media/catalog/application-notes/mvs_analysis_of_na_concentration_and_purity.pdf?rev=be7c8e19f4d34e558527496ea51623dc
- Kojima, E., & Zhang, K. (1999). Growth and hydrocarbon production of

- microalga *Botryococcus braunii* in bubble column photobioreactors. *Journal of Bioscience and Bioengineering*, 87(6), 811–815. [https://doi.org/10.1016/S1389-1723\(99\)80158-3](https://doi.org/10.1016/S1389-1723(99)80158-3)
- Koonin, E. V. (2005). Orthologs, paralog, and evolutionary genomics. *Annual Review of Genetics*, 39, 309–338. <https://doi.org/10.1146/annurev.genet.39.073003.114725>
- Krishna, A. R., Dev, L., & Thankamani, V. (2012). An integrated process for industrial effluent treatment and biodiesel production using microalgae. *Research in Biotechnology*, 3(1), 47–60. www.researchinbiotechnology.com
- Krishnan, V., Uemura, Y., Thanh, N. T., Khalid, N. A., Osman, N., & Mansor, N. (2015). Three types of marine microalgae and *Nannochloropsis oculata* cultivation for potential source of biomass production. *Journal of Physics: Conference Series*, 622(1). <https://doi.org/10.1088/1742-6596/622/1/012034>
- Kwon, O., Ogino, K., & Ishikawa, H. (1991). The longest 18S ribosomal RNA ever known: Nucleotide sequence and presumed secondary structure of the 18S rRNA of the pea aphid, *Acyrtosiphon pisum*. *European Journal of Biochemistry*, 202(3), 827–833. <https://doi.org/10.1111/j.1432-1033.1991.tb16439.x>
- Lavens, P., & Sorgeloos, P. (1996). Manual on the production and use of live food for aquaculture. In *Fao Fisheries Technical Paper* (Vol. 361, Nomor 9).
- Lee, E., Jalalizadeh, M., & Zhang, Q. (2015). Growth kinetic models for microalgae cultivation: A review. *Algal Research*, 12, 497–512. <https://doi.org/10.1016/j.algal.2015.10.004>
- Levine, I. A., & Fleurence, J. (2018). Microalgae in health and disease prevention. In *Microalgae in Health and Disease Prevention*.
- Li, C., Ng, C. K. Y., & Fan, L. M. (2015). MYB transcription factors; active players in abiotic stress signaling. *Environmental and Experimental Botany*, 114, 80–91. <https://doi.org/10.1016/j.envexpbot.2014.06.014>
- Liu, X., Zhang, D., Zhang, J., Chen, Y., Liu, X., Fan, C., Wang, R. R. C., Hou, Y., & Hu, Z. (2021). Overexpression of the Transcription Factor AtLEC1 Significantly Improved the Lipid Content of *Chlorella ellipsoidea*. *Frontiers in Bioengineering and Biotechnology*, 9(February), 1–15. <https://doi.org/10.3389/fbioe.2021.626162>

- Lucena-Aguilar, G., Sánchez-López, A. M., Barberán-Aceituno, C., Carrillo-Ávila, J. A., López-Guerrero, J. A., & Aguilar-Quesada, R. (2016). DNA source selection for downstream applications based on DNA quality indicators analysis. *Biopreservation and Biobanking*, 14(4), 264–270. <https://doi.org/10.1089/bio.2015.0064>
- Nugroho, R. A., Subagyo, D. J. N., & Arung, E. T. (2020). Isolation and characterization of *Botryococcus braunii* from a freshwater environment in Tenggara, Kutai Kartanegara, Indonesia. *Biodiversitas*, 21(5), 2331–2336. <https://doi.org/10.13057/biodiv/d210565>
- Parvin, M., Zannat, M. N., & Habib, M. A. B. (2007). Two important techniques for isolation of microalgae. *Asian Fisheries Science*, 20(1). <https://doi.org/10.33997/j.afs.2007.20.1.010>
- Prayitno, J. (2016). Pola pertumbuhan dan pemanenan biomassa dalam fotobioreaktor mikroalga untuk penangkapan karbon. *Jurnal Teknologi Lingkungan*, 17(1), 45. <https://doi.org/10.29122/jtl.v17i1.1464>
- Rao, A. R., Dayananda, C., Sarada, R., Shamala, T. R., & Ravishankar, G. A. (2007). Effect of salinity on growth of green alga *Botryococcus braunii* and its constituents. *Bioresource Technology*, 98(3), 560–564. <https://doi.org/10.1016/j.biortech.2006.02.007>
- Riechmann, J. L., Heard, J., Martin, G., Reuber, L., Jiang, C. Z., Keddie, J., Adam, L., Pineda, O., Ratcliffe, O. J., Samaha, R. R., Creelman, R., Pilgrim, M., Broun, P., Zhang, J. Z., Ghandehari, D., Sherman, B. K., & Yu, G. L. (2000). *Arabidopsis* transcription factors: Genome-wide comparative analysis among eukaryotes. *Science*, 290(5499), 2105–2110. <https://doi.org/10.1126/science.290.5499.2105>
- Rowan, R., & Powers, D. A. (1992). Ribosomal RNA sequences and the diversity of symbiotic dinoflagellates (zooxanthellae). *Proceedings of the National Academy of Sciences of the United States of America*, 89(8), 3639–3643. <https://doi.org/10.1073/pnas.89.8.3639>
- Sakamoto, K., Baba, M., Suzuki, I., Watanabe, M. M., & Shiraiwa, Y. (2012). Optimization of light for growth, photosynthesis, and hydrocarbon production by the colonial microalga *Botryococcus braunii* BOT-22. *Bioresource Technology*, 110, 474–479. <https://doi.org/10.1016/j.biortech.2012.01.091>
- Santos-Mendoza, M., Dubreucq, B., Baud, S., Parcy, F., Caboche, M., &

- Lepiniec, L. (2008). Deciphering gene regulatory networks that control seed development and maturation in *Arabidopsis*. *Plant Journal*, 54(4), 608–620. <https://doi.org/10.1111/j.1365-313X.2008.03461.x>
- Saraswati, H., Seprianto, & Wahyuni, F. D. (2019). Desain primer secara in silico untuk amplifikasi gen *cryIII* dari *Bacillus thuringiensis* isolat lokal. *Indonesian Journal of Biotechnology and Biodiversity*, 3(1), 33–38. <http://unafold.rna.albany.edu/?q=DINAMelt>
- Shi, T. Q., Wang, L. R., Zhang, Z. X., Sun, X. M., & Huang, H. (2020). Stresses as first-line tools for enhancing lipid and carotenoid production in microalgae. *Frontiers in Bioengineering and Biotechnology*, 8(July), 1–9. <https://doi.org/10.3389/fbioe.2020.00610>
- Tan, H., Yang, X., Zhang, F., Zheng, X., Qu, C., Mu, J., Fu, F., Li, J., Guan, R., Zhang, H., Wang, G., & Zuo, J. (2011). Enhanced seed oil production in canola by conditional expression of *Brassica napus* LEAFY COTYLEDON1 and LEC1-LIKE in developing seeds. *Plant Physiology*, 156(3), 1577–1588. <https://doi.org/10.1104/pp.111.175000>
- Tasić, M. B., Pinto, L. F. R., Klein, B. C., Veljković, V. B., & Filho, R. M. (2016). *Botryococcus braunii* for biodiesel production. *Renewable and Sustainable Energy Reviews*, 64, 260–270. <https://doi.org/10.1016/j.rser.2016.06.009>
- Wang, F., & Perry, S. E. (2013). Identification of direct targets of *FUSCA3*, a key regulator of *Arabidopsis* seed development. *Plant Physiology*, 161(3), 1251–1264. <https://doi.org/10.1104/pp.112.212282>
- Weiss, T. L., Johnston, J. S., Fujisawa, K., Okada, S., & Devarenne, T. P. (2011). Genome size and phylogenetic analysis of the A and L races of *Botryococcus braunii*. *Journal of Applied Phycology*, 23(5), 833–839. <https://doi.org/10.1007/s10811-010-9586-7>
- Xu, W., Dubos, C., & Lepiniec, L. (2015). Transcriptional control of flavonoid biosynthesis by MYB-bHLH-WDR complexes. *Trends in Plant Science*, 20(3), 176–185. <https://doi.org/10.1016/j.tplants.2014.12.001>
- Yoshimura, T., Okada, S., & Honda, M. (2013). Culture of the hydrocarbon producing microalga *Botryococcus braunii* strain Showa: Optimal CO₂, salinity, temperature, and irradiance conditions. *Bioresource Technology*, 133, 232–239.

<https://doi.org/10.1016/j.biortech.2013.01.095>

Zhao, J., Ge, Y., Liu, K., Yamaoka, Y., Zhang, D., Chi, Z., Akkaya, M., & Kong, F. (2023). Overexpression of a MYB1 transcription factor enhances triacylglycerol and starch accumulation and biomass production in the green microalga *Chlamydomonas reinhardtii*. *Journal of Agricultural and Food Chemistry*, 71(46), 17833–17841. <https://doi.org/10.1021/acs.jafc.3c05290>

