

DAFTAR PUSTAKA

- Adythia, T., Darusman, F., & Putri, A. P. (2016). Formulasi Granul Lepas Lambat Ondansetron Hidroklorida Dihidrat dengan Matriks Methocel K15M dan Pati Ganyong (*Canna indica* L.) Termodifikasi. *Prosiding Farmasi*, 889–895.
- Alderborn, G., & Aulton, M. E. (2002). *Pharmaceutics: The Science of Dosage form Design. Pharmaceutics: The Science of Dosage Form Design*.
- Allen, L. v., & Ansel, H. C. (2014). *Ansel's pharmaceutical dosage forms and drug delivery systems* (Ed. 10). Lippincot William & Wilkins.
- Anggraeni, Y., Hendradi, E., & Purwanti, T. (2012). Karakteristik Sediaan dan Pelepasan Natrium Diklofenak dalam Sistem Niosom dengan Basis Gel Carbomer 940. *Pharma Scientia*, 1(1), 1–15.
- Anonim. (2007). *USP 30-NF 25*. The US Pharmacopeta Convention Inc:643.
- Apt, Prof. D. C. J. P. Siregar. Msc. (2010). *Teknologi Farmasi Sediaan Tablet (dasar-dasar praktis)*. Jakarta, EGC.
- Ayuningtyas, A. (2014). *Optimasi Kadar Superdisintegran Sodium Starch Glycolate dalam Formula Fast Disintegrating Tablet Asam Mefenamat*. Universitas Brawijaya.
- Banker, G. S. (1970). The Theory and Practice of Industrial Pharmacy. In *Journal of Pharmaceutical Sciences* (Vol. 59, Issue 10). <https://doi.org/10.1002/jps.2600591046>
- Bawuah, P., Markl, D., Farrell, D., Evans, M., Portieri, A., Anderson, A., Goodwin, D., Lucas, R., & Zeidler, J. A. (2020). Terahertz-Based Porosity Measurement of Pharmaceutical Tablets: a Tutorial. *Journal of Infrared, Millimeter, and Terahertz Waves*, 41(4), 450–469. <https://doi.org/10.1007/s10762-019-00659-0>
- Belitz, H., & Grosch, W. (1999). *Food Chemistry* (2nd editio). Springer Publishing, Germany: 306.
- Bhowmik, D., & Chandira, Rm. (2009). Fast Dissolving Tablet: An Overview. In *Journal of Chemical and Pharmaceutical Research* (Vol. 1, Issue 1). www.jocpr.com

- Butterworth IV J.F., Mackey D.C., & Wasnick J.D. (2018). Adjuncts to anesthesia. *Morgan & Mikhail's Clinical Anesthesiology*, 6e.
- Dass, S., & Mazumder, S. A. (2013). AN UPDATED PRECISE REVIEW ON SUPERDISINTEGRANTS. *Indo American Journal of Pharmaceutical Research*.
- Dalhat, S., & Mohammad, A. D. (2018). Comparison of ondansetron and metoclopramide for the prevention of post-operative nausea and vomiting in day-case gynaecological laparoscopic surgeries. *Nigerian Journal of Basic and Clinical Sciences*, 15(1), 24–28. https://doi.org/10.4103/njbcsc.njbcsc_15_17
- de Backere, C., De Beer, T., Vervaeke, C., & Vanhoorne, V. (2021). Effect of binder type and lubrication method on the binder efficacy for direct compression. *International Journal of Pharmaceutics*, 607(August). <https://doi.org/10.1016/j.ijpharm.2021.120968>
- De Caro, C., & Haller, C. (2015). UV / VIS Spectrophotometry. *Mettler-Toledo International*, November, 56. <https://www.mt.com/es/es/home/library/guides/laboratory->
- Deshmukh, H., Chandrashekhara, S., Nagesh, C., Murade, A., & Usgaunkar, S. (2012). Superdisintegrants: A Recent Investigation and Current Approach. *Asian Journal of Pharmacy and Technology*.
- DiPiro J.T., Yee G.C., Haines S.T., Nolin T.D., Ellingrod V.L., & Posey L(Eds.). (2023). *DiPiro's Pharmacotherapy: A Pathophysiologic Approach*, 12th Edition.
- Eric R Muth, & Amanda N Elkins. (2007). High dose ondansetron for reducing motion sickness in highly susceptible subjects. *Aviation, Space, and Environmental Medicine*, 78(7), 686–692.
- Fajria, T. R., & Nuwarda, R. F. (2018). Teknologi Sediaan Oral Lapis Tipis Terlarut Cepat (Fast Dissolving Film). *Majalah Farmasetika*, 3(3), 58. <https://doi.org/10.24198/farmasetika.v3i3.23341>
- Farmakope, T. P. (2020). *Farmakope Indonesia VI*. Kemenkes RI.
- Gad, S. C. (2007). Pharmaceutical Manufacturing Handbook: Production and Processes. *Pharmaceutical Manufacturing Handbook: Production and Processes*, 1–1370. <https://doi.org/10.1002/9780470259818>

- Gupta, P., Sethi, V. A., Siddiqui, A. W., & Tyagi, L. K. (2019). Formulation and Characterization of Ondansetron Hydrochloride Matrix Tablets for Sustained Drug Delivery. *International Journal of Pharmaceutical Sciences and Drug Research*, 11(04). <https://doi.org/10.25004/ijpsdr.2019.110408>
- Handayani, Resa, & Abdassah, M. (2016). DISINTEGRAN DAPAT MENINGKATKAN KINERJA TABLET ORODISPERSIBEL (ODT) SEBAGAI NEW DRUG DELIVERY SYSTEM (NDDS). *Farmaka*, 14(3), 95–108. <https://doi.org/10.24198/JF.V14I3.10944.G5058>
- Jonathan Sarwono. (2006). *Analisis data penelitian menggunakan SPSS*.
- Joseph, A. (1990). Pharmaceutical Dosage Forms and Drug Delivery Systems. *Journal of Pharmaceutical Sciences*, 79(11), 1044. <https://doi.org/10.1002/jps.2600791127>
- Kaur, V., & Mehara, N. (2016). A review on: Importance of superdisintegrants on immediate release tablets. *International Journal of Research and Scientific Innovation*, 3(2), 39–43.
- Kementrian PPN & Bappenas. (2022). *Direktorat Kesehatan dan Gizi Masyarakat, Kedeputian Pembangunan Manusia, Masyarakat, dan Kebudayaan, Kementerian PPN/Bappenas, 2022*.
- Khan, K. A. (1975). The concept of dissolution efficiency. *Journal of Pharmacy and Pharmacology*, 27(1), 48–49. <https://doi.org/10.1111/j.2042-7158.1975.tb09378.x>
- Kharish, L., Syantaria, I., Sianturi, D., Prakoso, L. Y., Saragih, H. J. R., & Bangun, E. (2022). Strategi Gelar Kekuatan TNI Angkatan Laut dalam Mengatasi Pelanggaran di Wilayah Alur Laut Kepulauan Indonesia II Guna Mewujudkan Stabilitas Keamanan Perairan dalam Rangka Mendukung Operasi Militer Selain Perang (Omsp). *Jurnal Inovasi Penelitian*, 2(8), 2849–2858.
- Kolling, W. M. (2004). *Handbook of pharmaceutical excipients*.
- Kukkar, V., Anand, V., Kataria, M., Gera, M., & Choudhury, P. K. (2008). Mixing and formulation of low dose drugs: underlying problems and solutions. *Thai J. Pharm. Sci*, 32(January), 43–58.
- Lachman, Herbert A. Lieberman, Joseph L. Kanig, & Siti Suyatmi. (2012). *Teori dan Praktek Farmasi Industri*.

- Lal, A., Abdalla, S. M., Chattu, V. K., Erondur, N. A., Lee, T.-L., Singh, S., Abou-Taleb, H., Vega Morales, J., & Phelan, A. (2022). Pandemic preparedness and response: exploring the role of universal health coverage within the global health security architecture. *The Lancet Global Health*, 10(11), e1675–e1683. [https://doi.org/10.1016/S2214-109X\(22\)00341-2](https://doi.org/10.1016/S2214-109X(22)00341-2)
- Lannie Hadisoewignyo, & Achmad Fudholi. (2013). *Sediaan Solida*.
- M. Karthikeyan, M. Karthikraja, C. Roosewelt, D. Lokesh, Y. Venkateswarlu, Y. N. (2012). Formulation and Evaluation of Oral Dispersible Tablets of Atenolol By Using Super Disintegrates. *International Journal of Biological & Pharmaceutical Research*, 3(1), 663–671.
- Mane J M, & Bhange, K. P. A. (2015). Role of Superdisintegrating in Fast Dissolving Tablets. In *Ijppr.Human* (Vol. 4, Issue 2). www.ijppr.humanjournals.com
- Maulany, R. F., Dianingati, R. S., & Annisaa', E. (2021). Faktor-Faktor yang Mempengaruhi Akses Kesehatan. *Indonesian Journal of Pharmacy and Natural Product*, 4(2), 142–149. <https://doi.org/10.35473/ijpnp.v4i2.1161>
- Mengesha, Y., Belete, A., & Gebre-Mariam, T. (2020). Preparation and Characterization of Carboxymethylated and Cross-Linked Enset Starch as a Disintegrant in Tablets. *Ethiopian Pharmaceutical Journal*, 35(2), 119–134. <https://doi.org/10.4314/epj.v35i2.5>
- Muhono. (2011). *POTENSI Amprotab® PREGELATINASI SEBAGAI BAHAN PENGHANCUR DALAM FORMULASI SEDIAAN TABLET*. Universitas Islam Indonesia.
- Mulagada, S., & Baratam, S. R. (2017). Design and evaluation of ondansetron fast disintegrating tablets using natural polymers and modified starches as super disintegrants for the enhancement of dissolution. *Journal of Young Pharmacists*, 9(4), 519–524. <https://doi.org/10.5530/jyp.2017.9.101>
- Niazi, S. K. (2004). Handbook of Pharmaceutical Manufacturing Formulations. In *Handbook of Pharmaceutical Manufacturing Formulations*. <https://doi.org/10.1201/9781420048452>
- Odeku, O. A., Schmid, W., & Picker-Freyer, K. M. (2008). Material and tablet properties of pregelatinized (thermally modified) Dioscorea starches. *European Journal of Pharmaceutics and Biopharmaceutics*, 70(1), 357–371. <https://doi.org/10.1016/j.ejpb.2008.04.011>

- Parlow, J. L., Costache, I., Avery, N., & Turner, K. (2004). Single-dose haloperidol for the prophylaxis of postoperative nausea and vomiting after intrathecal morphine. *Anesthesia and Analgesia*, 98(4), 1072–1076. <https://doi.org/10.1213/01.ANE.0000105880.59649.5C>
- Pong;, L. S. S. W.-. (2012). *Biofarmasetika & Farmakokinetika Terapan Edisi 5*. //e-lib.unmul.ac.id/farmasi_opac/index.php?p=show_detail&id=1908
- Prasetya, D., Layyinah, A., Amalia, E., & Djamhari, E. A. (2023). Pasien Kanker di Indonesia Masih Menanggung Beban Biaya Out-of-pocket. *Prakarsa*, 41, 1–4. <https://repository.theprakarsa.org/media/publications/564032-pb-41-pasien-kanker-di-indonesia-masih-m-9d9336b1.pdf>
- Robert Tungadi. (2018). *TEKNOLOGI SEDIAAN SOLIDA*.
- Smith, A. A. (2009). Formulation Development and Evaluation of Ondansetron Hydrochloride sustained release Matrix tablets. *J. Pharm. Sci. & Res*, 1(4), 48–54.
- Sravanthi Mulagada, & Srinivasa Rao Baratam. (2017). Design and Evaluation of Ondansetron Fast Disintegrating Tablets Using Natural Polymers and Modified Starches as Super Disintegrants for the Enhancement of Dissolution. *Journal of Young Pharmacists*, 9(4), 519–524.
- Stielow, M., Witczyńska, A., Kubryń, N., Fijałkowski, Ł., Nowaczyk, J., & Nowaczyk, A. (2023). The Bioavailability of Drugs—The Current State of Knowledge. *Molecules*, 28(24). <https://doi.org/10.3390/molecules28248038>
- Suciati, R., & Setiyadi, G. (2020). Optimasi Co-Processed Disintegrant Sodium Starch Glycolate Dan Pati Kacang Merah (*Phaseolus vulgaris* L.) Sebagai Bahan Penghancur Fast-Disintegrating Tablet Ondansetron Hydrochloride Optimization Of Sodium Starch Glycolate And Red Bean Starch (*Phaseolus vulgaris* L.) Co-Processed Disintegrant As Disintegrating Agent Of Ondansetron Hydrochloride Fast-Disintegrating Tablet. In *Jurnal Farmasi Indonesia. Edisi Khusus (Rakerda-Seminar IAI Jateng)*. <http://journals.ums.ac.id/index.php/pharmacon>
- Suciati, R., & Setiyadi, G. (2021). Optimasi Co-processed Disintegrant Sodium Starch Glycolate dan Pati Kacang Merah (*Phaseolus vulgaris* L.) sebagai Bahan Penghancur Fast-Disintegrating Tablet Ondansetron Hydrochloride. *Pharmacon: Jurnal Farmasi Indonesia*, 0(0), 132–140. <https://doi.org/10.23917/PHARMACON.V0I0.15813>

- SUTTON, M., MOUNSEY, A. L., & RUSSELL, R. G. (2012). Treatment of Motion Sickness. *American Family Physician*, 86(2), 192–195. <https://www.aafp.org/pubs/afp/issues/2012/0715/p192.html>
- Th. A. Radito. (2014). Analisis Pengaruh Kualitas Pelayanan Dan Fasilitas Kesehatan. *Jurnal Ilmu Manajemen*, Volume 11, Nomor 2, April 2014, 11(2), 1–26
- Tim Penyusun Farmakope Herbal Indonesia. (2017). *Farmakope Herbal Indonesia Edisi II*.
- Tzanova, M., Larsen, B., Biolo, R., Cignolini, S., Tho, I., Chierotti, M., Perissutti, B., Scaglione, S., Stein, P., Hiorth, M., & Cagno, M. Di. (2023). Shifting the Focus from Dissolution to Permeation: Introducing the Meso-fluidic Chip for Permeability Assessment (MCPA). *J Pharm Sci*, 23(5). <https://doi.org/10.1016/j.xphs.2023.12.012>.
- U.S., P. (2018). *The United States Pharmacopeia, USP 41/The National Formulary, NF 36*. Rockville, MD:U.S. Pharmacopeial Convention, Inc.
- Voigt, R. (1994). *Buku Pelajaran Teknologi Farmasi: Penyempurnaan Dengan 279 Gambar Dan 121 Tabel*. UGM Perss.
- Wiser, M. (1986). *Evaluation of the Effect of Backgrounds* (Issue 3).
- Zafar, M., Rizwan, W., Rafique, M., Mahmood, S., & Javed, Y. (2023). Effectiveness of Ondansetron in comparison to Domperidone for treating vomiting in acute gastroenteritis among children in a tertiary care hospital setting: A quasi-experimental study. *Journal of University Medical and Dental College*, 14(1), 564–568. <https://doi.org/10.37723/jumdc.v14i1.693>
- Zobel, H. F., & Stephen, A. M. (1995). Starch: Structure, Analysis and Application. *Food Science and Technology-New York-Marcel Dekker*, 19.