

DAFTAR PUSTAKA

- Agbede, J. O., and Aletor, V. A. (2005). "A Study of chemical composition and a differently processed canavalia protein quality evaluation and *Mucuna pruriens* seed flour". *Journal Composition and Food Analysis*, 18, pp. 89-103.
- Ahn, E., Botkin, J., Ellur, V., Lee, Y., Poudel, K., Prom, L. K., Magill, C. (2023). "Genome-wide association study of seed morphology traits in senegalese sorghum cultivars". *Plants*, 12, pp. 2344. <https://doi.org/10.3390/plants12122344>
- Alajaji, S. A., and El-Adawy, T. A. (2006). "Nutritional composition of chickpea (*Cicer arietinum* L.) as affected by microwave cooking and other traditional cooking methods". *Journal of Food Composition and Analysis*, 19, pp. 806–812.
- Aldred, J. dan Nutt, J. (2010). "Levodopa". *Jurnal Media Kimia*, 7 (6), pp. 132–137.
- Alector, V. A., and Aladetimi, O. D. (1989). "Compositional evaluation of some cowpea varieties and some under-utilized edible legumes in Nigeria". *Nahrung*, 33, pp. 999–1007.
- Al Kaisey, M. T., Alwan, A. K. H., Mohammad, M. H. and Saeed, A. H. (2003). "Effect of gamma irradiation on antinutritional factors in broad bean". *Radiation Physics and Chemistry*, 67, pp. 493–496.
- Anderson, R. L., and Wolf, W. J. (1995). "Compositional changes in trypsin inhibitors, phytic acid, saponins and isoflavones related to soybean processing". *Journal of Nutrition* 125, pp. 581S–585S.
- Anggraito, Y. U., dan Pukan, K. K. (2015). "Perubahan Karakter Kuantitatif *Mucuna Pruriens* Generasi M1 Pasca Irradiasi Sinar Gamma CO-60". *Saintekno*, 13(1).
- Annur, M. C. (2023). "Deretan negara pemasok impor kedelai terbesar RI pada 2022, AS bertengger di puncak". Retrieved from <https://databoks.katadata.co.id/datapublish/2023/06/14/deretan-negara-pemasok-impor-kedelai-terbesar-ri-pada-2022-as-bertengger-di-puncak>.
- Arinathan, V., Mohan, V. R., Maruthupandian, A. and Athiperumalsami, T. (2009). "Chemical evaluation of raw seeds of certain tribal pulses in Tamil Nadu, India". *Tropical and Subtropical Agroecosystems*, 10, pp. 287–294.
- Arinathan, V., Mohan, V. R., and De Britto, A. J. (2003). "Chemical composition of certain tribal pulses in South India". *International Journal of Food Sciences and Nutrition* 54, pp. 209–217.

- Arinathan, V., Mohan, V. R., Maruthupandian, A. and Athiperumalsami, T. (2009). "Chemical evaluation of raw seeds of certain tribal pulses in Tamil Nadu, India". *Tropical and Subtropical Agroecosystems*, 10, pp. 287–294.
- Astuti, K., Octavia, R. P., dan Isnaeni, N. K. (2021). *Analisis Produktivitas Jagung dan Kedelai Di Indonesia 2020 (Hasil Survei Ubinan)*. Jakarta: Badan Pust Statistik Indonesia (BPS-RI).
- Banjarnahor, L. R., Rahmah, S., Damanik, M., Zubir, M. (2020). "Synthesis of Fe and Zn Organic Fertilizer From Palm Oil Waste". *Indonesian Journal of Chemical Science and Technology*, 3 (2), pp. 57-60.
- Carew, L. B., and Gernat, A. G. (2006). "Use of velvet beans, *Mucuna* spp., as a feed ingredient for poultry: a review". *Worlds Pomult Scientist Journal*, 62, pp.131–144.
- Cervantes, E., Martín, J. J., Saadaoui, E. (2016). "Updated Methods for Seed Shape Analysis". *Scientifica*.
- Chaudhri, R. D. (1996). "Herbal drug industry: a practical approach to industrial pharmacognosy".
- Chun, O. K., Kim, D. O., Moon, H., Kang, H. G., Lee, C. Y. (2003). "Contribution of individual polyphenolics to total antioxidant capacity of plums". *Journal of Agricultural and Food Chemistry*, 51, pp. 7240–7245.
- Cilia, R., Laguna, J., Cassani, E., Cereda, E., Pozzi, N. G., Isaias, I. U., Contin, M., Barichella, M., Pezzoli, G. (2017). "*Mucuna pruriens* in Parkinson disease: a double-blind, randomized, controlled, crossover study". *Neurology*, 89(5), pp. 432–438.
- Daffodil D'Almeida, E., Fathima, K. R. and Mohan, V. R. (2013). "Effect of different water or hydrothermal treatments on antinutritional and in vitro protein digestibility of three accession of itching bean (*Mucuna pruriens* (L.) DC var. *pruriens*): an underutilized tribal pulse". *International Journal of Biochemistry*, 108, pp. 152–172.
- Daffodil, E. D., Tresina, P. S., Mohan, V. R. (2016). "Nutritional and antinutritional assessment of *Mucuna pruriens* (L.) DC var. *utilis* (Wall ex. Wight) Bak. Ex Burck and *Mucuna deeringiana* (Bort) Merrill: An underutilized tribal pulse". *International Food Research Journal*, 23(4), pp. 1501-1513.
- Darambazar, E. (2018). "Method of phytic acid determination in food, feed, and plant materials (Assay protocol)". University of Saskatchewan. Canada, pp. 4. doi:10.13140/RG.2.2.14852.27520.

- Diallo, O.K., Kante, S., Myhrman, R. et al. (2000). "Increasing farmer adoption of *Mucuna pruriens* as human food and animal feed in the Republic of Guinea". In: Proceedings of international workshop on food and feed from *Mucuna*. Tegucigalpa, 60–72.
- Duke J. A. (1981). *Handbook of Legumes of World Economic Importance*. New York, NY, USA: Plenum Press.
- Eze, P. C., Eze, C. N., Agu, R. S. (2017). "Determination of physicomechanical properties of velvet bean (*Mucuna pruriens*) from South Eastern Nigerian". *Nigerian Journal of Technology* (NIJOTECH), 36(2), pp. 628–635.
- Ezeagu, I. E., Maziya-Dixon, B., Tarawali, G. (2003). "Seed characteristics and nutrient and antinutrient composition of 12 *Mucuna* accessions from Nigeria". *Tropical Subtropical Agroecosyst*, 1, pp. 129–13.
- Ezegbe, C. C., Justina, N. N., Clifford, I. O., Tope, A. V., Smith, G. N. (2023). "Proximate composition and anti-nutritional factors in *Mucuna* seed flour *pruriens* (velvet beans) are affected by some processing method". *Heliyon*, 9. <https://doi.org/10.1016/j.heliyon.2023.e18728>.
- Fathima, K. R. and Mohan, V. R. (2009). "Nutritional and Antinutritional Assessment of *Mucuna atropurpurea* DC: an underutilized tribal pulse". *African Journal of Basic and Applied Science*, 1, pp. 129–136.
- Fathima, K. R., Tresina Soris, P. and Mohan, V. R. (2010). "Nutritional and antinutritional assessment of *Mucuna pruriens* (L.) DC var. *pruriens* an underutilized tribal pulse". *Advances in Bioresearch*, 1, pp. 79–89.
- Fitriasari, R. M. (2010). *Kajian Penggunaan Tempe Koro Benguk (*Mucuna pruriens*) dan Tempe Koro Pedang (*Canavalia ensiformis*) Dengan Perlakuan Variasi Pengecilan Ukuran (Pengirisan dan Penggilingan) Terhadap Karakteristik Kimia dan Sensoris Nugget Tempe Koro (Skripsi)*. Program Studi Teknologi Hasil Pertanian, Fakultas Pertanian, Universitas Sebelas Maret.
- Flores, B., Eilitta, M., Myhrman, R., Carew, L. B., Carsky, R. (2002). "Food and feed from *Mucuna*: current uses and the way forward; proceedings. In international workshop on food and feed from *Mucuna*: Current uses and the way forward 26-29 Apr 2000 Tegucigalpa (Honduras) 2002 (No. 633.3 I61). CIDICCO, Tegucigalpa (Honduras) IITA, Cotonou (República de Benin) World Hunger Research Center, Elgin, IL (EUA). Judson College.
- Folch, J., Lees, M., Sloane, S. G. H. (1957). "A simple method for the isolation and purification of total lipides from animal tissues". *Journal of Biological Chemistry*, 226(1), pp. 497-509.

- Fung, S. Y., Tan, N. H., Sim, S. M. et al. (2011). "*Mucuna pruriens* pinn. pretreatment extract of seeds projects against the depressive effects of cardiorespirasy and neuromuscular effects of the *Naja sputatrix* poison". *India Journal of Experimental Biology*, 49, pp. 254–259.
- Gao, Y., Shang, C., Sanghai, M. M. A. (2007) "A modified colorimetric method for phytic acid analysis in soybean". *Crop Science*, 47, pp. 1797–1803.
- Genebank Project, Naro. 2023. "Databases velvet bean, Yokohama bean [*Mucuna pruriens* (L.) DC. var. *utilis* (Wall ex Wight) Burk]". Retrieved from https://www.gene.affrc.go.jp/databases/plant_images_detail_en.php?plno=5420450009. Diakses 22 September 2023.
- Girigowda, K., Prashanth, S. J. and Mulimani, V. H. (2005). "Oligosaccharides of black gram (*Vigna mungo* L.) as affected by processing methods". *Plant Foods for Human Nutrition*, 60, pp. 173–180.
- Guerranti, R., Aguiyi, J. C., Errico, E., Pagani, R., Marinello, E. (2001). "Effects of *Mucuna pruriens* extract on activation of prothrombin by *Echis carinatus* venom". *Journal of Ethnopharmacology*, 75, pp. 175–180.
- Gurumoorthi, R., Pugalenth, M., Janardhanan, K. (2003). "Nutritional potential of five accessions of a south Indian tribal pulse *Mucuna pruriens* var. *utilis*; II. Investigation on total free phenolics, tannins, trypsin and chymotrypsin inhibitors, phytohaemagglutinins, and in vitro protein digestibility". *Tropical and Subtropical Agroecosystems*, 1, pp. 153–158.
- Habibah, W., Tintrim, R., Majida, R. (2022). "Analisis in silico dan kuantitatif senyawa metabolit sekunder senyawa L-DOPA pada ekstrak biji dan daun kacang koro benguk (*Mucuna pruriens* D.C.) menggunakan metode Spektrometri UV-VIS". *Metamorfosa: Journal of Biological Sciences*, 9 (2), pp. 369–378. DOI: 10.24843/metamorfosa.2022.v09.i02.p16.
- Handajani, S., Windi A. (1992). *Analisa Sifat Fisis-Khemis Beberapa Biji Kacang-kacangan; Kekerasan; Kualitas Tanak; Protein; dan Kandungan Mineralnya*. Lembaga Penelitian Universitas Sebelas Maret Surakarta. Surakarta.
- Harahap, I. Y., Taufiq, C. T., Yusran, P., G.S., Edy, S. S., Eka, L., Suroso, R. (2011). *Mucuna bracteata Pengembangan dan Pemanfaatannya di Perkebunan Kelapa Sawit*. Medan: Pusat Penelitian Kelapa Sawit.

- Hareesh, V. S., and Sabu, M. (2023). "Significance of seed morphology and anatomy in the systematics of *Musaceae*". *Botanical Journal of The Linnean Society*, 201, pp. 1–35.
- Harris, H. B. and Burns, R. E. (1970). "Influence of tannin content on preharvest seed germination in sorghum". *Agronomy Journal*, 62, pp. 835–836.
- Hassan, S. (2012). *Hijauan Pakan Tropik*. Bogor: PT. Penerbit IPB Press.
- Janardhanan, K., and Lakshmanan, K. K. (1985). "Studies on the pulse, *Mucuna utilis*: Chemical composition and anti-nutritional factors". *Journal of Food Science and Technology*, 22, pp. 369-371.
- James, C. S. (1995) "Analytical chemistry of food". Seale-Hayne Faculty of Agriculture, Food and Land use Department of Agriculture and Food studies University of Plymouth, UK. 1, pp. 96–97.
- Janardhanan, K., Gurumoorthi, P., Pugalethi, M. (2003). "Nutritional potential of five accessions of a South Indian tribal pulse, *Mucuna pruriens* var. *utilis*. Part I. The effect of processing methods on the contents of L-Dopa, phytic acid, and oligosaccharides". *Journal of Tropical and Subtropical Agro-ecosystems*, 1, pp. 141-152.
- Jeyaweera, D. M. A. (1981). "Medicinal plants used in Ceylon. Colombo, Sri Lanka; National Science Council of Sri Lanka".
- Kakati, P., Deka, S. C., Kotaki, D. and Saikia, S. (2010). "Effect of traditional methods of processing on the nutrient contents and some antinutritional factors in newly developed cultivars of green gram [*Vigna radiata* (L) Wilezek] and black gram [*Vigna mungo* (L.) Hepper] of Assam, India". *International Food Research Journal*, 17, pp. 377–384.
- Kala, K. B. and Mohan, V. R. (2010). "Nutritional and antinutritional potential of three accessions of itching bean (*Mucuna pruriens* (L.) DC var. *pruriens*): an under-utilized tribal pulse". *International Journal of Food Sciences and Nutrition*, 61, pp. 497–511.
- _____. (2012). "Effect of microwave treatment on the antinutritional factors of the two accessions of velvet bean *Mucuna pruriens* (L.) DC. var. *Utilis* (Wall. Ex. Wight) bak. Ex burck". *Interational Food Research Journal*, 19, pp. 961-9.
- Kala, K. B., Kalidass, C., and Mohan, V. R. (2010). "Nutritional and antinutritional potential of five accessions of a South Indian tribal pulse *Mucuna atropurpurea* DC". *Tropical and Subtropical Agroecosystem*, 12, pp. 339–352.

- Kalidass, C., and Mohan, V. R. (2012). "Nutritional composition and antinutritional factors of little-known species of Vigna". *Tropical and Subtropical Agroecosystems*, 15, pp. 525–538.
- _____. (2012). "Biochemical composition and nutritional assessment of selected under-utilized food legume of the genus Rhynchosia". *International Food Research Journal*, 19, pp. 977–984.
- Kalpana Devi, V., and Mohan, V. R. (2013). "Nutritional and antinutritional assessment of underutilized legume Dolichos lablab var. vulgaris". *Bangladesh Journal of Industrial and Scientific Research*, 48, pp. 119–130.
- Kavitha, C. and Thangamani, C. (2014). "Amazing bean "*Mucuna pruriens*": a comprehensive review". *Journal Medicinal Plants Research.*, 8 (2), pp. 138–143, <https://doi.org/10.5897/JMPR2013.5036>.
- Khandelwal, S., Udipi, S. A., and Ghugre, P. (2010). "Polyphenols and tannins in Indian pulses: Effect of soaking, germination and pressure cooking". *Food Research International*, 43, pp. 526–530.
- Khanuja, S. P. S., Lal R. K., Jain, S. P., Misra, H. O., Singh, J., Chandra, R., et al. (2007). "Varieties without tricola, aged genjah, high seed and product L-Dopa "CIM Ajar" from Kewanch (*Mucuna pruriens* L.)". *Journal of Medicinal and Aromatic Plant Science*. 29, pp. 40– 41.
- Khosideh. (2017). *Uji aktivitas antikanker ekstrak dan fraksi biji koro benguk (Mucuna pruriens (L) DC). var. pruriens terhadap HeLa cell line kanker serviks (Skripsi)*. Program Studi Kimia, Fakultas Sains dan Teknologi, Universitas Islam Negeri Maulana Malik Ibrahim Malang. Retrieved from <http://etheses.uin-malang.ac.id/13869/1/12630094.pdf>, diakses pada 20 Mei 2024.
- Kirk, H. dan Sawyer, R. (1998). *Fruit pearson chemical analysis of food*, vol 8. Longman Scientific and Technical, Edinburgh, pp. 211–212.
- Kumar, A., Rajput, G., Dhatwalia, V. K., Srivastav, G. (2009). "Phytocontent screening of Mucuna seeds and exploit in opposition to pathogenic microbes". *Journal of Biological & Environmental Sciences*, 3, pp. 71–6.
- Lampariello, L. R., Alessio, C., Roberto, G., Claudia, S., Giuseppe, V. (2012). "The Magic Velvet Bean of *Mucuna pruriens*". *Journal of Traditional and Complementary Medicine*, 2(4), pp. 331–339.
- Layne, E. E. (1975). "Methods in Enzymology". 3, pp. 447.

- Leelambika, M., Mahesh, S., Jaheer, M., Sathyanarayana, N. (2010). "Comparative evaluation of genetic diversity among Indian *Mucuna* Species using morphometric, biochemical and molecular approaches". *World Journal of Agricultural Sciences*, 6(5), pp. 568-578.
- Lestari, P. W. (2021). *MODUL Pengolahan dan Analisis Data Menggunakan SPSS*. Jakarta: Universitas Binawan
- Lim, T. K. (2012). "*Mucuna pruriens*. In Edible medicinal and non-medicinal plants". *Springer, Dordrecht*, pp. 779–79.
- Lorenzetti, E., MacIsaac, S., Arnason, J.T., Awang, D.V.C., Buckles, D. (1998). "The phytochemistry, toxicology and food potential of velvet bean (*Mucuna adans* spp. *Fabaceae*)". In D. Buckles, O. Osiname, M. Galiba, & G. Galiano. *Cover crops of West Africa; contributing to sustainable agriculture*. IDRC, Ottawa, Canada & IITA, Ibadan, Nigeria, pp. 57.
- Lowry, O. H., Rosbrough, N. J., Farr, A. L., Randall, R. J. (1951). "Protein measurement with the Folin phenol reagent". *Journal of Biological Chemistry*, 193, pp. 265–275.
- Makkar, H. P. S., Becker, K., Abel, H. and Pawelzik, E. (1997). "Nutrient contents, rumen protein digestibility and antinutritional factors in some colour and white flowering cultivars of *Vicia faba* beans". *Journal of Science Food and Agriculture*, 75, pp. 511–520.
- Mohan, V. R., and Janardhanan, K. (1995). "Chemical analysis and nutritional assessment of lesser known pulses of the genus *Mucuna*". *Food Chemistry*, 52, pp. 275–280.
- Mohan, V. R., Tresina, P. S., Daffodil, E. D. (2016). "Antinutritional factors in legume seeds: characteristics and determination". *Food and Health Encyclopedia*, Oxford: Academic Press, pp. 211-220.
- Moise, J. A., Han, S., Savitch, L. G., Miki, D. A. J. B. L. A. (2005). "Seed coat: structure, development, composition, and biotechnology". *Plant*, 41(5), pp. 620-644.
- Montgomery, R. D. (1980). *Cyanogens*. In: *Liener, I. E. (ed.) Toxic constituents of plant food stuffs*. New York: Academic Press, pp. 158–160.
- Mubarak, A. E. (2005). "Nutritional composition and antinutritional factors of mung bean seeds (*Phaseolus aureus*) as affected by some home traditional processes". *Food Chemistry*, 89, pp. 489–495.
- Muzazinah. (2020). "Morfologi biji Indigofera sebagai karakter penciri dalam studi taksonomi". *Bioedukasi*, 13 (1), pp. 37-41.

- Noviyanty, Y., Hepiyansori, Yudan, A. (2020). "Identifikasi dan penetapan kadar senyawa tanin pada ekstrak daun biduri (*Calotropis gigantea*) metode spektrofotometri UV-VIS". *Jurnal Ilmiah Manuntung*, 6(1), pp. 57-64.
- Oboh, H. A., Muzquiz, M., Burbano, C., Cuadrado, C., Pderosa, M. M. Ayet, G. and Osagie, A. U. (2000). "Effect of soaking, cooking and germination on the oligosaccharide content of selected Nigerian legume seeds". *Plant Foods for Human Nutrition*, 55, pp. 97–110.
- Onwuliri, V. A. and Obu, J. A. (2002). "Lipids and other constituents of *Vigna unguiculata* and *Phaseolus vulgaris* grown in northern Nigeria". *Food Chemistry*, 78, pp. 1–7.
- Osman, M.A. (2007). "Effect of different processing methods on nutrient composition, anti-nutritional factors and in vitro protein digestibility of *Dolichos lablab* bean (*Lablab purpureus* (L.) Sweet.)". *Pakistan Journal of Nutrition*, 6, pp. 299–303.
- Pathania, R., Chawla, P., Khan, H. *et al.* (2020). "An assessment of potential nutritive and medicinal properties of *Mucuna pruriens*: a natural food legume". *3 Biotech*, 10(261).
- Patil, R. R., Gholave, A. R., Jadhav, J. P., Yadaf, S. R., Bapat, V. A. (2015). "*Mucuna sanjappae* Aitawad et Yadaf: a new species of *Mucuna* with promising yield of anti-Parkinson's drug L-DOPA". *Genetic Resources and Crop Evolution*, 62, pp. 155-162. DOI 10.1007/s10722-014-0164-8.
- Plummer, D. T. (1990). "An Introduction to Practical Biochemistry". 179 Third Edition.
- Pratiwi, S. W., Ratna, N., Siska, N. S dan Donny, R. F. (2019). "Analisis sianida pada daun singkong menggunakan spektrofotometri dengan variasi waktu perebusan". *STABA*, 3(2).
- Pratiwi, D., Diba, M., Elsyia, M., Gita, K. P., Tintia, R.P. (2023). "Review artikel: analisis senyawa sianogenik pada tanaman". *Jurnal Farmasetis*, 12(1).
- Pugalenthi, M., Vadivel V., Siddhuraju, P. (2005). "Alternative food/feed perspectives of an under-utilized legume *Mucuna pruriens* var. *utilis*-A Review/ Linn. *Journal Plant Foods For Human Nutrition*, 60, pp. 201-218.
- Putri, K. A. (2023). "Analisis kandungan asam fitat tiga belas kacang-kacangan (legum) menggunakan instrumen spektrofotmetri UV-Vis"(skripsi). Universitas Pendidikan Indonesia.

- Raju, T. K., Diviya, B. J., Suman, B., Venkataswamy, M. (2017). "The traditional uses and pharmacological activities of *Mucuna Pruriens* (L) Dc: a comprehensive review". *Indo American Journal of Pharmaceutical Research*, 7 (01).
- Rakesh, B., Praveen, N. (2020). "Bab-10 pendekatan bioteknologi untuk produksi L-DOPA: obat anti-Parkinson baru dan ampuh dari *Mucuna pruriens* (L.) DC". Pemimpin Redaksi: 179.
- Ravindran, V., and Ravindran, G. (1998). "Nutritional and anti-nutritional characteristics of *Mucuna* (*Mucuna utilis*) bean seeds". *Journal of The Science of Food and Agriculture*, 46, pp. 71–79.
- Retnaningsih, Ch., Setiawan, A., Sumardi. (2011). "Potensi antiplatelet kacang koro (*Mucuna pruriens* L.) dari fraksi heksan dibandingkan dengan aspirin pada tikus hiperkolesterolemia". *Seri Kandungan Ilmiah*, 14(1), pp. 80.
- Rima, Safira, I., Desak, M. M., Ukun, M. S. (2022). "Nutritional content and the activities of L-Dopa (L-3,4-dihydroxyphenylalanine) from *Mucuna pruriens* L. DC seeds of central java accession". *Arabian Journal of Chemistry*, 16(1).
- Rokhmah, L. N., Choirul, A., Sri, H., Dian, R. (2009). "Kajian kadar asam fitat dan kadar protein selama pembuatan tempe kara benguk (*Mucuna pruriens*) dengan variasi pengecilan ukuran dan lama fermentasi". *Biofarma*, 7(1), pp. 1-9. DOI: 10.13057/biofar/f070101.
- Ryanata, E. (2014). "Penentuan jenis tanin dan penetapan kadar tanin dari kulit buah pisang masak (*Musa paradisiaca* L.) secara spektrofotometri dan permanganometri". *Calyptra: Jurnal Ilmiah Mahasiswa Universitas Surabaya*, 4(1).
- Safitri, T. (2023). *Pertumbuhan dan kandungan metabolit lipid kultur mikroalga Chlorella vulgaris dan Nannochloropsis sp. dalam kondisi defisiensi nitrogen* (Skripsi). Program studi Biologi, Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Pertanian Bogor.
- Salim, Emil. (2011). *Mengolah singkong menjadi tepung mocaf bisnis alternatif pengganti terigu*. Yogyakarta: Lily Publisher.
- Salunkhe, D. K., Jadhav, S. J., Kadam, S. S., Chavan, J. K. (1982). "Chemical, biochemical, and biological significance of polyphenols in cereals and legumes". *Critical Reviews in Food Science Nutrition*, 17, pp. 277–305.
- Sangronis, E., and Machado, C. J. (2007). "Influence of germination on the nutritional quality of *Phaseolus vulgaris* and *Cajanus cajan*". *LWT Food Science and Technology*, 40, pp. 116–120.

- Sathiyanarayanan, L., Arulmozhi, S. (2007). "*Mucuna pruriens*. A comprehensive review". *Pharmacognosy Reviews*, 1, pp. 157-162.
- Saxena, B. D. et al. (2012). "Flavonoids and Phenolic Acids as Anti-oxidants in Plants and Human Health". *International Journal of Pharmaceutical Science Review and Research (IJPSRR)*, 16, pp. 130-134.
- Shimelis, E. A. and Rakshit, S. K. (2007). "Effect of processing on antinutrients and in vitro protein digestibility of kidney bean (*Phaseolus vulgaris* L.) varieties grown in East Africa". *Food Chemistry*, 103, pp. 161-172.
- Siddhuraju, P., Vijayakumari, K., Janardhanan, K. (1996). "Chemical composition and protein quality of the little-known legume, velvet bean (*Mucuna pruriens* (L.) DC.)". *Journal of Agricultural and Food Chemistry*, 44, pp. 2636-2641.
- Singleton, V. L. and Rossi, J. A. (1965). "Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents". *American Journal of Enology and Viticulture (AJEV)*, 16, pp. 144-158.
- Sridhar, K. R., Bhat R. (2007). "Agrobotanical, nutritional and bioactive potential of unconventional legume-Mucuna". *Livestock Research for Rural Development*, 19, pp. 126-130.
- Szabo, N. J. (2003) "Indolealkylamines in *Mucuna* species". *Tropical and Subtropical Agroecosystems*, 1, pp. 295-307.
- Tanabata, T., Taeko, S., Kiyosumi, H., Kavoru, E., Masahiro, Y. (2012). "SmarGrain: High-throughput phenotyping software for measuring seed shape through image analysis". *Plant Physiology*, 160, pp. 1871-1880.
- Tresina, P. S. and Mohan, V. R. (2011). "Chemical analysis and nutritional assessment of two less known pulses of genus *Vigna*". *Tropical and Subtropical Agroecosystems*, 14, pp. 473-484.
- Trevelyan, W. E., Forrest, R.S., Harrison, J. S. (1952). "Determination of yeast carbohydrates with the anthrone reagent". *Nature*, 170, pp. 626-627.
- Tripathi, Y. B. and Upadhyay A. K. (2001). "Antioxidant property of *Mucuna pruriens*". *Linn. Current Science*, 80, pp. 1377-1378.
- _____. (2012). "Comparative assessment on the nutritional and antinutritional attributes of the underutilized legumes, *Canavalia gladiata* (Jacq.) DC.,

Erythrina indica Lam. and *Abrus precatorius* L". *Tropical and Subtropical Agroecosystem*, 15, pp. 539–556.

_____. (2013). "Assessment of nutritional and antinutritional potential of underutilized legumes of the genus *Mucuna*". *Tropical and Subtropical Agroecosystem*, 16, pp. 155–169.

Vadivel, V. and Pugalenth, M. (2010). "Evaluation of nutritional value and protein quality of an underutilized tribal food legume". *Indian Journal of Traditional Knowledge*, 9, pp. 791–797.

Vijayakumari, K., Siddhuraju, P. and Janardhanan, K. (1996). "Effect of soaking, cooking and autoclaving on phytic acid and oligosaccharide contents of the tribal pulse, *Mucuna monosperma* DC.ex Wight". *Food Chemistry*, 55, pp. 173–177.

Xudong, Y., Al-Babili, S., Kloti, A., Zhang, J., Lucca, P., Beyer, P., Potrykus, I. (2000). "Engineering the provitamin A (b-carotene) biosynthetic pathway into (carotenoid-free) rice endosperm". *Science*, 287, pp. 303–305.

Yadav, M.K., Upadhyay, P., Purohit, S., Pandey, B. L., Shah, H. (2017). "Phytochemistry and pharmacological activity of *Mucuna pruriens*: A review". *International Journal of Green Pharmacy*, 11(2), pp. 69–73.

Wang, N., Hatcher, D. W. and Gawalko, E. J. (2008). "Effect of variety and processing on nutrients and certain antinutrients in field peas (*Pisum sativum*)". *Food Chemistry*, 111, pp. 132–1.

Winarno, F. G. (2004). *Kimia Pangan dan Gizi*. Jakarta: Gramedia Pustaka.

