

DAFTAR PUSTAKA

- Ahmed, M. F., Podder, M., Moni, M. R., Rahman, M. L., Biswas, B., Khanam, J., Hakim, M., Rahman, M., Hossain, M. S., & Sharmin, N. (2025). Investigation the effect of calcination heating rate on the structural, morphological, thermal and color properties of nano Cobalt Aluminate (CoAl₂O₄). *Heliyon*, 11(3). <https://doi.org/10.1016/j.heliyon.2025.e42413>
- Al-Amiery, A., Isahak, W. N. R. W., & Al-Azzawi, W. K. (2023). Multi-method evaluation of a 2-(1,3,4-thiadiazole-2-yl)pyrrolidine corrosion inhibitor for mild steel in HCl: combining gravimetric, electrochemical, and DFT approaches. *Scientific Reports*, 13(1). <https://doi.org/10.1038/s41598-023-36252-8>
- Anderson, T. R., Hawkins, E., & Jones, P. D. (2016). CO₂, the greenhouse effect and global warming: from the pioneering work of Arrhenius and Callendar to today's Earth System Models. *Endeavour*, 40(3), 178–187. <https://doi.org/10.1016/j.endeavour.2016.07.002>
- Ball, D. R. (2015). Humidification devices. In *Anaesthesia and Intensive Care Medicine* (Vol. 16, Issue 8, pp. 378–380). Elsevier Ltd. <https://doi.org/10.1016/j.mpaic.2015.06.008>
- Baum, J. A., & Woehlck, H. J. (2003). Interaction of inhalational anaesthetics with CO₂ absorbents. *Best Practice and Research: Clinical Anaesthesiology*, 17(1), 63–76. <https://doi.org/10.1053/bean.2003.0269>
- Baum, J., & Van Aken, H. (2000). Calcium hydroxide lime - A new carbon dioxide absorbent: A rationale for judicious use of different absorbents. In *European Journal of Anaesthesiology* (Vol. 17, Issue 10, pp. 597–600). <https://doi.org/10.1046/j.1365-2346.2000.00679.x>
- Darono Yak, P. (2017). *TNI Angkatan Laut sebagai World Class Navy pada Strategi Pertahanan Indonesia dalam Mewujudkan Poros Maritim Dunia*. www.antaranews.com/berita/464097/di
- Departemen Kesehatan RI. (2020). *FARMAKOPE INDONESIA EDISI VI 2020 KEMENTERIAN KESEHATAN REPUBLIK INDONESIA*.
- Derevshchikov, V. S., & Kazakova, E. D. (2020). Comparative Analysis of the Chemical Composition and Sorption, Textural, and Strength

- Properties of Commercial Medical CO₂ Sorbents. *Catalysis in Industry*, 12(1), 1–6. <https://doi.org/10.1134/S2070050420010043>
- Freys, G. (1999a). Chaux sodée: une mise en examen. <https://www.sciencedirect.com/journal/Annales-francaises-danesthesie-et-de-reanimation>, 18(3), 299–302. [https://doi.org/10.1016/S0750-7658\(99\)80054-9](https://doi.org/10.1016/S0750-7658(99)80054-9)
- Freys, G. (1999b). Chaux sodée: une mise en examen. *Annales Françaises d'Anesthésie et de Réanimation*, 18(3), 299–302. [https://doi.org/10.1016/S0750-7658\(99\)80054-9](https://doi.org/10.1016/S0750-7658(99)80054-9)
- Gant, N., van Waart, H., Ashworth, E. T., Mesley, P., & Mitchell, S. J. (2019). Performance of cartridge and granular carbon dioxide absorbents in a closed-circuit diving rebreather. *Diving and Hyperbaric Medicine*, 49(4), 298–303. <https://doi.org/10.28920/dhm49.4.298-303>
- Hardt, D. J., James, R. A., Gut, C. P., McInturf, S. M., Sweeney, L. M., Erickson, R. P., & Gargas, M. L. (2015a). Evaluation of submarine atmospheres: Effects of carbon monoxide, carbon dioxide and oxygen on general toxicology, neurobehavioral performance, reproduction and development in rats. I. subacute exposures. *Inhalation Toxicology*, 27(2), 83–99. <https://doi.org/10.3109/08958378.2014.995386>
- Hardt, D. J., James, R. A., Gut, C. P., McInturf, S. M., Sweeney, L. M., Erickson, R. P., & Gargas, M. L. (2015b). Evaluation of submarine atmospheres: Effects of carbon monoxide, carbon dioxide and oxygen on general toxicology, neurobehavioral performance, reproduction and development in rats. I. subacute exposures. *Inhalation Toxicology*, 27(2), 83–99. <https://doi.org/10.3109/08958378.2014.995386>
- Harvey, D., Pollock, N. W., Gant, N., Hart, J., Mesley, P., & Mitchell, S. J. (2016). *The duration of two carbon dioxide absorbents in a closed-circuit rebreather diving system* (Vol. 46, Issue 2).
- Higuchi, H., Adachi, Y., Arimura, S., Kanno, M., & Satoh, T. (2001). *The Carbon Dioxide Absorption Capacity of Amsorb® is Half That of Soda Lime*. <http://journals.lww.com/anesthesia-analgesia>
- Isaac Ghebre-Sellassie. (2010). *Pharmaceutical Pelletization Technology*.
- Jacobson, T. A., Kler, J. S., Hernke, M. T., Braun, R. K., Meyer, K. C., & Funk, W. E. (2019). Direct human health risks of increased

atmospheric carbon dioxide. In *Nature Sustainability* (Vol. 2, Issue 8, pp. 691–701). Nature Publishing Group. <https://doi.org/10.1038/s41893-019-0323-1>

Jadhav, R., Shewale, M., Kadam, A., Dhadde, S., & Professor, A. (2024). Optimization of Talc Pellets Preparation by Extrusion-Spheronization Technique: A 3^2 Factorial Design Approach. *International Journal of Medical Toxicology & Legal Medicine*. <https://ijmtlm.org>

Kasi, G., Stalin, N., Rachtanapun, P., Jantanasakulwong, K., Halder, J. N., Phongthai, S., Worajittiphon, P., Seo, J., & Thanakkasaranee, S. (2025). Effect of Calcination Temperatures on Crystallite Size, Particle Size, and Antimicrobial Activity of Synthesized MgO and Its Cytotoxicity. *International Journal of Molecular Sciences*, 26(10). <https://doi.org/10.3390/ijms26104868>

Khrantsov, P., Kalashnikova, T., Bochkova, M., Kropaneva, M., Timganova, V., Zamorina, S., & Rayev, M. (2021). Measuring the concentration of protein nanoparticles synthesized by desolvation method: Comparison of Bradford assay, BCA assay, hydrolysis/UV spectroscopy and gravimetric analysis. *International Journal of Pharmaceutics*, 599. <https://doi.org/10.1016/j.ijpharm.2021.120422>

Kuntum Khaira. (2011). Pengaruh Temperatur dan Waktu Kalsinasi Batu Kapur Terhadap Karakteristik Precipitated Calcium Carbonate. *Jurnal Sainstek*, III, 33–43.

Liu, Y., Song, Y., & Jiao, J. J. (2023). Submarine Groundwater Discharge Strengthens Acidification in the Coastal Semi-Closed Bays. *Geophysical Research Letters*, 50(17). <https://doi.org/10.1029/2023GL103788>

Marsetio Marsetio, & Rajab Ritonga. (2018). Representasi Kapal Selam Indonesia dalam Perspektif Pertahanan Regional. *Jurnal Kajian Stratejik Ketahanan Nasional*, 1(2). <https://doi.org/10.7454/jkskn.v1i2.10008>

Neumann, M. A., Laster, M. J., Weiskopf, R. B., Gong, D. H., Dudziak, R., Fö Rster, H., & Eger, E. I. (1999). *The Elimination of Sodium and Potassium Hydroxides from Desiccated Soda Lime Diminishes Degradation of Desflurane to Carbon Monoxide and Sevoflurane to Compound A but Does Not Compromise Carbon Dioxide Absorption*. <http://journals.lww.com/anesthesia-analgesia>

- Ohm, M., Gravenstein, N., & Good, M. L. (1991). *Duration of Carbon Absorption by Soda Low Rates of Fresh Flow Dioxide Lime at Gas*.
- Ostertagová, E., & Ostertag, O. (2013). Cite This Article: Eva Ostertagová, and Oskar Ostertag. *American Journal of Mechanical Engineering*, 1(7), 256–261. <https://doi.org/10.12691/ajme-1-7-21>
- Prasetyo, K. A., Yudho Prakoso, L., Sianturi, D., Pertahanan, S., Fakultas, L., & Pertahanan, U. (2022). *STRATEGI PERTAHANAN LAUT PEMERINTAH INDONESIA DALAM MENJAGA KEAMANAN MARITIM MARINE DEFENSE STRATEGY THE GOVERNMENT OF INDONESIA IN KEEPING MARITIME SECURITY*.
- Prasetyo Pusat Pengadaan Badan Sarana Pertahanan Kementerian Pertahanan, T., Armawi, A., & Agus Salim, D. (2017). Evaluasi Kinerja KKIP Dalam Kerjasama Republik Indonesia-Korea Selatan Pada Pembangunan Kapal Selam Untuk Mendukung Ketahanan Alutsista TNI Angkatan Laut. In *Jurnal Ketahanan Nasional* (Vol. 23, Issue 1). <http://jurnal.ugm.ac.id/JKN>
- Raymond C, R., Paul J, S., & Marian E, Q. (2009). *Handbook of Pharmaceutical Excipients*.
- Rodeheffer, C. D., Chabal, S., Clarke, J. M., & Fothergill, D. M. (2018). Acute exposure to low-to-moderate carbon dioxide levels and submariner decision making. *Aerospace Medicine and Human Performance*, 89(6), 520–525. <https://doi.org/10.3357/AMHP.5010.2018>
- Rogalewicz, B., Czyłkowska, A., Anielak, P., & Samulkiwicz, P. (2020). Investigation and possibilities of reuse of carbon dioxide absorbent used in anesthesia. *Materials*, 13(21), 1–11. <https://doi.org/10.3390/ma13215052>
- Shadle, T. (1992). *US Navy Submarine Normal and Emergency Ventilation Systems The Engineering Society eA =For Advancing Mobility and sea ~ i r and Space@ I N T E R N A T I O N A L 22nd International Conference on Environmental Systems Seattle 4 0 0 COMMONWEALTH DRIVE, WARRENDALE, PA 1 5 0 9 6-0 0 0 1 U.*
- Silvanus, M., Mitchell, S. J., Pollock, N. W., Frånberg, O., Gennser, M., Lindén, J., Mesley, P., & Gant, N. (2019). The performance of 'temperature stick' carbon dioxide absorbent monitors in diving

rebreathers. *Diving and Hyperbaric Medicine*, 49(1), 48–56. <https://doi.org/10.28920/dhm49.1.48-56>

Simanjuntak, M. (2018). *TNI Angkatan Laut Sebagai Penegak Hukum Dan Sekaligus Penyidik Tindak Pidana Di Laut* (Vol. 8, Issue 2).

Siregar, H., Achnaf, M., Staf, S., Tni, K., & Laut, A. (2022). STRATEGI PERTAHANAN LAUT INDONESIA MELALUI MODERNISASI ALUTSISTA TNI AL. *Journal of Industrial Engineering & Management Research*, 3(5). <https://doi.org/10.7777/jiemar>

Suhardin, A., Syahrul Ulum, M., Darwis Jurusan Fisika, D., & Matematika dan Ilmu Pengetahuan Alam, F. (2018). Penentuan Komposisi Serta Suhu Kalsinasi Optimum CaO Dari Batu Kapur Kecamatan Banawa Determining The Composition and Optimum Calcination Temperature of CaO of Banawa Limestone. *Natural Science: Journal of Science and Technology ISSN*, 7(1), 30–35.

Taufik Riadi (2014). *LAPORAN_ILMIAH_SODA_LIME_U_CLOSE_CIRCUIT-terbaru*[1].

Wang, Z., Calderón, L., Patton, A. P., Sorensen Allacci, M. A., Senick, J., Wener, R., Andrews, C. J., & Mainelis, G. (2016). Comparison of real-time instruments and gravimetric method when measuring particulate matter in a residential building. *Journal of the Air and Waste Management Association*, 66(11), 1109–1120. <https://doi.org/10.1080/10962247.2016.1201022>

Whittamore, J. M., Genz, J., Grosell, M., & Wilson, R. W. (2016). Measuring intestinal fluid transport in vitro: Gravimetric method versus non-absorbable marker. *Comparative Biochemistry and Physiology -Part A: Molecular and Integrative Physiology*, 194, 27–36. <https://doi.org/10.1016/j.cbpa.2016.01.004>

Zahra, S., Naz, U., Irshad, M., Sheikh, A., & Zahra, S. (2025). Effect of calcination temperature on structural and magnetic properties of polypropylene glycol stabilized nickel ferrite nanoparticles. *BMC Chemistry*, 19(1), 106. <https://doi.org/10.1186/s13065-025-01454-w>