

DAFTAR PUSTAKA

- Almeida-Pereira, *et al.* (2017). Genetic Diversity of Native Populations of *Croton tetradenius* Baill. Using ISSR Markers. *Genetics and Molecular Research: GMR*, 16(2), 1 – 12.
- Agisimanto D., C. Martasari, & A. Supriyanto. (2007). Perbedaan Primer RAPD dan ISSR dalam Identifikasi Hubungan Kekerabatan Genetik Jeruk Siam (*Citrus suhuniensis* L. Tan) Indonesia. *Jurnal Hortikultura*, 17(2), 101–110.
- Amiteye, Samuel. (2021). Basic Concepts and Methodologies of DNA Marker Systems in Plant Molecular Breeding. *Heliyon*, 7(10), 1–20.
- Aprilia, V., PW, E. R., & Rafdinal, R. (2022). Kepadatan dan Pola Distribusi Ulin (*Eusideroxylon zwageri* Tjeism. Et Binnend.) di Dusun Manjau Hutan Desa Laman Satong Kecamatan Matan Hilir Utara. *Biologica Samudra*, 4(2), 123–135.
- Barbour, M. G. *et al.* (1987). Methods of Sampling The Plant Community. In Barbour, *et al.* (Ed.), *Terrestrial Plant Ecology 2nd Edition*. Cummings Pub. Co.
- Baroya, U. B. A., M. Faisal Mahdie, & Gt. A. R. Thamrin. (2023). Uji Ketahanan Kayu Ulin (*Eusideroxylon zwageri*), Bengkirai (*Shorea laevifoia* Endert), dan Meranti Merah (*Shorea leprosula* Miq) sebagai Bahan Baku Pembuatan Perahu terhadap Organisme Perusak Kayu. *Jurnal Sylva Scienteeae*, 6(1), 170–176.
- Cabana, G. S., Hulsey, B. I., & Pack, F. L. (2013). Molecular Methods. In *Research Methods in Human Skeletal Biology* (pp. 449–480). Academic Press.
- Carsono, N. *et al.* (2014). Identifikasi Polimorfis Marka-Marka Molekuler yang Diduga Berkaitan dengan karakter Daya Hasil Tinggi pada 30 Genotip Padi. *Chimica et Natura Acta*, 2(1), 91–95.
- Chesnokov, Y. V., & Artemyeva, A. M. (2015). Evaluation of The Measure of Polymorphism Information of Genetic Diversity. *Agricultural Biology*, 50(5), 571–578.
- Chiarella, P., Capone, P., & Sisto, R. (2020). The Role of Genetic Polymorphisms in the Occupational Exposure. In M. Çalışkan, O. Erol, & G. Cevahir Öz (Eds.), *The Recent Topics in Genetic Polymorphisms* (pp. 1–16). IntechOpen.
- Ci, X. Q., *et al.* (2008). AFLP and ISSR Analysis Reveals High Genetic Variation and Inter-Population Differentiation in Fragmented Populations of The Endangered *Litsea szemaois* (Lauraceae) from

- Southwest China. *Plant Systematics and Evolution*, 273(3), 237–246.
- Cristóbal-Pérez, *et al.* (2021). Habitat Fragmentation Negatively Affects Effective Gene Flow Via Pollen, and Male and Female Fitness in The Dioecious tree, *Spondias purpurea* (Anacardiaceae). *Biological Conservation*, 256.
- Dodo & Sudarmono. (2011). Pengaruh Media semai, Ukuran, dan Perlakuan Biji Ulin (*Eusideroxylon zwageri* T. & B.) terhadap Persen Berkecambah. *Prosiding Lokakarya Nasional: Status Konservasi Jenis-Jenis Pohon yang Terancam Punah (Ulin, Eboni, dan Michelia)*. Bogor: Pusat Penelitian dan Pengembangan Konservasi dan Rehabilitasi.
- Dutheil, J. Y. (2020). Statistical Population Genomics. In J. Y. Dutheil (Ed.), *Methods in molecular biology (Clifton, N.J.)*. Humana Press.
- Effendi, R. (2009). Kayu Ulin di Kalimantan: Potensi, Manfaat, Permasalahan dan Kebijakan yang Diperlukan Untuk Melestarikannya. *Jurnal Analisis Kebijakan Kehutanan*, 6(3), 161–168.
- Fadjeri, M., & Hasanudin. (2020). Permudaan Alam Tanaman Ulin (*Eusideroxylon zwageri* T et B) Sistem Putaran sebagai Alternatif Konservasi In Situ. *Buletin Loupe*, 15(02), 25–30.
- GBIF.org. *GBIF Occurrence Download: Eusideroxylon zwageri*. Diakses dari <https://www.gbif.org/species/3033968> pada 20 Oktober 2024.
- Gusmalawati, *et al.* (2014). Struktur Anatomi Batang Ulin (*Eusideroxylon zwageri* Teijsm. & Binnend) Varietas Tando dan Tembaga di Kalimantan Barat. *Saintifika*, 16(2), 49–56.
- Hakim, L., & Fauzi., M. A. (2008). Pengaruh Ukuran Kotiledon terhadap Pertumbuhan Semai Ulin (*Eusideroxylon zwageri* T. Et B). *Jurnal Pemuliaan Tanaman Hutan* 2(1), 1–5.
- Hakim, L., Prastyono, P., & Syakur, A. (2005). Eksplorasi Ulin di Kalimantan Untuk Konservasi Ex-Situ. *Jurnal Penelitian Hutan Tanaman* 2(1), 21–35.
- Harata, T., *et al.* (2012). Fine-scale Spatial Genetic Structure of Ten Dipterocarp Tree Species in a Bornean Rain Forest. *Biotropica*, 44(5), 586–594.
- Harkingto, *et al.* (2006). Keragaman Genetik Lima Populasi Ulin di Kalimantan Timur Berdasar Penanda RAPD. *Ilmu Pertanian* 13(1), 1–10.
- Haryati, J. R., Azizah, I. N., & Arisoesilaningsih, E. (2011). *Eusideroxylon zwageri* (Ulin) as Key Species in Two Zones of Sangkima Rain Forest. *J. Trop. Life. Science*, 1(1), 47–50.

- Heyne, K. (1987). *Tumbuhan Berguna Indonesia*. 2nd ed. Jakarta: Badan Litbang Kehutanan.
- Ignea, C. (2024). Gene Flow and Genetic Drift Importance in the Evolution of Plant Populations. *Bio Med* 16, 700.
- Irawan, B., et al. (2016). Linking Indigenous Knowledge, Plant Morphology, and Molecular Differentiation: The Case of Ironwood (*Eusideroxylon zwageri* Teijsm. et Binn.). *Genetic Resources and Crop Evolution*, 63(8), 1297–1306.
- Ismi, Nopri. (2022). "Ulin, Pohon Penjaga Ekosistem Hutan Bukit Peramun". Diakses dari <https://mongabay.co.id/2022/06/24/ulin-pohon-penjaga-ekosistem-hutan-bukit-peramun/> pada 25 Oktober 2024.
- IUCN. 2000. *Eusideroxylon zwageri*. The IUCN Red List of Threatened Species. Diakses pada 26 Oktober 2024.
- Kimoto, Y., Utami, N., & Tobe, H. (2006). Embryology of *Eusideroxylon* (Cryptocaryeae, Lauraceae) and Character Evolution in The Family. *Botanical Journal of the Linnean Society*, 150(2), 187–201. <https://doi.org/10.1111/j.1095-8339.2006.00458.x>
- Krauss, J. et al. (2004). Effects of Habitat Area, Isolation, and Landscape Diversity on Plant Species Richness of Calcareous Grassland. *Biodiversity and Conservation*, 13, 1427–1439.
- Kulkarni, S., & Louis, S. (2015). "Genetics and Genomics". In *Reference Module in Biomedical Sciences* (Ed.). Elsevier Inc.
- Larekeng, et al. (2015). Pollen Dispersal and Pollination Patterns Studies in Pati Kopyor Coconut using Molecular Markers. *Cord*, 31(1), 15.
- Liu, H. et al. (2023). Geographic Isolation and Environmental heterogeneity Contribute to Genetic Differentiation in *Cephalotaxus oliveri*. *Ecology and Evolution*, 13(3),
- Mansur, I., et al. (2018). *Buku Saku Deskripsi Jenis-jenis Pohon Langka di Indonesia*. SEAMEO BIOTROP.
- Matesscu, et al. (2005). Analysis of Allele Fidelity, Polymorphic Information Content, and Density of Microsatellites in a Genome-Wide Screening for Hip Dysplasia in a Crossbreed Pedigree. *Journal of Heredity*, 96(7), 847–853.
- Md-Isa, S. F. (2020). *Morphological and Generitc Variation of Eusideroxylon zwageri Teijsm. & Binn. (Borneo Ironwood) in Sarawak, Malaysia*. (Tesis). Fakultas Sains, Universiti Putra Malaysia.
- Md-Isa, S. F., et al. (2021). An Assessment of Genetic Variation in Vulnerable Borneo Ironwood *Eusideroxylon zwageri* Teijsm. & Binn. in Sarawak Using SSR Markers. *Journal of Threatened Taxa*, 13(6),

18588–18597.

- Nguyen, H. T., & Wu, X. (2005). Molecular Marker Systems for Genetic Mapping. In P. D. G. K. Prof. Dr. Khalid Meksem (Ed.), *The Handbook of Plant Genome Mapping Edited by Khalid Meksem and Gçnter Kahl Essentials of Genomics and Bioinformatics The Dictionary of Gene Technology Bioinformatics for Geneticists Further Titles of Interest*.
- Noorani, M. S. *et al.* (2013). Simultaneous Detection and Identification of Four Cherry Viruses by Two Step Multiplex RT-PCR with An Internal Control of Plant NAD5 mRNA. *J. Virol Methods*, 193(1), 103–107.
- Nurtjahjaningsih, *et al.* (2017). Genetic Relationship of Ulin (*Eusideroxylon zwageri* Teijsm. & Binn.) Wildlings Using Random Amplified Polymorphism DNA Markers. *Jurnal Pemuliaan Tanaman Hutan*, 11(1), 25–32.
- Ourborg, N. J., Y. Piquot, & J. M. Van Groenendael. (1999). Population Genetics, Molecular Markers and The Study of Dispersal in Plants. *Journal of Ecology*, 87(4), 551–568.
- Patterson, N., Price, A. L., & Reich, D. (2006). Population Structure and Eigenanalysis. *PLoS Genetics*, 2(12), 2074–2093.
- POWO. (1863). *Eusideroxylon zwageri* Teijsm. & Binn. Diakses dari <https://powo.science.kew.org/taxon/> pada 25 Oktober 2024.
- Prayoga, D. A., Dewantara, I., & Herawatiningsih, R. (2019). Asosiasi Ulin (*Eusideroxylon zwageri* Teijsm et Binn) terhadap Jenis Dominan pada Zona Domestika Kebun Raya Sambas Kabupaten Sambas. *Jurnal Hutan Lestari*, 7(4), 1642–1652.
- Reddy, M. P., Sarla, N., & Siddiq, E. A. (2002). Inter Simple Sequence Repeat (ISSR) Polymorphism and Its Application in Plant Breeding. *Euphytica*, 128(3), 9–17.
- Riek, J. F., *et al.* (2001). AFLP-Based Alternatives for The Assessment of Distinctness, Uniformity and Stability of Sugar Beet Varieties. *Theor Appl Genet*, 103, 1254–1265.
- Rimbawanto, A. & Suharyanto. (2005). Keragaman Genetik Populasi *Shorea leprosula* Miq. dan Implikasinya Untuk Program, Konservasi Genetik. *Prosiding Seminar Nasional Peningkatan Produktivitas Hutan: Peran Konservasi Sumber Daya Genetik, Pemuliaan dan Silvikultur dalam Mendukung Rehabilitasi Hutan*. Yogyakarta: Fakultas Kehutanan UGM & International Tropical Timber Organization.
- Rimbawanto, A., Widyatmoko, & Harkingto. (2006). Keragaman Populasi *Eusideroxylon zwageri* Kalimantan Timur Berdasarkan Penanda RAPD. *Jurnal Penelitian Hutan Tanaman*, 3(3), 201–208.

- Rini, D. S., *et al.* (2023). ISSR and SRAP for Assessing Genetic Variability of Indonesian Local Rice Genotypes (*Oryza sativa* L.). *Crop Breeding and Applied Biotechnology*, 23(4), 1–9.
- Rizal, J. G. & S. Hardiyanto. (2021). "Ramai Soal Unggahan Gambar Penyusutan Hutan Kalimantan, Benarkah Separah Itu?". Diakses dari <https://www.kompas.com/tren/read/2021/01/17/101500065/> pada 2 Juli 2025.
- Sevindik, E. (2019). Molecular Genetic Diversity of Some *Laurus nobilis* L. (Lauraceae) Populations Grown in The Aegean Region/Turkey. *Advances in Food Sciences*, 41(2), 28–31.
- Sidiyasa, *et al.* (2013). Keragaman Morfologi, Ekologi, Pohon Induk, dan Konservasi Ulin (*Eusideroxylon zwageri* Teijsm. et Binnend.) di Kalimantan (*Morphological Diversity, Ecology, Mother Trees, and Conservation of Ulin (Eusideroxylon zwageri Teijsm. et Binnend) in Kalimantan*). *Jurnal Penelitian Hutan Dan Konservasi Alam*, 10(3), 241–254.
- Slatkin, M. (1987). Gene Flow and The Geographic Structure of Natural Populations. *SCIENCE*, 236(4803), 787–792.
- Soerianegara, I. & R. H. M. J. Lemmens. (1993). *Plant Resources of South-East Asia No. 5(1). Timber Trees: Major Commercial Timbers*. Wageningen: Pudoc Scientific Publisher.
- Sukartiningsih, S., *et al.* (2025). Genetic Diversity and Structure of *Eusideroxylon zwageri* (Teijsm. & Binn.) in Indonesia Revealed by Nuclear Microsatellite Markers. *Forest Science and Technology*, 1–15.
- Sunardi, *et al.* (2022). Habitat dan Distribusi Ulin (*Eusideroxylon zwageri* Teijsm. & Binn.) di Kalimantan. *Peran Genetika Molekuler dalam Perspektif Konservasi Keanekaragaman Hayati*, 79–100.
- Utami, N. W., *et al.* (2005). Perbanyakan Ulin (*Eusideroxylon zwageri* T. et B.) dengan Biji dan Stek. *Berita Biologi*, 7(4), 199–206.
- Verity, R., & R. A. Nichols. (2016). Estimating The Number of Subpopulations (K) in Structured Populations. *Genetics* 203(4).
- Vieira, M. L. C., *et al.* (2016). Microsatellite Markers: What They Mean and Why They Are So Useful. *Genetics and Molecular Biology*, 39(3), 312–328.
- Wahjono, D. & Imanuddin R. (2011). Sebaran, Potensi dan Pertumbuhan/Riap Ironwood (*Eusideroxylon zwageri* Teijsm & Binn) di Hutan Alam Bekas Tebangan di Kalimantan. *Prosiding Lokakarya Nasional: Status Konservasi Jenis-Jenis Pohon yang Terancam Punah (Ulin, Eboni, dan Michelia)*. Bogor: Pusat Penelitian dan Pengembangan Konservasi dan Rehabilitasi.

- Wardani, S. A. (2024). Manfaat Kayu Ulin. *Journal Economic Excellence Ibnu Sina*, 2(1), 161–165.
- Wibowo, A. (2019). Pengetahuan dan Kebiasaan Penebang dan Pengepul terhadap Populasi Tumbuhan Ulin di Kecamatan Kintap sebagai Bahan Informasi Masyarakat. *BIO-INOVED*, 1(1), 1–7.
- Yildiz, M., *et al.* (2011). Use of ISSR, SRAP, and RAPD Markers to Assess Genetic Diversity in Turkish Melons. *Scientia Horticulturae*, 130(1), 349–353.
- Zhao, W., *et al.* (2007). A Comparison of Genetic Variation among Wild and Cultivated *Morus* Species (Moraceae: *Morus*) as Revealed by ISSR and SSR Markers. *Biodiversity and Conservation*, 16(2), 275–290.

