

DAFTAR PUSTAKA

- Aburayyan, W. S. (2023). "High-throughput RNA extraction method for *P. aeruginosa* and *S. pyogenes* biofilms". *Journal of Applied Pharmaceutical Science*, 13,(3), 097–105.
<https://doi.org/10.7324/JAPS.2023.28606>
- Adeola, S., Adebodun, B. H., Rahmon, I. K., Osikoya, S., & Segun, A. C. (2018). "Characterization of partially purified cysteine protease inhibitor from *Canavalia ensiformis* (Wonder Bean)". *Journal of Research and Review in Science (JRRS)*, 4(1), 10.
[https://doi.org/10.36108/JRRSLASU/7102/40\(0141\)](https://doi.org/10.36108/JRRSLASU/7102/40(0141))
- Adjo, A., Kouakou, S., Kouassi, K. H., Cisse, M., Jean, E., Kouadio, P., & Kouame, P. L. (2022). "Effect of ripening stage on biochemical composition of seeds from three species of *Canavalia spp* consumed as protein substitutes in Côte d'Ivoire". *International Journal of Biochemistry Research & Review*, 1–9.
<https://doi.org/10.9734/IJBCRR/2022/V31I9776>
- Agilent Technologies.(2024). "Performance characteristics of RNA and the high sensitivity RNA ScreenTape assays for the 4150 TapeStation system" (Publikasi no. 5994-1038EN). Amerika Serikat: Agilent Technologies.
- Almeida, M. V., Li, Z., Rebelo-Guimar, P., Dallaire, A., Fiedler, L., Price, J. L., Sluka, J., Liu, X., Butter, F., Rödelsperger, C., & Miska, E. A. (2024). "Transposable elements drive regulatory and functional innovation of F-box genes". *BioRxiv*, 2024.12.17.628972.
<https://doi.org/10.1101/2024.12.17.628972>
- Anggisti, L., Indriyani, R. D., Program, H. S. (2018). "Optimasi suhu annealing untuk amplifikasi gen aktin pada panda (*Pandanus sp*)". *Dinamika Pertanian*, 34(2), 95-100.
[https://doi.org/10.25299/DP.2018.VOL34\(2\).5411](https://doi.org/10.25299/DP.2018.VOL34(2).5411)
- Anitha, K., & Yashoda, P. R. (2019). "Antihyperlipidemic effect of

ethalonic seed extract of *Canavalia ensiformis* (L) in high fat diet-streptozotocin induced rats". *International Journal of Pharmacy and Pharmaceutical Sciences*, 11(1), 99–102.
<https://doi.org/10.22159/IJPPS.2019V11I1.28961>

Anwar, M. A., Nurjanah, S. N., & Rahayu, W. P. (2022). "Aplikasi Basic Local Alignment Search Tool (BLAST) NCBI pada penelitian molekuler *Salmonella spp*". *Syntax Literate; Jurnal Ilmiah Indonesia*, 7(11), 15446–15464. <https://doi.org/10.36418/SYNTAX-LITERATE.V7I11.9037>

Arim, O. J., Waceke, J. W., Waudu, S. W., & Kimenju, J. W. (2006). "Effects of *Canavalia ensiformis* and *Mucuna pruriens* intercrops on *Pratylenchus zeae* damage and yield of maize in subsistence agriculture". *Plant and Soil*, 284(1–2), 243–251.
<https://doi.org/10.1007/S11104-006-0053-9/METRICS>

Artico, S., Nardeli, S. M., Brilhante, O., Grossi-de-Sa, M. F., & Alves-Ferreira, M. (2010). "Identification and evaluation of new reference genes in *Gossypium hirsutum* for accurate normalization of real-time quantitative RT-PCR data". *BMC Plant Biology*, 10(1), 1–12.
<https://doi.org/10.1186/1471-2229-10-49/FIGURES/3>

Asta, P. D., Rahyuni, M., & Sarwati, M. (2022). "Vinca alkaloids effects on the morphological characters of *Canavalia ensiformis*". *Journal of Biotechnology and Natural Science*, 2(1), 27–31.
<https://doi.org/10.12928/JBNS.V2I1.6253>

Badan Pusat Statistik. 2024. "Impor kedelai menurut negara asal utama, 2017-2023". Jakarta: Badan Pusat Statistik, Diakses dari <https://www.bps.go.id/id/statistics-table/1/MjAxNSMx/imporkedelai-menurut-negara-asal-utama--2017-2023.html> pada 10 April 2025.

Bai, Y., Dougherty, L., & Xu, K. (2014). "Towards an improved apple reference transcriptome using RNA-seq". *Molecular Genetics and Genomics*, 289(3), 427–438. <https://doi.org/10.1007/S00438-014->

0819-3/METRICS

- Bao, W., Qu, Y., Shan, X., & Wan, Y. (2016). "Screening and Validation of housekeeping genes of the root and cotyledon of *Cunninghamia lanceolata* under abiotic stresses by using quantitative Real-Time PCR". *International Journal of Molecular Sciences* 2016, Vol. 17, Page 1198, 17(8), 1198. <https://doi.org/10.3390/IJMS17081198>
- Behera, S., Voshall, A., & Moriyama, E. N. (2021). "Plant transcriptome assembly: review and benchmarking. *Bioinformatics*, 109–130". <https://doi.org/10.36255/EXONPUBLICATIONS.BIOINFORMATICS.2021.CH7>
- Benjamin, A. M., Nichols, M., Burke, T. W., Ginsburg, G. S., & Lucas, J. E. (2014). "Comparing reference-based RNA-Seq mapping methods for non-human primate data". *BMC Genomics*, 15(1), 1–14. <https://doi.org/10.1186/1471-2164-15-570/TABLES/4>
- Bezerra, D. da S., Neves, B. G., Guedes, S. F. de F., Regis, W. F. M., Stipp, R. N., & Rodrigues, L. K. A. (2019). "Extraction and purification of RNA from human carious dentine: an approach to enable bacterial gene expression studies". *Journal of Health & Biological Sciences*, 7(2(Abr-Jun)), 145–151. <https://doi.org/10.12662/2317-3076jhbs.v7i2.2562.p145-151.2019>
- Bottle, B. (2024). *Canavalia ensiformis* seeds [Foto]. *PlantNet*. [https://identify.plantnet.org/k-world-flora/species/Canavalia%20ensiformis%20\(L.\)%20DC./data#galleries](https://identify.plantnet.org/k-world-flora/species/Canavalia%20ensiformis%20(L.)%20DC./data#galleries)
- Bushmanova, E., Antipov, D., Lapidus, A., & Prjibelski, A. D. (2019). "rnaSPAdes: a *de novo* transcriptome assembler and its application to RNA-Seq data". *GigaScience*, 8(9). <https://doi.org/10.1093/GIGASCIENCE/GIZ100>
- Bustin, S. A., Benes, V., Garson, J. A., Hellems, J., Huggett, J., Kubista, M., Mueller, R., Nolan, T., Pfaffl, M. W., Shipley, G. L., Vandesompele, J., & Wittwer, C. T. (2009). "The MIQE guidelines:

- minimum information for publication of quantitative Real-Time PCR experiments". *Clinical Chemistry*, 55(4), 611–622.
<https://doi.org/10.1373/CLINCHEM.2008.112797>
- Cahais, V., Gayral, P., Tsagkogeorga, G., Melo-Ferreira, J., Ballenghien, M., Weinert, L., Chiari, Y., Belkhir, K., Ranwez, V., & Galtier, N. (2012). "Reference-free transcriptome assembly in non-model animals from next-generation sequencing data". *Molecular Ecology Resources*, 12(5), 834–845. <https://doi.org/10.1111/J.1755-0998.2012.03148.X>
- Campbell, M. S., Holt, C., Moore, B., & Yandell, M. (2014). "Genome annotation and curation using MAKER and MAKER-P". *Current Protocols in Bioinformatics*, 48, 4.11.1-4.11.39.
<https://doi.org/10.1002/0471250953.BI0411S48>
- Catic, A., Sun, Z. Y. J., Ratner, D. M., Misaghi, S., Spooner, E., Samuelson, J., Wagner, G., & Ploegh, H. L. (2007). "Sequence and structure evolved separately in a ribosomal ubiquitin variant". *EMBO Journal*, 26(14), 3474–3483.
https://doi.org/10.1038/SJ.EMBOJ.7601772/SUPPL_FILE/EMBJ7601772-SUP-0002.DOC
- Cha, S. J., McLean, K. J., & Jacobs-Lorena, M. (2018). "Identification of plasmodium GAPDH epitopes for generation of antibodies that inhibit malaria infection". *Life Science Alliance*, 1(5).
<https://doi.org/10.26508/LSA.201800111/VIDEO-1>
- Chandna, R., Augustine, R., & Bisht, N. C. (2012a). "Evaluation of candidate reference genes for gene expression normalization in *Brassica juncea* using Real Time Quantitative RT-PCR". *PLOS ONE*, 7(5), e36918.
<https://doi.org/10.1371/JOURNAL.PONE.0036918>
- Chang, M., & Huang, S. (2015). "*Arabidopsis* ACT11 modifies actin turnover to promote pollen germination and maintain the normal rate of tube growth". *The Plant Journal*, 83(3), 515–527.

<https://doi.org/10.1111/TPJ.12910>

Chel-Guerrero, L., Pérez-Flores, V., Betancur-Ancona, D., & Dávila-Ortiz, G. (2001). "Functional properties of flours and protein isolates from *Phaseolus lunatus* and *Canavalia ensiformis* seeds". *Journal of Agricultural and Food Chemistry*, 50(3), 584–591.

<https://doi.org/10.1021/JF010778J>

Chen, L., Zhong, H. ying, Kuang, J. fei, Li, J. guo, Lu, W. jin, & Chen, J. ye. (2011). "Validation of reference genes for RT-qPCR studies of gene expression in banana fruit under different experimental conditions". *Planta*, 234(2), 377–390.

<https://doi.org/10.1007/S00425-011-1410-3/METRICS>

Chen, S., Zhou, Y., Chen, Y., & Gu, J. (2018). "fastp: an ultra-fast all-in-one FASTQ preprocessor". *Bioinformatics (Oxford, England)*, 34(17), 884–890.

<https://doi.org/10.1093/BIOINFORMATICS/BTY560>

Chun, H. J., Baek, D., Jin, B. J., Cho, H. M., Park, M. S., Lee, S. H., Lim, L. H., Cha, Y. J., Bae, D. W., Kim, S. T., Yun, D. J., & Kim, M. C. (2021). "Microtubule dynamics plays a vital role in plant adaptation and tolerance to salt stress". *International Journal of Molecular Sciences*, 22(11), 5957. <https://doi.org/10.3390/IJMS22115957/S1>

Clark, M. K., Behmer, S. T., & Sword, G. A. (2025). "Optimizing RT-qPCR normalization for crop plant VIGS: a case study using aphid-infested cotton". <https://doi.org/10.21203/RS.3.RS-6116237/V1>

Clayton, N. S., Fox, M., Vicenté-Garcia, J. J., Schroeder, C. M., Littlewood, T. D., Wilde, J. I., Krishnan, K., Brown, M. J. B., Crafter, C., Mott, H. R., & Owen, D. (2022). "Assembly of nuclear dimers of PI3K regulatory subunits is regulated by the Cdc42-activated tyrosine kinase ACK". *The Journal of Biological Chemistry*, 298(6).

<https://doi.org/10.1016/J.JBC.2022.101916>

Czechowski, T., Stitt, M., Altmann, T., Udvardi, M. K., & Scheible, W. R. (2005). "Genome-wide identification and testing of superior

- reference genes for transcript normalization in *Arabidopsis*". *Plant Physiology*, 139(1), 5–17. <https://doi.org/10.1104/PP.105.063743>
- Dao, T. P., Kolaitis, R. M., Kim, H. J., O'Donovan, K., Martyniak, B., Colicino, E., Hehnly, H., Taylor, J. P., & Castañeda, C. A. (2018). "Ubiquitin modulates liquid-liquid phase separation of UBQLN2 via disruption of multivalent interactions". *Molecular Cell*, 69(6), 965-978.e6.
<https://doi.org/10.1016/J.MOLCEL.2018.02.004/ATTACHMENT/D206CF1C-61DF-41E8-8F63-7608D133BE35/MMC5.PDF>
- Del Giudice, A., Pavel, N. V., Galantini, L., Falini, G., Trost, P., Fermani, S., & Sparla, F. (2015). "Unravelling the shape and structural assembly of the photosynthetic GAPDH-CP12-PRK complex from *Arabidopsis thaliana* by small-angle X-ray scattering analysis". *Acta Crystallographica Section D: Biological Crystallography*, 71(12), 2372–2385.
<https://doi.org/10.1107/S1399004715018520/GI5001SUP1.PDF>
- Diessl, N., Ernst, U., Sculz, A., Wolf, S., Graf, E. (2018). "Quality control in Illumina sequencing workflows using the TapeStation system" (Publikasi no. 5994-0327EN). Amerika Serikat: Agilent Technologies.
- Eddy, S. R. (2011). "Accelerated profile HMM searches". *PLOS Computational Biology*, 7(10), e1002195.
<https://doi.org/10.1371/JOURNAL.PCBI.1002195>
- El-Gebali, S., Mistry, J., Bateman, A., Eddy, S. R., Luciani, A., Potter, S. C., Qureshi, M., Richardson, L. J., Salazar, G. A., Smart, A., Sonnhammer, E. L. L., Hirsh, L., Paladin, L., Piovesan, D., Tosatto, S. C. E., & Finn, R. D. (2019). "The Pfam protein families database in 2019". *Nucleic Acids Research*, 47(D1), 427–432.
<https://doi.org/10.1093/NAR/GKY995>
- Farrell, R. E. (2005). "RNA methodologies: a laboratory guide for isolation and characterization, 3rd Edition". *RNA Methodologies: A*

- Laboratory Guide for Isolation and Characterization, 3rd Edition*, 1–767. <https://doi.org/10.1016/B978-0-12-249696-7.X5000-8>
- Febles, E. A. V. (2017). “*Canavalia ensiformis* (jack bean)”. CABI Compendium, 14486. <https://doi.org/10.1079/cabicompendium.14486>
- Ferreira, L. C., Moreira, B. R. de A., Montagnolli, R. N., Prado, E. P., Viana, R. da S., Tomaz, R. S., Cruz, J. M., Bidoia, E. D., Frias, Y. A., & Lopes, P. R. M. (2021). “Green manure species for phytoremediation of soil with tebuthiuron and vinasse”. *Frontiers in Bioengineering and Biotechnology*, 8, 613642. <https://doi.org/10.3389/FBIOE.2020.613642/BIBTEX>
- Gilliland, L. U., Pawloski, L. C., Kandasamy, M. K., & Meagher, R. B. (2003). “*Arabidopsis* actin gene ACT7 plays an essential role in germination and root growth”. *The Plant Journal*, 33(2), 319–328. <https://doi.org/10.1046/J.1365-3113X.2003.01626.X>
- Grabherr, M. G., Haas, B. J., Yassour, M., Levin, J. Z., Thompson, D. A., Amit, I., Adiconis, X., Fan, L., Raychowdhury, R., Zeng, Q., Chen, Z., Mauceli, E., Hacohen, N., Gnirke, A., Rhind, N., Di Palma, F., Birren, B. W., Nusbaum, C., Lindblad-Toh, K., ... Regev, A. (2011). “Full-length transcriptome assembly from RNA-Seq data without a reference genome”. *Nature Biotechnology* 2011 29:7, 29(7), 644–652. <https://doi.org/10.1038/nbt.1883>
- Gurevich, A., Saveliev, V., Vyahhi, N., & Tesler, G. (2013). “QUAST: quality assessment tool for genome assemblies”. *Bioinformatics*, 29(8), 1072–1075. <https://doi.org/10.1093/BIOINFORMATICS/BTT086>
- Gutierrez, L., Mauriat, M., Guénin, S., Pelloux, J., Lefebvre, J. F., Louvet, R., Rusterucci, C., Moritz, T., Guerineau, F., Bellini, C., & Van Wuytswinkel, O. (2008). “The lack of a systematic validation of reference genes: a serious pitfall undervalued in reverse transcription-polymerase chain reaction (RT-PCR) analysis in

- plants". *Plant Biotechnology Journal*, 6(6), 609–618.
<https://doi.org/10.1111/J.1467-7652.2008.00346.X>
- Ha, M., Kim, E. D., & Chen, Z. J. (2009). "Duplicate genes increase expression diversity in closely related species and allopolyploids". *Proceedings of the National Academy of Sciences of the United States of America*, 106(7), 2295–2300.
https://doi.org/10.1073/PNAS.0807350106/SUPPL_FILE/ST3.XLS
- Haas, B. J., Papanicolaou, A., Yassour, M., Grabherr, M., Blood, P. D., Bowden, J., Couger, M. B., Eccles, D., Li, B., Lieber, M., Macmanes, M. D., Ott, M., Orvis, J., Pochet, N., Strozzi, F., Weeks, N., Westerman, R., William, T., Dewey, C. N., ... Regev, A. (2013a). "De novo transcript sequence reconstruction from RNA-seq using the Trinity platform for reference generation and analysis". *Nature Protocols*, 8(8), 1494–1512.
<https://doi.org/10.1038/NPROT.2013.084>
- Haas, B. J., Salzberg, S. L., Zhu, W., Pertea, M., Allen, J. E., Orvis, J., White, O., Robin, C. R., & Wortman, J. R. (2008). "Automated eukaryotic gene structure annotation using EVIDENCEModeler and the Program to Assemble Spliced Alignments". *Genome Biology*, 9(1), R7. <https://doi.org/10.1186/GB-2008-9-1-R7>
- Hainzl, O., Wegele, H., Richier, K., & Buchner, J. (2004). "Cns1 is an activator of the Ssa1 ATPase activity". *Journal of Biological Chemistry*, 279(22), 23267–23273.
<https://doi.org/10.1074/JBC.M402189200/ASSET/6191265E-A319-4262-A1C6-71FF76E0BB29/MAIN.ASSETS/GR6.JPG>
- Hao, S., Ge, Q., Shao, Y., Tang, B., Fan, G., Qiu, C., Wu, X., Li, L., Liu, X., Shi, C., & Lee, S. M. Y. (2022). "Chromosomal-level genome of velvet bean (*Mucuna pruriens*) provides resources for L-DOPA synthetic research and development". *DNA Research*, 29(5), 1–8.
<https://doi.org/10.1093/dnares/dsac031>
- Hebling, M. J. A., Bueno, O. C., Pagnocca, F. C., Da Silva, O. A., & Maroti,

- P. S. (2000). "Toxic effects of *Canavalia ensiformis* L. (Leguminosae) on laboratory colonies of *Atta sexdens* L. (Hym., Formicidae)". *Journal of Applied Entomology*, 124(1), 33–35. <https://doi.org/10.1046/J.1439-0418.2000.00424.X>
- Herdiani, E. 2021. "Koro pedang, alternatif pengganti kedelai". *Artikel Teknis Pertanian*. Diakses dari <https://bbpplembang.bppsdpmp.pertanian.go.id/publikasi-detail/1456> pada September 2024.
- Holding, D. R., Otegui, M. S., Li, B., Meeley, R. B., Dam, T., Hunter, B. G., Jung, R., & Larkins, B. A. (2007). "The maize Floury1 gene encodes a novel endoplasmic reticulum protein involved in zein protein body formation". *The Plant Cell*, 19(8), 2569. <https://doi.org/10.1105/TPC.107.053538>
- Hu, X. G., Liu, H., Jin, Y. Q., Sun, Y. Q., Li, Y., Zhao, W., El-Kassaby, Y. A., Wang, X. R., & Mao, J. F. (2016). "De novo transcriptome assembly and characterization for the widespread and stress-tolerant Conifer *Platycladus orientalis*". *PLOS ONE*, 11(2), e0148985. <https://doi.org/10.1371/JOURNAL.PONE.0148985>
- Huang, H., Wang, C., Pei, S., & Wang, Y. (2023). "A chromosome-level reference genome of an aromatic medicinal plant *Adenosma buchneroides*". *Scientific Data* 2023 10:1, 10(1), 1–10. <https://doi.org/10.1038/s41597-023-02571-8>
- Hurley, J. H., Lee, S., & Prag, G. (2006). "Ubiquitin-binding domains". *Biochemical Journal*, 399(3), 361–372. <https://doi.org/10.1042/BJ20061138>
- Hwang, S. G., Kim, J. J., Lim, S. D., Park, Y. C., Moon, J. C., & Jang, C. S. (2016). "Molecular dissection of *Oryza sativa* salt-induced RING Finger Protein 1 (OsSIRP1): possible involvement in the sensitivity response to salinity stress". *Physiologia Plantarum*, 158(2), 168–179. <https://doi.org/10.1111/PPL.12459>
- Jaeschke, A., Harvey, N. R., Tsurkan, M., Werner, C., Griffiths, L. R.,

- Haupt, L. M., & Bray, L. J. (2021). "Techniques for RNA extraction from cells cultured in starPEG-heparin hydrogels". *Open Biology*, 11(6). <https://doi.org/10.1098/RSOB.200388/>
- Jain, A., Jain, R., & Jain, S. (2020). "Quantitative Estimation of DNA and RNA". 79–79. https://doi.org/10.1007/978-1-4939-9861-6_25
- Jiang, H., Thomas, S. N., Chen, Z., Chiang, C. Y., & Cole, P. A. (2019). "Comparative analysis of the catalytic regulation of NEDD4-1 and WWP2 ubiquitin ligases". *Journal of Biological Chemistry*, 294(46), 17421–17436. <https://doi.org/10.1074/JBC.RA119.009211/ATTACHMENT/BBF7C171-8B0D-471E-B6BF-9A28137E5CB4/MMC1.ZIP>
- Jurnal, H., & Margareta, A. (2023). "Wawasan bioinformatika next generation sequencing dalam sampel metagenomik mikrobioma usus: review". *Jurnal Medical Laboratory*, 2(1), 41–57. <https://doi.org/10.57213/MEDLAB.V2I1.151>
- Kandasamy, M. K., Gilliland, L. U., McKinney, E. C., & Meagher, R. B. (2001). "One plant actin isovariant, ACT7, is induced by auxin and required for normal callus formation". *The Plant Cell*, 13(7), 1541–1554. <https://doi.org/10.1105/TPC.010026>
- Kantardjieff, K. A., Höchtl, P., Segelke, B. W., Tao, F. M., & Rupp, B. (2002). "Concanavalin A in a dimeric crystal form: revisiting structural accuracy and molecular flexibility". *Urn:Issn:0907-4449*, 58(5), 735–743. <https://doi.org/10.1107/S0907444901019588>
- Karuwal, L. R. (2021). "Analisis kualitas dan kuantitas RNA total varietas kacang tungga (*Vigna unguiculata* L. Walp) asal Kabupaten Maluku Barat Daya". *BIOPENDIX: Jurnal Biologi, Pendidikan Dan Terapan*, 7(2), 102–108. <https://doi.org/10.30598/biopendixvol7issue2page102-108>
- KG, M., OA, S., & LU, O. (2018). "Effect of processing methods on the nutritional value of *Canavalia ensiformis* jack bean seed meal". *Journal of Food Processing & Technology*, 9(12).

<https://doi.org/10.4172/2157-7110.1000766>

- Kozera, B., & Rapacz, M. (2013). "Reference genes in real-time PCR". *Journal of Applied Genetics*, 54(4), 391–406. <https://doi.org/10.1007/S13353-013-0173-X/METRICS>
- Kukurba, K. R., & Montgomery, S. B. (2015). "RNA sequencing and analysis". *Cold Spring Harbor Protocols*, 2015(11), pdb.top084970. <https://doi.org/10.1101/PDB.TOP084970>
- Larkin, M. A., Blackshields, G., Brown, N. P., Chenna, R., Mcgettigan, P. A., McWilliam, H., Valentin, F., Wallace, I. M., Wilm, A., Lopez, R., Thompson, J. D., Gibson, T. J., & Higgins, D. G. (2007). "Clustal W and Clustal X version 2.0". *Bioinformatics (Oxford, England)*, 23(21), 2947–2948. <https://doi.org/10.1093/BIOINFORMATICS/BTM404>
- Lekshmy, S., & Jha, S. K. (2017). "Selection of reference genes suitable for qRT-PCR expression profiling of biotic stress, nutrient deficiency and plant hormone responsive genes in bread wheat". *Indian Journal of Plant Physiology*, 22(1), 101–106. <https://doi.org/10.1007/S40502-017-0282-3/METRICS>
- Letunic, I., Khedkar, S., & Bork, P. (2021). "SMART: recent updates, new developments and status in 2020". *Nucleic Acids Research*, 49(D1), 458–460. <https://doi.org/10.1093/NAR/GKAA937>
- Li, R., Cui, K., Xie, Q., Xie, S., Chen, X., Zhuo, L., Cao, A., Shen, H., Jin, X., Wang, F., & Li, H. (2021). "Selection of the reference genes for quantitative gene expression by RT-qPCR in the desert plant *Stipagrostis pennata*". *Scientific Reports 2021 11:1*, 11(1), 1–11. <https://doi.org/10.1038/s41598-021-00833-2>
- López-Calcano, P. E., Howard, T. P., & Raines, C. A. (2014). "The CP12 protein family: A thioredoxin-mediated metabolic switch?". *Frontiers in Plant Science*, 5, 66572. <https://doi.org/10.3389/FPLS.2014.00009/BIBTEX>
- Lu, Y. P., Liao, J. H., Guo, Z. J., Zheng, H. Q., Lu, L. F., Cai, Z. X., Zeng, Z. H., Ying, Z. H., & Chen, M. Y. (2021). "Selection and evaluation

- of potential reference genes for quantitative Real-Time PCR in *Agaricus blazei* based on transcriptome sequencing data". *BioMed Research International*, 2021(1), 6661842. <https://doi.org/10.1155/2021/6661842>
- Manni, M., Berkeley, M. R., Seppey, M., Simão, F. A., & Zdobnov, E. M. (2021). "BUSCO update: novel and streamlined workflows along with broader and deeper phylogenetic coverage for scoring of eukaryotic, prokaryotic, and viral genomes". *Molecular Biology and Evolution*, 38(10), 4647–4654. <https://doi.org/10.1093/MOLBEV/MSAB199>
- Martin, J. A., & Wang, Z. (2011). "Next-generation transcriptome assembly". *Nature Reviews Genetics* 2011 12:10, 12(10), 671–682. <https://doi.org/10.1038/nrg3068>
- Martín-Villanueva, S., Gutiérrez, G., Kressler, D., & de la Cruz, J. (2021). "Ubiquitin and ubiquitin-like proteins and domains in ribosome production and function: chance or necessity?". *International Journal of Molecular Sciences*, 22(9). <https://doi.org/10.3390/IJMS22094359>
- Matsushima, N., Takatsuka, S., Miyashita, H., & Kretsinger, R. H. (2018). "Leucine rich repeat proteins: sequences, mutations, structures and diseases". *Protein & Peptide Letters*, 26(2), 108–131. <https://doi.org/10.2174/0929866526666181208170027>
- Mbandi, S. K., Hesse, U., Rees, D. J. G., & Christoffels, A. (2014). "A glance at quality score: Implication for *de novo* transcriptome reconstruction of Illumina reads". *Frontiers in Genetics*, 5(FEB), 76021. <https://doi.org/10.3389/FGENE.2014.00017/BIBTEX>
- McKinney, E. C., & Meagher, R. B. (1998). "Members of the *Arabidopsis* actin gene family are widely dispersed in the genome". *Genetics*, 149(2), 663–675. <https://doi.org/10.1093/GENETICS/149.2.663>
- Meng, H., Yang, Y., Gao, Z. H., & Wei, J. H. (2019). "Selection and validation of reference genes for gene expression studies by RT-

- PCR in *Dalbergia odorifera*". *Scientific Reports* 2019 9:1, 9(1), 1–10. <https://doi.org/10.1038/s41598-019-39088-3>
- Nakasugi, K., Crowhurst, R., Bally, J., & Waterhouse, P. (2014). "Combining transcriptome assemblies from multiple *de novo* assemblers in the allo-tetraploid plant *Nicotiana benthamiana*". *PLOS ONE*, 9(3), e91776. <https://doi.org/10.1371/JOURNAL.PONE.0091776>
- Nam, I. H., Chon, C. M., Jung, K. Y., Choi, S. G., Choi, H., & Park, S. S. (2015). "Calcite precipitation by ureolytic plant (*Canavalia ensiformis*) extracts as effective biomaterials". *KSCE Journal of Civil Engineering*, 19(6), 1620–1625. <https://doi.org/10.1007/S12205-014-0558-3/METRICS>
- Ohno, A., Jee, J. G., Fujiwara, K., Tenno, T., Goda, N., Tochio, H., Kobayashi, H., Hiroaki, H., & Shirakawa, M. (2005). "Structure of the UBA domain of Dsk2p in complex with ubiquitin: molecular determinants for ubiquitin recognition". *Structure*, 13(4), 521–532. <https://doi.org/10.1016/J.STR.2005.01.011>
- Pabuayon, I. M., Yamamoto, N., Trinidad, J. L., Longkumer, T., Raorane, M. L., & Kohli, A. (2016). "Reference genes for accurate gene expression analyses across different tissues, developmental stages and genotypes in rice for drought tolerance". *Rice*, 9(1). <https://doi.org/10.1186/S12284-016-0104-7>
- Parra, G., Bradnam, K., & Korf, I. (2007). "CEGMA: a pipeline to accurately annotate core genes in eukaryotic genomes". *Bioinformatics*, 23(9), 1061–1067. <https://doi.org/10.1093/BIOINFORMATICS/BTM071>
- Perçin, I., Yavuz, H., Aksöz, E., & Denizli, A. (2012). "Mannose-specific lectin isolation from *Canavalia ensiformis* seeds by PHEMA-based cryogel". *Biotechnology Progress*, 28(3), 756–761. <https://doi.org/10.1002/BTPR.1552>
- Pérez-Portela, R., & Riesgo, A. (2013). "Optimizing preservation

- protocols to extract high-quality RNA from different tissues of echinoderms for next-generation sequencing". *Molecular Ecology Resources*, 13(5), 884–889. <https://doi.org/10.1111/1755-0998.12122>
- Pertea, M., Pertea, G. M., Antonescu, C. M., Chang, T. C., Mendell, J. T., & Salzberg, S. L. (2015). "StringTie enables improved reconstruction of a transcriptome from RNA-seq reads". *Nature Biotechnology*, 33(3), 290. <https://doi.org/10.1038/NBT.3122>
- Petersen, J., Brinkmann, H., & Cerff, R. (2003). "Origin, evolution, and metabolic role of a novel glycolytic GAPDH enzyme recruited by land plant plastids". *Journal of Molecular Evolution*, 57(1), 16–26. <https://doi.org/10.1007/S00239-002-2441-Y/METRICS>
- Prakash, H., Shukla, P., Ramesha, A., Arunakumar, G. S., Doss, S. G., & Ponnuvel, K. M. (2024). "Evaluation of reference genes for accurate normalization of qPCR data under biotic stresses in mulberry (*Morus indica* L.)". *Scientia Horticulturae*, 323, 112507. <https://doi.org/10.1016/J.SCIENTA.2023.112507>
- Raghavan, V., Kraft, L., Mesny, F., & Rigerte, L. (2022). "A simple guide to *de novo* transcriptome assembly and annotation". *Briefings in Bioinformatics*, 23(2), 1–30. <https://doi.org/10.1093/BIB/BBAB563>
- Rahayu, Tiara. (2023). "Identifikasi dan analisis ekspresi gen terkait biosintesis glikosida sianogenik melalui pendekatan transkriptomik pada *Mucuna pruriens* guna mendukung keamanan pangan" (Skripsi Sarjana). Program Studi Biologi, Fakultas Matematika dan Pengetahuan Alam Militer, Universitas Pertahanan Republik Indonesia.
- Ran, F., Bali, M., & Michels, C. A. (2008). "Hsp90/Hsp70 Chaperone machine regulation of the *Saccharomyces* MAL-Activator as determined in vivo using noninducible and constitutive mutant alleles". *Genetics*, 179(1), 331–343. <https://doi.org/10.1534/GENETICS.107.084921>

- Reece, K. S., McElroy, D., & Wu, R. (1990). "Genomic nucleotide sequence of four rice (*Oryza sativa*) actin genes". *Plant Molecular Biology*, 14(4), 621–624.
<https://doi.org/10.1007/BF00027508/METRICS>
- Reyes, F. C., Chung, T., Holding, D., Jung, R., Vierstra, R., & Otegui, M. S. (2011). "Delivery of prolamins to the protein storage vacuole in maize aleurone cells". *The Plant Cell*, 23(2), 769–784.
<https://doi.org/10.1105/TPC.110.082156>
- Rhie, A., Walenz, B. P., Koren, S., & Phillippy, A. M. (2020). "Mercury: Reference-free quality, completeness, and phasing assessment for genome assemblies". *Genome Biology*, 21(1), 1–27.
<https://doi.org/10.1186/S13059-020-02134-9/FIGURES/6>
- Sadat, M. A., Ullah, M. W., Bashir, K. K., Hossen, Q. M. M., Tareq, M. Z., & Islam, M. S. (2021). "Genome-wide identification of F-box proteins in *Macrophomina phaseolina* and comparison with other fungus". *Journal of Genetic Engineering and Biotechnology*, 19(1), 46. <https://doi.org/10.1186/S43141-021-00143-0>
- Sehat, K. N., Vijay Kumar, S., & Yusuf, N. H. M. (2021). "Protocols for the extraction of high-quality RNA from Pineapple Tiller, Flower, Inflorescence, and Fruits". *Pertanika Journal of Tropical Agricultural Science*, 44(2), 293–305. <https://doi.org/10.47836/PJTAS.44.2.03>
- Shahriari, A. G., & Tahmasebi, A. (2018). "Evaluation of different RNA extraction methods from agropatch suppressor assay for small quantities of plant tissue and their application for analysis of gene expression". *Notulae Scientia Biologicae*, 10(3), 348–353.
<https://doi.org/10.15835/NSB10310307>
- Shaomianah, S., Khoirunisak, A. R., Imana, Z., Hadi, Sucipto, T. H., & Soegijanto. (2020). "Variasi presipitasi pelarut pada ekstraksi RNA dengan metode Trizole dan pengaruh terhadap kemurnian RNA". *Media Kedokteran Hewan*, 31(1), 33–44.
<https://doi.org/10.20473/MKH.V31I1.2020.33-44>

- Signal, B., & Kahlke, T. (2021). "Borf: Improved ORF prediction in de-novo assembled transcriptome annotation". *BioRxiv*, 2021.04.12.439551. <https://doi.org/10.1101/2021.04.12.439551>
- ŠlajcheroVá, K., Fišerová, J., Fischer, L., & Schwarzerová, K. (2012a). "Multiple actin Isotypes in plants: diverse genes for diverse roles" Influence of the primary structure of enzymes on the formation of CaCO₃ polymorphs: A comparison of plant (*Canavalia ensiformis*) and bacterial (*Bacillus pasteurii*) ureases". *Langmuir*, 21(19), 8876–8882. <https://doi.org/10.1021/LA051129V/ASSET/IMAGES/MEDIUM/LA051129VN00001.GIF>
- Song, D., Xi, W., Shen, J., Bi, T., & Li, L. (2011). "Characterization of the plasma membrane proteins and receptor-like kinases associated with secondary vascular differentiation in poplar". *Plant Molecular Biology*, 76(1–2), 97–115. <https://doi.org/10.1007/S11103-011-9771-3/FIGURES/7>
- Stam, R., Nosenko, T., Hörger, A. C., Stephan, W., Seidel, M., Kuhn, J. M. M., Haberer, G., & Tellier, A. (2019). "The *de novo* reference genome and transcriptome assemblies of the wild tomato species *Solanum chilense* highlights birth and death of NLR genes between tomato species". *G3 Genes|Genomes|Genetics*, 9(12), 3933–3941. <https://doi.org/10.1534/G3.119.400529>
- Sudheesh, S., Sawbridge, T. I., Cogan, N. O. I., Kennedy, P., Forster, J. W., & Kaur, S. (2015). "*De novo* assembly and characterisation of the field pea transcriptome using RNA-Seq". *BMC Genomics*, 16(1), 1–15. <https://doi.org/10.1186/S12864-015-1815-7/FIGURES/6>
- Tamura, K., Stecher, G., & Kumar, S. (2021). "MEGA11: Molecular evolutionary genetics Analysis Version 11". *Molecular Biology and Evolution*, 38(7), 3022–3027. <https://doi.org/10.1093/MOLBEV/MSAB120>

- Tang, X., Zhang, N., Si, H., & Calderón-Urrea, A. (2017). "Selection and validation of reference genes for RT-qPCR analysis in potato under abiotic stress". *Plant Methods*, 13(1), 1–8. <https://doi.org/10.1186/S13007-017-0238-7/TABLES/2>
- Tian, Y., Chu, Z., Wang, L., Wang, H., Yuan, X., Wu, S., & Yang, Y. (2022). "Evaluation and validation of reference genes in *Cymbidium Faberi* for real-time Quantitative PCR". *BioTechniques*, 73(4), 171–181. <https://doi.org/10.2144/BTN-2022-0025>
- Trapnell, C., Williams, B. A., Pertea, G., Mortazavi, A., Kwan, G., Van Baren, M. J., Salzberg, S. L., Wold, B. J., & Pachter, L. (2010). "Transcript assembly and abundance estimation from RNA-Seq reveals thousands of new transcripts and switching among isoforms". *Nature Biotechnology*, 28(5), 511. <https://doi.org/10.1038/NBT.1621>
- Udvardi, M. K., Czechowski, T., & Scheible, W. R. (2008). "Eleven golden rules of quantitative RT-PCR". *The Plant Cell*, 20(7), 1736–1737. <https://doi.org/10.1105/TPC.108.061143>
- Uge, E., Yusnawan, E., Baliadi, Y., & Inayati, A. (2023). "Arthropods, pests, and diseases of jack bean (*Canavalia Ensiformis*) in upland and dry climate areas". *BIO Web of Conferences*, 69. <https://doi.org/10.1051/bioconf/20236904006>
- Valke, D. (2007). "Bunga Canavalia ensiformis (kacang jack); habitat". India. [Foto]. Flickr. <https://www.flickr.com> (diakses September 2024). CC BY-SA 2.0.
- Walker, J. E., Oliver, J. C., Stewart, A. M., Beh, S. T., Arce, R. A., Glass, M. J., Vargas, D. E., Qiji, S. H., Intorcchia, A. J., Borja, C. I., Cline, M. P., Hemmingsen, S. J., Krupp, A. N., McHattie, R. D., Mariner, M. R., Lorenzini, I., Aslam, S., Tremblay, C., Beach, T. G., & Serrano, G. E. (2023). "Measuring Up: A Comparison of TapeStation 4200 and Bioanalyzer 2100 as Measurement Tools for RNA Quality in Postmortem Human Brain Samples". *International journal of*

molecular sciences, 24(18), 13795.
<https://doi.org/10.3390/ijms241813795>.

- Xu, D. L., Long, H., Liang, J. J., Zhang, J., Chen, X., Li, J. L., Pan, Z. F., Deng, G. B., & Yu, M. Q. (2012). “De novo assembly and characterization of the root transcriptome of *Aegilops variabilis* during an interaction with the cereal cyst nematode”. *BMC Genomics*, 13(1), 1–9. <https://doi.org/10.1186/1471-2164-13-133/FIGURES/4>
- Yao, S., Peng, J., Hu, M., Zhou, Q., & Zhao, X. (2024). “Genome-wide profiling of the actin gene family and its implications for agronomic traits in *Brassica napus*: A bioinformatics study”. *International Journal of Molecular Sciences*, 25(19), 10752. <https://doi.org/10.3390/IJMS251910752/S1>
- Yin, P., Lan, B., Liu, X., Cui, Y., Wang, Y., & Xu, J. (2022). “Mobile messenger RNAs in grafts of *Salix matsudana* are associated with plant rooting”. *Forests*, 13(2), 354. <https://doi.org/10.3390/F13020354/S1>
- Yoder, K., Sarasin, A., Kraemer, K., McIlhatton, M., Bushman, F., & Fishel, R. (2006). “The DNA repair genes XPB and XPD defend cells from retroviral infection”. *Proceedings of the National Academy of Sciences of the United States of America*, 103(12), 4622–4627. https://doi.org/10.1073/PNAS.0509828103/SUPPL_FILE/09828FIG10.PDF
- Yuan, G., Gao, H., & Yang, T. (2023). “Exploring the role of the plant actin cytoskeleton: From signaling to cellular functions”. *International Journal of Molecular Sciences*, 24(20), 15480. <https://doi.org/10.3390/IJMS242015480/S1>
- Zhang, L., Steward, R. A., Wheat, C. W., & Reed, R. D. (2021). “High-quality genome assembly and comprehensive transcriptome of the painted lady butterfly *Vanessa cardui*”. *Genome Biology and Evolution*, 13(7). <https://doi.org/10.1093/GBE/EVAB145>

- Zheng, T., Chen, Z., Ju, Y., Zhang, H., Cai, M., Pan, H., & Zhang, Q. (2018). "Reference gene selection for qRT-PCR analysis of flower development in *Lagerstroemia indica* and *L. speciosa*". *PloS One*, 13(3). <https://doi.org/10.1371/JOURNAL.PONE.0195004>
- Zhuang, H., Fu, Y., He, W., Wang, L., & Wei, Y. (2015). "Selection of appropriate reference genes for quantitative real-time PCR in *Oxytropis ochrocephala* Bunge using transcriptome datasets under abiotic stress treatments". *Frontiers in Plant Science*, 6(June), 140364. <https://doi.org/10.3389/FPLS.2015.00475/BIBTEX>
- Zulaeha, S., Purwoko, D., Cartealy, I., Tajuddin, T., Karyanti, H., Khairiyah Balai, B., Bppt, G., Puspiptek, K., & Selatan, S. T. (2019). "Perbandingan tiga kit ekstraksi RNA untuk analisis transkriptomika pada kelapa sawit (*Elaeis guineensis* Jacq.)". *Jurnal Bioteknologi Dan Biosains Indonesia*, 6(1), 118–129. <https://doi.org/10.29122/JBBI.V6I1.3372>