

DAFTAR PUSTAKA

- Bos, A. J. J. (2011). Fundamentals of radiation dosimetry. *AIP Conference Proceedings*, 1345, 5–23. <https://doi.org/10.1063/1.3576156>
- Botta, L., Dal Maso, L., Guzzinati, S., Panato, C., Gatta, G., Trama, A., Rugge, M., Tagliabue, G., Casella, C., Caruso, B., Michiara, M., Ferretti, S., Sensi, F., Tumino, R., Toffolutti, F., Russo, A. G., Caiazzo, A. L., Mangone, L., Mazzucco, W., ... Capocaccia, R. (2019). Changes in life expectancy for cancer patients over time since diagnosis. *Journal of Advanced Research*, 20, 153–159. <https://doi.org/10.1016/j.jare.2019.07.002>
- Calabrese, E. J., & Baldwin, L. A. (2003). Hormesis: The Dose-Response Revolution. In *Annual Review of Pharmacology and Toxicology* (Vol. 43, pp. 175–197). <https://doi.org/10.1146/annurev.pharmtox.43.100901.140223>
- Calveti, L. (2013). *Male chest anatomy of thorax with heart, veins, arteries and lungs*.
- Carter, L. M., Crawford, T. M., Sato, T., Furuta, T., Choi, C., Kim, C. H., Brown, J. L., Bolch, W. E., Zanzonico, P. B., & Lewis, J. S. (2019). PARaDIM: A PHITS-Based monte carlo tool for internal dosimetry with tetrahedral mesh computational phantoms. *Journal of Nuclear Medicine*, 60(12), 1802–1811. <https://doi.org/10.2967/jnumed.119.229013>
- Chang, Z., Wang, Z., Ma, J., O'Daniel, J. C., Kirkpatrick, J., & Yin, F.-F. (2010). 6D image guidance for spinal non-invasive stereotactic body radiation therapy: Comparison between ExacTrac X-ray 6D with kilo-voltage cone-beam CT. *Radiotherapy and Oncology*, 95(1).
- Chetvertkov, M., Monroe, J. I., Boparai, J., Solberg, T. D., Pafundi, D. H., Ruo, R. L., Gladstone, D. J., Yin, F. F., Chetty, I. J., Benedict, S., Followill, D. S., Xiao, Y., & Sohn, J. W. (2020). NRG Oncology Survey on Practice and Technology Use in SRT and SBRT Delivery. *Frontiers in Oncology*, 10. <https://doi.org/10.3389/fonc.2020.602607>
- Clements, M. (2024). *CANCER TYPE A guide for people with cancer, their families and friends*.
- Clements, M., Schupp, N., Tattersall, M., Brown, A., & Larson, R. (2018). Monaco treatment planning system tools and optimization processes. In *Medical Dosimetry* (Vol. 43, Issue 2, pp. 106–117).

Elsevier Inc. <https://doi.org/10.1016/j.meddos.2018.02.005>

- D. Krstić, V. M. and M. Ž. (2023). Primena Monte Carlo Programa I Fantoma U Dozimetriji. . *Kragujevac: Fakultas Sains, Universitas Kragujevac Radoja Domanovića.*
- David Walker. (2024). *Organs of the Thorax.*
- Dewi, A. K. (2018). *antromorfik TNI.*
- Fasih, M. F. K., Harto, A. W., Triatmoko, I. M., Wijaya, G. S., & Sardjono, Y. (2021). Radiation Dose Optimization Of Breast Cancer With Proton Therapy Method Using Particle And Heavy Ion Transport Code System. *Jurnal Teknologi Reaktor Nuklir Tri Dasa Mega*, 23(2), 79. <https://doi.org/10.17146/tdm.2021.23.2.6290>
- Gange, C., Ku, J., Gosangi, B., Liu, J., & Maolinbay, M. (2024). Next-generation digital chest tomosynthesis. *Journal of Clinical Imaging Science*, 14(1). https://doi.org/10.25259/JCIS_4_2024
- Global Cancer Statistics. (2022). *Global cancer statistics 2020: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries.* .
- Goldman, L. W. (2007). Principles of CT: Radiation dose and image quality. *Journal of Nuclear Medicine Technology*, 35(4), 213–225. <https://doi.org/10.2967/jnmt.106.037846>
- Gondhowiardjo, S., Achmad Hudoyo, Agung Wibawanto, & Aida Lutfi. (2017). *STANDAR PENANGANAN KANKER PARU-PARU KEMENTERIAN KESEHATAN REPUBLIK INDONESIA.*
- Icanervilia, A. V., Choridah, L., Asselt, A. D. I., Vervoort, J. P. M., Postma, M. J., Rengganis, A. A., & Kardinah, K. (2021). *A Qualitative Study: Early Detection of Breast Cancer in Indonesia (After Universal Health Coverage Implementation).* <https://doi.org/10.21203/rs.3.rs-936413/v1>
- Karzmark C.J., NUNAN C.S., & TANABE E. (2019). *Central to Radiotherapy: The linear accelerator.*
- Khan, F. M. (2010). *The Physics of Radiation Therapy. Lippincott Williams & Wilkins.*
- Kim, C. H., Y.S. Yeom, N. Petoussi-Henss, M. Zankl, W.E. Bolch, C. Lee, C. Choi, T.T. Nguyen, K. Eckerman, H.S. Kim, M.C. Han, R. Qiu, B.S. Chung, H. Han, & B. Shin. (2020). *Adult Mesh-type Reference Computational Phantoms ANNALS OF THE.* www.icrp.org,

- Kong, M., & Holloway, L. (2007). An investigation of central axis depth dose distribution perturbation due to an air gap between patient and bolus for electron beams. In *Australasian Physical & Engineering Sciences in Medicine* (Vol. 30).
- Kubo, N., Saitoh, J. I., Shimada, H., Shirai, K., Kawamura, H., Ohno, T., & Nakano, T. (2016). Dosimetric comparison of carbon ion and X-ray radiotherapy for Stage IIIA non-small cell lung cancer. *Journal of Radiation Research*, 57(5), 548–554.
<https://doi.org/10.1093/jrr/rrw041>
- Kurudirek, M. (2015). Studies on heavy charged particle interaction, water equivalence and Monte Carlo simulation in some gel dosimeters, water, human tissues and water phantoms. *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 795, 239–252. <https://doi.org/10.1016/j.nima.2015.06.001>
- Lamrabet, A., Maghnouj, A., Tajmouati, J., & Bencheikh, M. (2019). Production threshold impact on a GEANT4 calculation of the power deposition in a fast domain: MEGAPIE spallation target. *Nuclear Science and Techniques*, 30(5). <https://doi.org/10.1007/s41365-019-0603-5>
- Lappetito, L. (2017, August 2). *Bremsstrahlung Radiation*. Physics Open Lab.
- Large, M. J., Malaroda, A., Petasecca, M., Rosenfeld, A. B., & Guatelli, S. (2020). Modelling ICRP110 Adult Reference Voxel Phantoms for dosimetric applications: Development of a new Geant4 Advanced Example. *Journal of Physics: Conference Series*, 1662(1).
<https://doi.org/10.1088/1742-6596/1662/1/012021>
- Lee, Y. S., Kim, S., Kim, G. J., Lee, J. H., Kim, I. S., Kim, J. II, Shin, K. Y., Seol, Y., Oh, T., An, N. Y., Lee, J., Hwang, J., Oh, Y., & Kang, Y. N. (2021). Medical X-band linear accelerator for high-precision radiotherapy. *Medical Physics*, 48(9), 5327–5342.
<https://doi.org/10.1002/mp.15077>
- Li, Z., Yin, Y., Chen, Y., Li, B., & Zhu, J. (2020). SBRT Treatment With MR-Linac for Early Stage Lung Cancer: A Case Report. *International Journal of Radiation Oncology*Biophysics*, 108(3), e272. <https://doi.org/10.1016/j.ijrobp.2020.07.653>
- Likharev, K. (2024). 10.4: *Bremsstrahlung and Coulomb Losses*. LibreTexts.

- Mcgowan, S. E., Burnet, N. G., & Lomax, A. J. (2013). Treatment planning optimisation in proton therapy. *Br J Radiol*, 86. <https://doi.org/10.1259.bjr.20120288>
- Medeiros, M. P. C., Silva, A. X., Rebello, W. F., Gomes, R. G., Braga, K. L., Santos, R. F. G., Thalhofer, J. L., Berdeguez, M. B. T., & Andrade, E. R. (2019). A 10 MV Monte Carlo accelerator modeling with highly detailed Multi-leaf collimator for in and out-of-field dose calculations.
- Mirnawati, F., Jati, S. P., & Sugiarto, J. (2019). *ECONOMIC EVALUATION OF LINAC FOR CA MAMMAE RADIOTHERAPY AT A PRIVATE HOSPITAL OF CENTRAL JAVA*.
- Muhammad, A. P., Harto, A. W., Sardjono, Y., Wijaya, G. S., Ismail, Z., Triatmoko, I. M., & Kasesaz, Y. (2023). Dose and irradiation time analysis of negative pi-meson therapy using particle and heavy ion transport code system (PHITS). *International Journal of Radiation Research*, 21(4), 653–661. <https://doi.org/10.52547/ijrr.21.4.8>
- Neves, M. J. (2021). Dispersion relations in nonlinear electrodynamics and the kinematics of the Compton effect in a magnetic background. *Physical Review*.
- Nichols, L., Saunders, R., & Knollmann, F. D. (2012). Causes of death of patients with lung cancer. *Archives of Pathology and Laboratory Medicine*, 136(12), 1552–1557. <https://doi.org/10.5858/arpa.2011-0521-OA>
- Perhimpunan Onkologi Radiasi Indonesia. (2022). *Program Kerja Perhimpunan Dokter Spesialis Onkologi Radiasi Indonesia*.
- Pham, D., Simiele, E., Breitzkreutz, D., Capaldi, D., Han, B., Surucu, M., Oderinde, S., Vitzthum, L., Gensheimer, M., Bagshaw, H., Chin, A., Xing, L., Chang, D. T., & Kovalchuk, N. (2022). IMRT and SBRT Treatment Planning Study for the First Clinical Biology-Guided Radiotherapy System. *Technology in Cancer Research and Treatment*, 21. <https://doi.org/10.1177/15330338221100231>
- Podgorsak, E. B. (2005). *Radiation Oncology Physics: A Handbook for Teachers and Students*. International Atomic Energy Agency (IAEA).
- Putri, T. S., Arianto, F., & Sampurno, J. (2023). Simulasi Monte Carlo untuk Menentukan Dosis Radiasi Linac pada Jaringan Lunak dengan Penyisipan Organ Paru-Paru dan Ovarium. *PRISMA FISIKA*, 11(1), 1–05.

- Rajendran, R. (2024). *Linear Accelerator*. Radiological Society of North America, Inc. (RSNA).
- Rhea, M. R., Alvar, B. A., Burkett, L. N., & Ball, S. D. (2003). A meta-analysis to determine the dose response for strength development. *Medicine and Science in Sports and Exercise*, 35(3), 456–464. <https://doi.org/10.1249/01.MSS.0000053727.63505.D4>
- Ritz, C., Baty, F., Streibig, J. C., & Gerhard, D. (2015). Dose-response analysis using R. *PLoS ONE*, 10(12). <https://doi.org/10.1371/journal.pone.0146021>
- Sato, T., Iwamoto, Y., Hashimoto, S., Ogawa, T., Furuta, T., Abe, S. I., Kai, T., Matsuya, Y., Matsuda, N., Hirata, Y., Sekikawa, T., Yao, L., Tsai, P. E., Ratliff, H. N., Iwase, H., Sakaki, Y., Sugihara, K., Shigyo, N., Sihver, L., & Niita, K. (2024). Recent improvements of the particle and heavy ion transport code system–PHITS version 3.33. *Journal of Nuclear Science and Technology*, 61(1), 127–135. <https://doi.org/10.1080/00223131.2023.2275736>
- Shin, H. B., Kim, C., Han, M. C., Hong, C. S., Park, S., Koom, W. S., & Kim, J. S. (2023). Dosimetric comparison of robust angles in carbon-ion radiation therapy for prostate cancer. *Frontiers in Oncology*, 13. <https://doi.org/10.3389/fonc.2023.1054693>
- Sukmawati, C. B., Arianto F., & Hidayanto E. (n.d.). *PENENTUAN DOSIS SERAP RELATIF RADIASI SINAR-X PADA RADIOGRAFI THORAKS DENGAN VARIASI PERIODE PEMERIKSAAN KESEHATAN MENGGUNAKAN APLIKASI MCNPX*.
- Terzi, A., & Bertolaccini, L. (2013). Lung Cancer Detection with Digital Chest Tomosynthesis. *Journal of Thoracic Oncology*.
- V. Vilgrain. (2017). Efficacy and safety of selective internal radiotherapy with yttrium-90 resin microspheres compared with sorafenib in locally advanced and inoperable hepatocellular carcinoma (SARAH): an open-label randomised controlled phase 3 trial. *Lancet Oncol*, 18.
- Von Krosigk, B. (2021). Effect on dark matter exclusion limits from new silicon photoelectric absorption measurements. *Physical Review D* 104.6.
- Walls, N. M., Nurushev, T., Jin, J., Levin, K., Patel, S. H., Ryu, S., Chetty, I. J., & Movsas, B. (2009). Assessment of 2D X-ray and Volumetric-based Localization Imaging for Patients Treated with SRS and SBRT. *International Journal of Radiation*

*Oncology*Biology*Physics*, 75(3), S682.
<https://doi.org/10.1016/j.ijrobp.2009.07.1556>

Wang, J., Ming, T., Jin, Z., Wang, J., Sun, L. D., & Yan, C. H. (2014). Photon energy upconversion through thermal radiation with the power efficiency reaching 16%. *Nature Communications*, 5.
<https://doi.org/10.1038/ncomms6669>

World Health Organization. (2022). *Global Cancer Observatory*. Cancer Today.

Wurm, R. E., Gum, F., Erbel, S., Schlenger, L., Scheffler, D., Agaoglu, D., Schild, R., Gebauer, B., Rogalla, P., Plotkin, M., Ocran, K., & Budach, V. (2006). Image guided respiratory gated hypofractionated Stereotactic Body Radiation Therapy (H-SBRT) for liver and lung tumors: Initial experience. *Acta Oncologica*, 45(7), 881–889. <https://doi.org/10.1080/02841860600919233>

Xu, S., Frakulli, R., & Lin, Y. (2023). Comparison of the Effectiveness of Radiotherapy with 3D-CRT, IMRT, VMAT and PT for Newly Diagnosed Glioblastoma: A Bayesian Network Meta-Analysis. *Cancers*, 15(23). <https://doi.org/10.3390/cancers15235698>

Yu, L., Zhao, J., Zhang, Z., Wang, J., & Hu, W. (2021). Commissioning of and preliminary experience with a new fully integrated computed tomography linac. *Journal of Applied Clinical Medical Physics*, 22(7), 208–223. <https://doi.org/10.1002/acm2.13313>

Yuan, D., & Liu, Q. (2022). Photon energy and photon behavior discussions. *Energy Reports*, 8, 22–42.
<https://doi.org/10.1016/j.egyr.2021.11.034>

Zeghari, A., Saaidi, R., & Cherkaoui El Moursli, R. (2019). Enhancement of the dose on 12 MV linac with free flattening filter mode. *Journal of Biomedical Physics and Engineering*, 9(4), 437–444.
<https://doi.org/10.31661/jbpe.v0i0.924>