

DAFTAR PUSTAKA

- Abram, T., & Ion, S. (2008). Generation-IV nuclear power: A review of the state of the science. *Energy Policy*, 36(12), 4323–4330. <https://doi.org/10.1016/J.ENPOL.2008.09.059>
- AFSA. (2011). *Pocket Guide 3 CORROSION RESISTANCE OF ALUMINIUM AND PROTECTIVE MEASURES WHERE APPROPRIATE CONTENTS*.
- Ahn, J., Carson, C., Jensen, M., Kohta, J., Shinya, J., Satoru, N., & Editors, T. (2015). *Reflections on the Fukushima Daiichi Nuclear Accident Toward Social-Scientific Literacy and Engineering Resilience*.
- Ajantiwalay, T., Smith, C., Keiser, D. D., & Aitkaliyeva, A. (2020). A critical review of the microstructure of U–Mo fuels. *Journal of Nuclear Materials*, 540, 152386. <https://doi.org/10.1016/J.JNUCMAT.2020.152386>
- Ali, A., Zhang, N., & Santos, R. M. (2023). Mineral Characterization Using Scanning Electron Microscopy (SEM): A Review of the Fundamentals, Advancements, and Research Directions. In *Applied Sciences (Switzerland)* (Vol. 13, Issue 23). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/app132312600>
- Azevedo, C. R. F. (2011). Selection of fuel cladding material for nuclear fission reactors. In *Engineering Failure Analysis* (Vol. 18, Issue 8, pp. 1943–1962). <https://doi.org/10.1016/j.engfailanal.2011.06.010>
- Barabash, R. I., Ice, G. E., Liu, W., & Barabash, O. M. (2009). Polychromatic microdiffraction characterization of defect gradients in severely deformed materials. *Micron*, 40(1), 28–36. <https://doi.org/10.1016/J.MICRON.2008.03.010>
- Callister, W. D. (2004). *Materials Science & Engineering*. John Willey & Son.
- Chang, K., Meng, F., Ge, F., Zhao, G., Du, S., & Huang, F. (2019). Theory-guided bottom-up design of the FeCrAl alloys as accident tolerant fuel cladding materials. *Journal of Nuclear Materials*, 516, 63–72. <https://doi.org/10.1016/j.jnucmat.2019.01.002>
- Chen, W., Yang, H., Yan, J., Liu, Y., Wu, C., & Su, X. (2021). Phase Equilibria of the Fe-Si-Cr-Al Quaternary System at 800 °C. *Journal of*

Phase Equilibria and Diffusion, 42(2), 290–302.

<https://doi.org/10.1007/s11669-021-00881-1>

C.K. Gupta. (2001). Nuclear Reactor Materials. In R. W. C. M. C. F. B. I. E. J. K. S. M. P. V. K.H. Jürgen Buschow (Ed.), *Encyclopedia of Materials: Science and Technology*, (pp. 6339–6349).

De Luze, O., Haste, T., Barrachin, M., & Repetto, G. (2013). Early phase fuel degradation in Phébus FP: Initiating phenomena of degradation in fuel bundle tests. *Annals of Nuclear Energy*, 61, 23–35.

<https://doi.org/10.1016/J.ANUCENE.2012.10.026>

Diniasi, D., Fulger, M., Butoi, B., Dinca, P. P., & Golgovici, F. (2023). Accident-Tolerant Barriers for Fuel Rod Cladding of CANDU Nuclear Reactor. *Coatings*, 13(10). <https://doi.org/10.3390/coatings13101739>

Diniasi, D., Golgovici, F., Anghel, A., Fulger, M., Surdu-Bob, C. C., & Demetrescu, I. (2021). Corrosion Behavior of Chromium Coated Zy-4 Cladding under CANDU Primary Circuit Conditions. *Coatings*, 11(11). <https://doi.org/10.3390/COATINGS11111417>

Doyle, P. J., Koyanagi, T., Ang, C., Snead, L., Mouche, P., Katoh, Y., & Raiman, S. S. (2020). Evaluation of the effects of neutron irradiation on first-generation corrosion mitigation coatings on SiC for accident-tolerant fuel cladding. *Journal of Nuclear Materials*, 536. <https://doi.org/10.1016/j.jnucmat.2020.152203>

Dryepondt, S., Unocic, K. A., Hoelzer, D. T., Massey, C. P., & Pint, B. A. (2018a). Development of low-Cr ODS FeCrAl alloys for accident-tolerant fuel cladding. *Journal of Nuclear Materials*, 501, 59–71. <https://doi.org/10.1016/j.jnucmat.2017.12.035>

Dryepondt, S., Unocic, K. A., Hoelzer, D. T., Massey, C. P., & Pint, B. A. (2018b). Development of low-Cr ODS FeCrAl alloys for accident-tolerant fuel cladding. *Journal of Nuclear Materials*, 501, 59–71. <https://doi.org/10.1016/J.JNUCMAT.2017.12.035>

Du, Z., Yuan, J., Zhou, Q., Hettiarachchi, C., & Xiao, F. (2021). Laboratory application of imaging technology on pavement material analysis in multiple scales: A review. *Construction and Building Materials*, 304, 124619. <https://doi.org/10.1016/J.CONBUILDMAT.2021.124619>

Dziubek, K. F. (2022). On the Definition of Phase Diagram. *Crystals*, 12(9). <https://doi.org/10.3390/cryst12091186>

Enhanced Accident-Tolerant Fuel, Nuclear Energy Agency of the OECD (NEA) (2013).

https://doi.org/http://inis.iaea.org/search/search.aspx?orig_q=RN:47013913.

Fadhilah, I. (n.d.). *Analisis Struktur Mikro (Metalografi)*.

Field, K. G., Snead, M. A., Yamamoto, Y., & Terrani, K. A. (2018). *Handbook on the Material Properties of FeCrAl Alloys for Nuclear Power Production Applications (FY18 Version: Revision 1.1) Prepared for U.S. Department of Energy Nuclear Technology R&D Advanced Fuels Campaign FY18 version author(s): Kevin G. Field 1 FY17 version author(s)*.

German, R. M., Suri, P., & Park, S. J. (2009). Review: Liquid phase sintering. *Journal of Materials Science*, 44(1), 1–39. <https://doi.org/10.1007/s10853-008-3008-0>

Ghodke, S. A., Maheshwari, U., Gupta, S., Sonawane, S. H., & Bhanvase, B. A. (2021). Nanomaterials for adsorption of pollutants and heavy metals: Introduction, mechanism, and challenges. In *Handbook of Nanomaterials for Wastewater Treatment: Fundamentals and Scale up Issues* (pp. 343–366). Elsevier. <https://doi.org/10.1016/B978-0-12-821496-1.00032-5>

Gill, M., Livens, F., & Peakman, A. (2013). Nuclear Fission. In *Future Energy: Improved, Sustainable and Clean Options for our Planet* (pp. 181–198). Elsevier Inc. <https://doi.org/10.1016/B978-0-08-099424-6.00009-0>

Goldstein, J. I., Yakowitz, H., Newbury, D. E., Lifshin, E., Colby, J. W., & Coleman, J. R. (1975). Practical Scanning Electron Microscopy. In *Practical Scanning Electron Microscopy*. Springer US. <https://doi.org/10.1007/978-1-4613-4422-3>

Gomes, D. S., Muniz, R. O. R., & Giovedi, C. (2017). *Improving Performance with Accident Tolerant-Fuels*.

Gurruchaga, J. R., Corisco Carmona, M., Martínez-Murillo, J. C., & Sanchez Baptista, J. (2009). *Experience Feedback of Current LWR on the Design and Operation of Advanced LWR, under the Safety Analysis Point of View*.

Han, W., Yabuuchi, K., Kimura, A., Ukai, S., Oono, N., Kaito, T., Torimaru, T., & Hayashi, S. (2016). Effect of Cr/Al contents on the 475°C age-hardening in oxide dispersion strengthened ferritic steels. *Nuclear Materials and Energy*, 9, 610–615. <https://doi.org/10.1016/J.NME.2016.05.015>

- Hassanzadeh-Tabrizi, S. A. (2023). Precise calculation of crystallite size of nanomaterials: A review. *Journal of Alloys and Compounds*, 968, 171914. <https://doi.org/10.1016/J.JALLCOM.2023.171914>
- Hillert, M., Kjellqvist, L., Mao, H., Selleby, M., & Sundman, B. (2009). Parameters in the compound energy formalism for ionic systems. *Calphad*, 33(1), 227–232. <https://doi.org/10.1016/J.CALPHAD.2008.05.006>
- Huang, S., Dolley, E., Buresh, S., Spinelli, I., Leszczewicz, J., Drobnjak, M., Knussman, M., & Rebak, R. B. (2023). Powder Metallurgy HIP and Extrusion Study of FeCrAl Alloy for Accident Tolerant Fuel Cladding. *Materials Research Proceedings*, 38, 107–112. <https://doi.org/10.21741/9781644902837-16>
- IAEA. (2015a). Design of a Nuclear Reactor. In *Basic Professional Training Course*.
- IAEA. (2015b). *The Fukushima Daiichi Accident*. International Atomic Energy Agency.
- Ismail, H., Zakri, M. N. Z., Ahmad, A., & Mohamad, H. (2023). Effect of sintering temperature on the phase, microstructural, physical, mechanical, and in vitro biomineralisation properties of porous wollastonite ceramics fabricated using the gel casting method. *Ceramics International*, 49(9), 14166–14176. <https://doi.org/10.1016/J.CERAMINT.2023.01.003>
- ITER Consult. (2011). *Fukushima Daiichi Nuclear Accident Preliminary Report Executive Summary*.
- Jabur, A. S. (2013). Effect of powder metallurgy conditions on the properties of porous bronze. *Powder Technology*, 237, 477–483. <https://doi.org/10.1016/J.POWTEC.2012.12.027>
- Jannah, S. R. (2019). *Sintesis dan Karakterisasi Logam Paduan Fe-Cr-Al Sebagai Material Tahan Panas*. Universitas Islam Negeri Maulana Malik Ibrahim.
- Jasinski, J. J., Stasiak, T., Chmurzynski, W., Kurpaska, L., Chmielewski, M., Frelek-Kozak, M., Wilczopolska, M., Mulewska, K., Zielinski, M., Kowal, M., Diduszko, R., Chrominski, W., & Jagielski, J. (2023). Microstructure and phase investigation of FeCrAl-Y₂O₃ ODS steels with different Ti and V contents. *Journal of Nuclear Materials*, 586. <https://doi.org/10.1016/j.jnucmat.2023.154700>

- Kamerman, D., Jensen, C., Woolstenhulme, N., & Wachs, D. (2019). *Fuel Safety Research Plan for Accident Tolerant Fuels*. <http://www.inl.gov>
- Karoutas, Z., Brown, J., Atwood, A., Hallstadius, L., Lahoda, E., Ray, S., & Bradfute, J. (2018). The maturing of nuclear fuel: Past to Accident Tolerant Fuel. *Progress in Nuclear Energy*, 102, 68–78. <https://doi.org/10.1016/j.pnucene.2017.07.016>
- Kohli, R. (2012). Methods for Monitoring and Measuring Cleanliness of Surfaces. *Developments in Surface Contamination and Cleaning*, 107–178. <https://doi.org/10.1016/B978-1-4377-7883-0.00003-1>
- Kurgan, N. (2014). Effect of porosity and density on the mechanical and microstructural properties of sintered 316L stainless steel implant materials. *Materials & Design*, 55, 235–241. <https://doi.org/10.1016/J.MATDES.2013.09.058>
- Lai, H. S., Guo, J., Zhang, S., Yu, X., Meng, F., Zhao, Z., & Zhou, W. (2021). Effect of Rolling Deformation on Creep Properties of FeCrAl Alloys. *Frontiers in Energy Research*, 9. <https://doi.org/10.3389/fenrg.2021.663578>
- Lee, T., & Senyuk, B. (2011). *Optical Microscopy of Soft Matter Systems*. <https://www.researchgate.net/publication/51931197>
- Liu, Z. K., & Chen, L. Q. (2007). Integration of first-principles calculations, CALPHAD modeling, and phase-field simulations. In *Applied Computational Materials Modeling: Theory, Simulation and Experiment* (pp. 171–213).
- Locatelli, G., Mancini, M., & Todeschini, N. (2013). Generation IV nuclear reactors: Current status and future prospects. *Energy Policy*, 61, 1503–1520. <https://doi.org/10.1016/J.ENPOL.2013.06.101>
- Massey, C. P., Austin, T., Dryepondt, S. N., Linton, K. D., & Nelson, A. T. (2020). *STEP Report on Advanced ODS FeCrAl Alloys for Fission Applications*.
- Matsuura, M., Shirahama, H., Kawai, H., Suzuki, H., Katayama, Y., & Ikeda, H. (2023). Features of BWR plant. *Boiling Water Reactors: Volume 4*, 4, 59–165. <https://doi.org/10.1016/B978-0-12-821361-2.00001-5>
- Moore, P., & Booth, G. (2015). Mechanical testing of welds. In *The Welding Engineer's Guide to Fracture and Fatigue* (pp. 113–141). Elsevier. <https://doi.org/10.1533/9781782423911.2.113>

Narukawa, T., Kondo, K., Fujimura, Y., Kakiuchi, K., Udagawa, Y., & Nemoto, Y. (2023). Behavior of FeCrAl-ODS cladding tube under loss-of-coolant accident conditions. *Journal of Nuclear Materials*, 582(March), 154467. <https://doi.org/10.1016/j.jnucmat.2023.154467>

NEA. (2018). *State-of-the-Art Report on Light Water Reactor Accident-Tolerant Fuels*.

Ngarayana, W. (2022). *Effect of Surface Oxidation in Cesium Chemisorption onto Nuclear Structural Materials*.

Nihan Onder, E. (2022). Nuclear fuel. *Pressurized Heavy Water Reactors: CANDU*, 45–68. <https://doi.org/10.1016/B978-0-12-822054-2.00008-8>

Ojovan, M. I., Lee, W. E., & Kalmykov, S. N. (2019). Nuclear Decay. In *An Introduction to Nuclear Waste Immobilisation* (pp. 9–22). Elsevier. <https://doi.org/10.1016/b978-0-08-102702-8.00002-9>

Olson, G. B., & Kuehmann, C. J. (2014). Materials genomics: From CALPHAD to flight. *Scripta Materialia*, 70(1), 25–30. <https://doi.org/10.1016/J.SCRIPTAMAT.2013.08.032>

Pirozzi, N. M., Kuipers, J., & Giepmans, B. N. G. (2021). Sample preparation for energy dispersive X-ray imaging of biological tissues. *Methods in Cell Biology*, 162, 89–114. <https://doi.org/10.1016/BS.MCB.2020.10.023>

Qu, H. J., Higgins, M., Aboulella, H., Cappia, F., Burns, J., He, L., Massey, C., Harp, J., Field, K. G., Howard, R., Umretiya, R. V., Hoffman, A. K., Wharry, J. P., & Rebak, R. B. (2023). FeCrAl fuel/clad chemical interaction in light water reactor environments. *Journal of Nuclear Materials*, 587, 154717. <https://doi.org/10.1016/J.JNUCMAT.2023.154717>

Rebak, R. B. (2020). Current materials in light water reactors. Why do we need a materials renewal? *Accident Tolerant Materials for Light Water Reactor Fuels*, 15–41. <https://doi.org/10.1016/B978-0-12-817503-3.00002-X>

REVIEW OF ACCIDENT TOLERANT FUEL CONCEPTS WITH IMPLICATIONS TO SEVERE ACCIDENT PROGRESSION AND RADIOLOGICAL RELEASES FINAL REPORT. (2020).

Rodriguez-Contreras, A., Punset, M., Calero, J. A., Gil, F. J., Ruperez, E., & Manero, J. M. (2021). Powder metallurgy with space holder for porous titanium implants: A review. *Journal of Materials Science & Technology*, 76, 129–149. <https://doi.org/10.1016/J.JMST.2020.11.005>

- Ruggieri, L., Gea, T., Artola, A., & Sánchez, A. (2009). Air filled porosity measurements by air pycnometry in the composting process: A review and a correlation analysis. *Bioresource Technology*, 100(10), 2655–2666. <https://doi.org/10.1016/J.BIORTECH.2008.12.049>
- Sand, T., Edgren, A., Geers, C., Asokan, V., Eklund, J., Helander, T., Svensson, J. E., & Johansson, L. G. (2021a). Exploring the Effect of Silicon on the High Temperature Corrosion of Lean FeCrAl Alloys in Humid Air. *Oxidation of Metals*, 95(3–4), 221–238. <https://doi.org/10.1007/s11085-020-10019-2>
- Sand, T., Edgren, A., Geers, C., Asokan, V., Eklund, J., Helander, T., Svensson, J. E., & Johansson, L. G. (2021b). Exploring the Effect of Silicon on the High Temperature Corrosion of Lean FeCrAl Alloys in Humid Air. *Oxidation of Metals*, 95(3–4), 221–238. <https://doi.org/10.1007/s11085-020-10019-2>
- Sekimoto, H. (n.d.). *Nuclear Reactor Theory*.
- Smith, R., Peters, C., & Inomata, H. (2013). Historical Background and Applications. *Supercritical Fluid Science and Technology*, 4, 175–273. <https://doi.org/10.1016/B978-0-444-52215-3.00004-0>
- Song, J. (2021). Perspectives on a Severe Accident Consequences—10 Years after the Fukushima Accident. *Journal of Nuclear Engineering*, 2(4), 398–411. <https://doi.org/10.3390/jne2040030>
- Spencer, P. J. (2008). A brief history of CALPHAD. *Calphad: Computer Coupling of Phase Diagrams and Thermochemistry*, 32(1), 1–8. <https://doi.org/10.1016/j.calphad.2007.10.001>
- Suppes, G. J., & Storvick, T. S. (2016). The Future in Nuclear Power. *Sustainable Power Technologies and Infrastructure*, 247–343. <https://doi.org/10.1016/B978-0-12-803909-0.00008-7>
- Terrani, A. K. (2018). Accident tolerant fuel cladding development: Promise, status, and challenges,. *Journal of Nuclear Materials*, 501, 13–30.
- Ukai, S., Sakamoto, K., Ohtsuka, S., Yamashita, S., & Kimura, A. (2023). Alloy design and characterization of a recrystallized FeCrAl-ODS cladding for accident-tolerant BWR fuels: An overview of research activity in Japan. *Journal of Nuclear Materials*, 583, 154508. <https://doi.org/10.1016/J.JNUCMAT.2023.154508>

- USNRC. (2020). *Review of Accident Tolerant Fuel Concepts with Implications To Severe Accident Progression and Radiological Releases*.
- USNRC. (2024). *Coated Cladding*.
<https://www.nrc.gov/reactors/power/atf/technologies/chrom-clad.html>
- Wafda, H., Prajitno, D. H., Mustari, A. P. A., & Roswita, F. (2024). Sintesis Paduan Baru Baja Oxide Dispersion Strengthened (ODS) Feritik Fe-Cr-Al-W-Ti-Zr dengan Dispersiod Y₂O₃ Sebagai Kandidat Material Cladding Elemen Bakar Reaktor Nuklir dengan Metode Mekanosintesis. *GANENDRA Majalah IPTEK Nuklir*, 26(2), 72.
<https://doi.org/10.55981/gnd.2023.6856>
- Wang, X., & Shen, X. (2023). Research Progress of ODS FeCrAl Alloys—A Review of Composition Design. In *Materials* (Vol. 16, Issue 18). Multidisciplinary Digital Publishing Institute (MDPI).
<https://doi.org/10.3390/ma16186280>
- Wang, Z. L., Poncharal, P., & de Heer, W. A. (2000). Nanomeasurements in Transmission Electron Microscopy. *Microscopy and Microanalysis*, 6(3), 224–230. <https://doi.org/10.1007/s1000599100023>
- Waseda, Y., Matsubara, E., & Shinoda, K. (2011). *X-Ray Diffraction Crystallography: Introduction, Examples and Solved Problems*. Springer.
- Wilms, M. B., Rittinghaus, S. K., Goßling, M., & Gökce, B. (2023). Additive manufacturing of oxide-dispersion strengthened alloys: Materials, synthesis and manufacturing. *Progress in Materials Science*, 133, 101049. <https://doi.org/10.1016/J.PMATSCI.2022.101049>
- Wu, S., Li, J., Li, W., & Liu, S. (2020). Characterization of oxide dispersoids and mechanical properties of 14Cr-ODS FeCrAl alloys. *Journal of Alloys and Compounds*, 814.
<https://doi.org/10.1016/j.jallcom.2019.152282>
- Yamamoto, Y., Pint, B. A., Terrani, K. A., Field, K. G., Yang, Y., & Snead, L. L. (2015). Development and property evaluation of nuclear grade wrought FeCrAl fuel cladding for light water reactors. *Journal of Nuclear Materials*, 467, 703–716.
<https://doi.org/10.1016/J.JNUCMAT.2015.10.019>
- Yang, J., Wu, X., Wu, L., Zhong, Y., Xin, H., Chen, Q., Zhang, W., Yang, J., Zhu, C., Ning, Z., Liu, N., & Yang, J. (2022). Microstructure, mechanical properties and corrosion behavior of AlxCrMoNbZr multiprincipal element alloy coatings for accident-tolerant fuel

- claddings: Effect of Al content. *Surface and Coatings Technology*, 444, 128656. <https://doi.org/10.1016/J.SURFCOAT.2022.128656>
- Yano, Y., Tanno, T., Oka, H., Ohtsuka, S., Inoue, T., Kato, S., Furukawa, T., Uwaba, T., Kaito, T., Ukai, S., Oono, N., Kimura, A., Hayashi, S., & Torimaru, T. (2017). Ultra-high temperature tensile properties of ODS steel claddings under severe accident conditions. *Journal of Nuclear Materials*, 487, 229–237. <https://doi.org/10.1016/J.JNUCMAT.2017.02.021>
- Zhang, H. (2010). Friction stir welding of magnesium alloys. *Welding and Joining of Magnesium Alloys*, 274–305. <https://doi.org/10.1533/9780857090423.2.274>
- Zhang, J., Zhang, H., Wu, J., & Zhang, J. (2013). Fuel Cell Degradation and Failure Analysis. *Pem Fuel Cell Testing and Diagnosis*, 283–335. <https://doi.org/10.1016/B978-0-444-53688-4.00011-5>
- Zhang, P., Li, S. X., & Zhang, Z. F. (2011). General relationship between strength and hardness. *Materials Science and Engineering: A*, 529(1), 62–73. <https://doi.org/10.1016/J.MSEA.2011.08.061>
- Zhang, Y., Liu, B., Zhang, R., Liu, H., Cao, Y., Li, J., Fang, Q., & Liu, Y. (2023). Development of oxide dispersion strengthened ferritic steel with enhanced strength–ductility combination through dispersion strengthening and back stress hardening. *Journal of Materials Research and Technology*, 23, 1386–1396. <https://doi.org/10.1016/j.jmrt.2023.01.060>
- Ziskind, G. (2015). Modelling of heat transfer in phase change materials (PCMs) for thermal energy storage systems. *Advances in Thermal Energy Storage Systems: Methods and Applications*, 307–324. <https://doi.org/10.1533/9781782420965.2.307>