

DAFTAR PUSTAKA

- Abdus-Salam, N., & Adekola, S. K. (2018). Adsorption studies of zinc (II) on magnetite, baobab (*Adansonia digitata*) and magnetite–baobab composite. *Applied water science*, 8, 1-11.
- Agnestisia, R. (2017). Sintesis Dan Karakterisasi Magnetit (Fe_3O_4) Serta Aplikasinya Sebagai Adsorben Methylene Blue. [Synthesis and Characterization of Magnetite (Fe_3O_4) and its Application as a Methylene Blue Adsorbent. *Sains Dan Terapan Kimia*, 11(2), 61–70. In Indonesian Language
- Agusdin, A., & Setiorini, I. A. (2020). A Analisa Kemampuan Penyerapan Bubur Kertas (Pulp) Dari Kertas Bekas Sebagai Adsorbent Zat Warna Reaktif Dan Logam Berat (Cu Dan Fe) Dari Limbah Cair Tekstil Dengan Adsorber Vertikal. *Jurnal Teknik Patra Akademika*, 11(01), 4-12.
- Amjadi, M., Samadi, A., & Manzoori, J. L. (2015). A composite prepared from halloysite nanotubes and magnetite (Fe_3O_4) as a new magnetic sorbent for the preconcentration of cadmium (II) prior to its determination by flame atomic absorption spectrometry. *Microchimica Acta*, 182, 1627-1633.
- Anggraini, R. V., Koesnarpadi, S., & Widodo, N. T. (2022). Optimasi Magnetit Tersalut Asam Humat (Fe_3O_4 -Ah) Sebagai Adsorben Methylene Blue. *Prosiding*, 1(1), 156-160.
- Anggriawan, A., Atwanda, M. Y., & Lubis, N. (2019). Kemampuan Adsorpsi Logam Berat Cu Dengan Menggunakan Adsorben Kulit Jagung (*Zea Mays*). *Jurnal Chemurgy*, 3(2), 27-30.
- Anugrah, I. R., Nisa, N. N. A., Luthfiana, F., & Dani, A. M. F. (2022). Penerapan Prinsip Interaksi Antar Molekul dalam Pengolahan Limbah Batik. *Tadris Kimia*, 2(1), 19-28.
- Astuti, W., & Kurniawan, B. (2015). Adsorpsi Pb^{2+} dalam limbah cair artifisial menggunakan sistem adsorpsi kolom dengan bahan isian abu layang batubara serbuk dan granular. *Jurnal Bahan Alam Terbarukan*, 4(1), 27-33.
- Ayawei, N., Ebelegi, A. N., & Wankasi, D. (2017). Modelling and interpretation of adsorption isotherms. *Journal of chemistry*, 2017(1), 3039817.
- Basuki, R., Santosa, S. J., & Rusdiarso, B. (2017). Ekstraksi Adsorben Ramah Lingkungan dari Matriks Biologi: Asam Humat Tinja Kuda (AH-TK): Asam Humat Tinja Kuda (AH-TK). *Chempublish Journal*, 2(1), 13-25.
- Basuki, R., Rusdiarso, B., Santosa, S. J., & Siswanta, D. (2021). The dependency of kinetic parameters as a function of initial solute

concentration: New insight from adsorption of dye and heavy metals onto humic-like modified adsorbents. *Bulletin of Chemical Reaction Engineering & Catalysis*, 16(4), 773-795.

- Basuki, R., Apriliyanto, Y. B., Stiawan, E., Pradipta, A. R., Rusdiarso, B., & Putra, B. R. (2025). Magnetic Hybrid Chitin-Horse Manure Humic Acid for Optimized Cd (II) and Pb (II) Adsorption from Aquatic Environment. *Case Studies in Chemical and Environmental Engineering*, 101138.
- Bodzek, M., Konieczny, K., & Kwiecińska-Mydlak, A. (2020). The application of nanomaterial adsorbents for the removal of impurities from water and wastewaters: a review. *Desalination and Water Treatment*, 185, 1-26.
- Charpentier, T. V., Neville, A., Lanigan, J. L., Barker, R., Smith, M. J., & Richardson, T. (2016). Preparation of magnetic carboxymethylchitosan nanoparticles for adsorption of heavy metal ions. *ACS omega*, 1(1), 77-83.
- Cho, Y. A., Kim, J., Woo, H. D., & Kang, M. (2013). Dietary cadmium intake and the risk of cancer: a meta-analysis. *PLoS One*, 8(9), e75087.
- Dewi, A. R., & Sa'diyah, K. (2024). Pengaruh Jenis Adsorben Batuan Terhadap Parameter Limbah Cair Mall X Melalui Pengolahan secara adsorpsi. *Distilat: Jurnal Teknologi Separasi*, 10(1), 303-315.
- Doccioli, C., Sera, F., Francavilla, A., Cupisti, A., & Biggeri, A. (2024). Association of cadmium environmental exposure with chronic kidney disease: A systematic review and meta-analysis. *Science of The Total Environment*, 906, 167165.
- Dompeipen, E. J. (2017). Isolasi dan identifikasi kitin dan kitosan dari kulit udang Windu (*Penaeus monodon*) dengan spektroskopi inframerah. *Majalah Biam*, 13(1), 31-41.
- Elieh-Ali-Komi, D., & Hamblin, M. R. (2016). Chitin and chitosan: production and application of versatile biomedical nanomaterials. *International journal of advanced research*, 4(3), 411.
- Elsayed, S. A., El-Sayed, I. E., & Tony, M. A. (2022). Impregnated chitin biopolymer with magnetic nanoparticles to immobilize dye from aqueous media as a simple, rapid and efficient composite photocatalyst. *Applied Water Science*, 12(11), 252.
- Febriani, F., Koesnarpadi, S., & Sari, I. Y. L. Adsorpsi methylene blue menggunakan adsorben asam fulvat (af) dari tanah gambut samboja kalimantan timur. *Prosiding seminar nasional*, 1(2022).
- Fernando, M. R. (2015). Penggunaan Air Limbah Industri. *Industrial Water Reuse*, December, 1-9.

- Gil, A. (2023). Classical and new insights into the methodology for characterizing adsorbents and metal catalysts by chemical adsorption. *Catalysis Today*, 423, 114016.
- Gutierrez, F. V., Lima, I. S., De Falco, A., Ereias, B. M., Baffa, O., de Abreu Lima, C. D., ... & Araujo, J. F. D. F. (2024). The effect of temperature on the synthesis of magnetite nanoparticles by the coprecipitation method. *Heliyon*, 10(4).
- Hajar, E. W. I., Sitorus, R. S., Mulianingtias, N., & Welan, F. J. (2016). Efektivitas adsorpsi logam Pb^{2+} dan $Cd(II)^{2+}$ Menggunakan media adsorben Cangkang Telur Ayam. *Konversi*, 5(1), 1-7.
- Hefdea, A. and Rohmawati, L. (2020). Sintesis Fe_3O_4 dari pasir mineral tulungagung menggunakan metode kopresipitasi. *Inovasi Fisika Indonesia*, 9(2).
- Yu, G., Liu, L., Shen, R., Jin, J., Zhou, H., Guo, L., Wang, L. Facile preparation of coprecipitates between iron oxides and dissolved organic matter for efficient Fenton-like degradation of norfloxacin, *J. Hazard Mater.* 444 (2023) 130394, <https://doi.org/10.1016/j.jhazmat.2022.130394>.
- Hidayah, M., Kustomo, K., & Yunita, A. N. I. (2022). Batch adsorption of Pb (II) batch using humic acid from goat dung. *al Kimiya: Jurnal Ilmu Kimia dan Terapan*, 9(2), 55-61.
- Hidayah, A. M., Purwanto, P., & Soeprbowati, T. R. (2014). Biokonsentrasi faktor logam berat Pb, Cd(II), Cr dan Cu pada ikan nila (*Oreochromis niloticus* Linn.) di karamba Danau Rawa Pening. *Bioma: Berkala Ilmiah Biologi*, 16(1), 1-9.
- Hu C., Zheng, Z., Huang, M., Yang, F., Wu, X., & Zhang, A. (2023). Adsorption characterization of Cu (II) and Cd (II) by a magnetite–chitosan composite: Kinetic, thermodynamic and equilibrium studies. *Polymers*, 15(12), 2710.
- Jaafarzadeh, N., Mengelizadeh, N., & Hormozinejad, M. (2013). Adsorption of Zn (II) from aqueous solution by using chitin extracted from shrimp shells. *Jentashapir Journal of Health Research*, 5(3), 131-139.
- Juvenio Keijok, W., Contreras Alvarez, L. A., Gomes, A. M. D. S., Vasconcelos Campos, F., Oliveira, J. P. D., & Guimarães, M. C. C. (2025). Optimized Synthesis and Stabilization of Superparamagnetic Iron Oxide Nanoparticles for Enhanced Biomolecule Adsorption. *ACS Omega*.
- Kanagalakshmi, M., Devi, S. G., Ananthi, P., & Pius, A. (2024). Adsorption isotherms and kinetic models. In *Carbon Nanomaterials and their Composites as Adsorbents* (pp. 135-154). Cham: Springer International Publishing.

- Karimi, F., Ayati, A., Tanhaei, B., Sanati, A. L., Afshar, S., Kardan, A., ... & Karaman, C. (2022). Removal of metal ions using a new magnetic chitosan nano-bio-adsorbent; A powerful approach in water treatment. *Environmental Research*, 203, 111753.
- K.I. Hadjiivanov, D.A. Panayotov, M.Y. Mihaylov, E.Z. Ivanova, K.K. Chakarova, S. M. Andonova, N.L. Drenchev, Power of infrared and Raman spectroscopies to characterize metal-organic frameworks and investigate their interaction with guest molecules, *Chem. Rev.* 121 (3) (2020) 1286–1424, <https://doi.org/10.1021/acs.chemrev.0c00487>.
- Khaira.R., Ulinas.A., Azhar.M., & Mawardi. (2020). Sintesis Nanopartikel Magnetit Besi Oksida (Fe_3O_4) Menggunakan Ekstrak Daun Sirih Merah (*Piper Crocatum*) sebagai Agen Pelindung (Capping Agent). *Chemistry journal Universitas Negeri Padang*, 9(2), 42-46.
- Kosim, M. E., Siskayanti, R., Prambudi, D., & Rusanti, W. D. (2022). Perbandingan Kapasitas Adsorpsi Karbon Aktif Dari Kulit Singkong Dengan Karbon Aktif Komersil Terhadap Logam Tembaga Dalam Limbah Cair Elektroplating. *Jurnal Redoks*, 7(1), 36-47.
- Krisbiantoro, P. A., Santosa, S. J., & Kunarti, E. S. (2017). Synthesis of Fulvic Acid-Coated Magnetite (Fe_3O_4 -FA) and Its Application for the Reductive Adsorption of $[AuCl_4]^-$. *Indonesian Journal of Chemistry*, 17(3), 453-460.
- Kusuma, A. K. K. W., Harjito, H., & Jumaeri, J. (2018). Perbandingan Massa Ca (NO₃)₂ dengan SBA-15 terhadap Kebasaan Katalis Reaksi Gliserolisis. *Indonesian Journal of Chemical Science*, 7(2), 175-181.
- Kusumaningsih, T., Masykur, A., & Arief, U. (2004). Pembuatan kitosan dari kitin cangkang bekicot (*Achatina fulica*). *Biofarmasi*, 2(2), 64-68.
- Lasmi, L. (2016). Competitive adsorption study of ag (i) and cr (iii) on humic acid. *Orbital: Jurnal Ilmu dan Terapan Kimia*, 1(2).
- Lestari, A. S., & Sartika, D. (2018). Preparasi dan karakterisasi nanopartikel Fe_3O_4 menggunakan metode kopresipitasi. *Jurnal Teknologi Technoscientia*, 7-10.
- Lubis, H. (2022). Perbandingan Karakterisasi Morfologi Fe_3O_4 terhadap Fe_3O_4 Merck melalui Metode Kopresipitasi. *Juripol (Jurnal Institusi Politeknik Ganesha Medan)*, 5(2), 458-463.
- Mendizábal, E., Ríos-Donato, N., Ventura-Muñoz, M. G., Hernández-Montelongo, R., & Verduzco-Navarro, I. P. (2024). Use of Chitosan–Iron Oxide Gels for the Removal of Cd²⁺ Ions from Aqueous Solutions. *Gels*, 10(10), 630.

- Mira, P. V., Mahmudin, L., & Iqbal, I. (2018). Sintesis dan Analisis Sifat Magnetit Nanopartikel Magnetit (Fe_3O_4) Berbasis Pasir Besi. *Gravitasi*, 17(2).
- Mudhoo, A., & Pittman Jr, C. U. (2023). The Dubinin-Radushkevich models: Dissecting the ps/p to cs/ce replacement in solid-aqueous interfacial adsorption and tracking the validity of $E = 8 \text{ kJ mol}^{-1}$ for assigning sorption type. *Chemical Engineering Research and Design*, 198, 370-402.
- Musthofa, I., Wardana, I. N. G., & Widhiyanuriyawan, D. (2021). Peran Senyawa Asam Fulvat dari Air Gambut terhadap Produktivitas Gas Hidrogen dengan Metode Elektrolisis. *Jurnal Rekayasa Mesin*, 12(3), 613-620.
- Nainggolan, K. N. (2023). Ekstraksi Enzimatis Kitin dan Kitosan dari Limbah Udang. *Manfish Journal*, 4(1), 50-71.
- Ngatijo, N., Bemis, R., & Ihsan, M. (2021). Nanofikasi fraksi tanah gambut untuk modifikator nanomagnetit/ah-kitosan sebagai kandidat penanggulangan pencemaran zat warna. *Chempublish Journal*, 5(2), 140-150.
- Ngatijo, Marlinda, L., Malikhah, W., Ishartono, B., & Basuki, R. (2023). Magnetically Separable Humic Acid-Chitin Based Adsorbent as Pb (II) Uptake in Synthetic Wastewater. *Indonesian Journal of Chemical Studies*, 2(1), 13-21.
- Ngatin, A., Nugraha, A. R., Gozali, M., Priyambudi, A., Hariyadi, T., Sihombing, R. P., & Indarti, R. (2022). Pengaruh Laju Alir Terhadap Penurunan Pengotor Limbah Laundry Metode Elektrokoagulasi Kontinyu Berpengaduk. *Fluida*, 15(2), 89-96.
- Nurdila, F. A., Asri, N. S., & Suharyadi, E. (2015). Adsorpsi Logam Tembaga (Cu), Besi (Fe), dan Nikel (Ni) dalam Limbah Cair Buatan Menggunakan Nanopartikel Cobalt Ferrite (CoFe_2O_4) (Halaman 23 sd 27). *Jurnal Fisika Indonesia*, 19(55).
- Nurlina, N., Syahbanu, I., Tamnasi, M. T., Nabela, C., & Furnata, M. D. (2018). Ekstraksi dan penentuan gugus fungsi asam humat dari pupuk kotoran sapi. *Indonesian Journal of Pure and Applied Chemistry*, 1(1), 30-38.
- Nursabrina, A., Joko, T., & Septiani, O. (2021). Kondisi Pengelolaan Limbah B3 Industri Di Indonesia Dan Potensi Dampaknya: Studi Literatur. *Jurnal Riset Kesehatan Poltekkes Depkes Bandung*, 13(1), 80-90.
- Purnamawat, F. S., Soeprbowati, T. R., & Izzati, M. (2015). Potensi *Chlorella vulgaris* Beijerinck Dalam Remediasi Logam Berat Cd(II) Dan Pb Skala Laboratorium. *Bioma: Berkala Ilmiah Biologi*, 16(2), 102-113.

- Putra, B. A., Santoso, A., & Riniatsih, I. (2019). Kandungan logam berat seng pada *Enhalus acoroides* di Perairan Jepara. *Buletin Oseanografi Marina*, 8(1), 9-16.
- Pylypchuk, I. V., Kołodyńska, D., Koziół, M., & Gorbyk, P. P. (2016). Gd-DTPA adsorption on chitosan/magnetite nanocomposites. *Nanoscale Research Letters*, 11, 1-10.
- Rahaman, M. H., Islam, M. A., Islam, M. M., Rahman, M. A., & Alam, S. N. (2021). Biodegradable composite adsorbent of modified cellulose and chitosan to remove heavy metal ions from aqueous solution. *Current Research in Green and Sustainable Chemistry*, 4, 100119.
- Rahmayani, F., & Siswarni, M. Z. (2013). Pemanfaatan limbah batang jagung sebagai adsorben alternatif pada pengurangan kadar klorin dalam air olahan (treated water). *Jurnal Teknik Kimia USU*, 2(2), 1-5.
- Rahmayanti, M., Yunita, E., & Prandini, M. N. (2019). Isolasi asam humat dari tanah gambut Sumatera dan Kalimantan dan analisis kandungan gugus fungsionalnya. *Integrated Lab Journal*, 7(2), 132-139.
- Riyanti, F. (2014, September). Properties of Magnetite-Chitin Composite as Materials. In 5th Sriwijaya International Seminar on Energy and Environmental Science and Technology. Sriwijaya University.
- Sakinah, Bariyyah, K., & Hadi, A. (2023). Respon Perkembangan Buah pada Tanaman Semangka terhadap Pemberian Asam Humat sebagai Dasar Budidaya Smart Farming. *Agrotekma: Jurnal Agroteknologi dan Ilmu Pertanian*, 7(2), 72-81.
- Salehirozveh, M., Dehghani, P., & Mijakovic, I. (2024). Synthesis, Functionalization, and Biomedical Applications of Iron Oxide Nanoparticles (IONPs). *Journal of Functional Biomaterials*, 15(11), 340.
- Salam, M. A. (2017). Preparation and characterization of chitin/magnetite/multiwalled carbon nanotubes magnetic nanocomposite for toxic hexavalent chromium removal from solution. *Journal of molecular liquids*, 233, 197-202.
- Samešová, D., Pochyba, A., Ďuricová, A., Poništ, J., Prepilková, V. Š., Schwarz, M., ... & Schmidtová, J. (2025). Comparative Adsorption of Cu (II), Zn (II), Cd (II), and Mn (II) from Aquatic Solution and Neutral Mine Drainage Using Paper Sludge. *Water*, 17(10), 1471.
- Saragi, T., Permana, B., Saputri, M., Safriani, L., & Iman Rahayu, R. (2018). Karakteristik Optik dan Kristal Nanopartikel Magnetit. *JlIF (Jurnal Ilmu dan Inovasi Fisika)*, 2(1), 53-56.

- Sarifuddin, E., Patadungan, Y. S., Isrun, 2017, 'Pengaruh Asam Humat Dan Fulvat Ekstrak Kompos Thitonia Diversifolia Terhadap Hgkhelat, Ph Dan C-Organik Entisol Tercemar Merkuri', Jurnal Agroteknobisnis, 5(3), 284 - 290.
- Chander, S. Yadav, H.R. Sharma, A. Gupta, Sequestration of Cd(II) (II) utilizing biowaste-fabricated recyclable mesoporous magnetite (Fe₃O₄) nano-adsorbent: process optimization, thermodynamic investigation, simulation modeling, and feasibility for electroplating effluent, J. Alloys Compd. 986 (2024) 174088, <https://doi.org/10.1016/j.jallcom.2024.174088>.
- Serafin, J., & Dziejarski, B. (2023). Application of isotherms models and error functions in activated carbon CO₂ sorption processes. *Microporous and Mesoporous Materials*, 354, 112513.
- Shi, J., Li, H., Lu, H., & Zhao, X. (2015). Use of carboxyl functional magnetite nanoparticles as potential sorbents for the removal of heavy metal ions from aqueous solution. *Journal of Chemical & Engineering Data*, 60(7), 2035-2041.
- Shoaib, A. G., Ragab, S., El Sikaily, A., Yılmaz, M., & El Nemr, A. (2023). Thermodynamic, kinetic, and isotherm studies of Direct Blue 86 dye absorption by cellulose hydrogel. *Scientific Reports*, 13(1), 5910.
- Susanti, R. A., Mustikaningtyas, D., & Sasi, F. A. (2014). Analisis kadar logam berat pada sungai di Jawa tengah. *Saintekno: Jurnal Sains Dan Teknologi*, 12(1).
- Setiawan, E., Faisal, M., & Mariana, M. (2023). Adsorption of Cadmium Metal Ions by a Physically-Chemically Activated Adsorbent From Candlenut (Aleurites Moluccana) Shells. *Elkawnie: Journal of Islamic Science and Technology*, 9(2), 172-187.
- S. Khushnood, J.R. Khan, S. Hussain, H. Khan, F. Wahab, K.C. Ng, M.W. Shahzad, Synthesis and characterization of mesoporous caged silica for efficient adsorption of methylene blue from aqueous solution, *Int. Commun. Heat Mass Tran.* 156 (2024) 107706, <https://doi.org/10.1016/j.icheatmasstransfer.2024.107706>.
- Luo et al., "Accelerated atrazine degradation and altered metabolic pathways in goat manure assisted soil bioremediation", *Ecotoxicol.*
- Stevenson F. J. 1994. *Humus Chemistry: Genesis, Composition, Reaction*, 2nd edition, John Wiley & Sons, New York
- Stevenson, F.J. 1982. Extraction, Fractionation and General Chemical Composition of Soil Organic Matter. In. Stevenson, F.J. (Ed.) *Humus Chemistry. Genesis, Composition, Reactions*. John Wiley and Sons. New York. 26–54

- Syahmani, S., Leny, L., Iriani, R., & Elfa, N. (2017). Penggunaan Kitin Sebagai Alternatif Fase Diam Kromatografi Lapis Tipis Dalam Praktikum Kimia Organik. *Vidya Karya*, 32(1). *Environ. Saf.*, vol. 221, p. 112432, 2021, doi: 10.1016/j.ecoenv.2021.112432
- Tukan, D. N., Rosmainar, L., Kustomo, K., & Rasidah, R. (2023). A Review: Optimum Conditions for Magnetite Synthesis (Fe_3O_4). *Jurnal Berkala Ilmiah Sains dan Terapan Kimia*, 17(2), 15-21.
- Vigdorowitsch, M., Pchelintsev, A. N., & Tsygankova, L. E. (2021). Analytical continuation within the freundlich adsorption Model. Comment on Edet, UA; Ifelebuegu, AO Kinetics, isotherms, and thermodynamic modeling of the adsorption of phosphates from Model wastewater using recycled brick waste. *Processes* 2020, 8, 665. *Processes*, 9(7), 1251.
- Turlapati, B.K. Prusty, S.K. Pal, E. Raja, Examining supercritical methane adsorption on nanoporous shales using constant and varying adsorbed phase density approaches, *Energy Fuels* 37 (3) (2023) 2078–2090, <https://doi.org/10.1021/acs.energyfuels.2c03922>.
- Wang, L., Li, Z., Wang, Y., Brookes, P. C., Wang, F., Zhang, Q., ... & Liu, X. (2021). Performance and mechanisms for remediation of Cd (II) and As (III) co-contamination by magnetic biochar-microbe biochemical composite: Competition and synergy effects. *Science of the Total Environment*, 750, 141672.
- Wathoni, A. Z., Pratiwi, A. I., & Suci, F. C. (2021). Penurunan Kadar Logam Berat Nikel Limbah Cair Industri Pada Pengolahan Air Limbah Industri Di Karawang. *Journal of Industrial Process and Chemical Engineering (JOICHE)*, 1(2), 40-45.
- Jiang, Y., Cai, D., Liu, Q., Shi, Q., Wang. Adsorption properties and mechanism of Suaeda biochar and modified materials for tetracycline. *Environ. Res.* 235 (May) (2023) 116549, <https://doi.org/10.1016/j.envres.2023.116549>.
- Wittriansyah, K., Handayani, M., & Dirgantara, D. (2018). Karakterisasi Kitin dan Kitosan Emerita sp. dari Pantai Pesisir Widarapayung, Cilacap, Jawa Tengah. *Jurnal Ilmiah Samudra Akuatika*, 2(1), 45-51.
- Widayatno, T. (2017). Adsorpsi logam berat (Pb) dari limbah cair dengan adsorben arang bambu aktif. *Jurnal teknologi bahan alam*, 1(1), 17-23.
- Yuan, L., Yan, M., Huang, Z., He, K., Zeng, G., Chen, A., ... & Chen, G. (2019). Influences of pH and metal ions on the interactions of oxytetracycline onto nano-hydroxyapatite and their co-adsorption behavior in aqueous solution. *Journal of Colloid and Interface Science*, 541, 101-113.

- Yuliani, N.R., Arief, S. dan Septiani, U., 2013, Penggunaan Reduktor Organik dan Anorganik pada Proses Sintesis Fe_3O_4 dengan Metode Kopresipitasi, Jurnal Kimia Unand, Vol. 2, No. 1, hal. 93-97
- Yustinah, Y., Hudzaifah, H., Aprilia, M., & Ab, S. (2020). Keseimbangan adsorpsi logam berat (Pb) dengan adsorben tanah diatomit secara batch. Jurnal Konversi, 9(1), 12.
- Zarghani, M., & Akhlaghinia, B. (2016). Magnetically separable Fe_3O_4 chitin as an eco-friendly nanocatalyst with high efficiency for green synthesis of 5-substituted-1H-tetrazoles under solvent-free conditions. RSC advances, 6(38), 31850-31860.
- Zhang, P., Zhang, H., Wu, G., Chen, X., Gruda, N., Li, X., ... & Duan, Z. (2021). Dose-dependent application of straw-derived fulvic acid on yield and quality of tomato plants grown in a greenhouse. Frontiers in plant science, 12, 736613.
- Zhang, N., Reguyal, F., Praneeth, S., & Sarmah, A. K. (2023). A novel green synthesized magnetic biochar from white tea residue for the removal of Pb (II) and Cd (II) from aqueous solution: Regeneration and sorption mechanism. Environmental Pollution, 330, 121806.

