

DAFTAR PUSTAKA

- Abu-Thabit, N. Y. (2016). Chemical Oxidative Polymerization of Polyaniline: A Practical Approach for Preparation of Smart Conductive Textiles. *Journal of Chemical Education*, 93(9), 1606–1611. <https://doi.org/10.1021/acs.jchemed.6b00060>
- Afzal, I., Kuznetsova, A., Foght, J., Ulrich, A., & Siddique, T. (2024). Crystalline iron oxide mineral (magnetite) accelerates methane production from petroleum hydrocarbon biodegradation. *Environmental Pollution*, 363. <https://doi.org/10.1016/j.envpol.2024.125065>
- Aisyah, A. D., Pembimbing, D., & Fisika, J. (2015). *Rekayasa Material Penyerap Gelombang Radar Berbahan Dasar Kulit Singkong Pada Rentang Frekuensi X Band Radar Absorbing Materials Engineering From Laterite Iron Rocks and Activated Carbon of Cassava Peel in.*
- Ajien, A., Idris, J., Md Sofwan, N., Husen, R., & Seli, H. (2023). Coconut shell and husk biochar: A review of production and activation technology, economic, financial aspect and application. In *Waste Management and Research* (Vol. 41, Issue 1, pp. 37–51). SAGE Publications Ltd. <https://doi.org/10.1177/0734242X221127167>
- Ariski, M. A., & Mikhratunnisa, M. (2023). Uji Karakteristik Briket Berbahan Baku Tempurung Kelapa Dengan Perekat Tepung Kanji Berdasarkan Dimensi dan Berat. *Jurnal Agroteknologi Pertanian & Publikasi Riset Ilmiah*, 5(2), 01–16. <https://doi.org/10.55542/jappri.v5i2.756>
- Asakura, Y., & Yasuda, K. (2021). Frequency and power dependence of the sonochemical reaction. *Ultrasonics Sonochemistry*, 81. <https://doi.org/10.1016/j.ultsonch.2021.105858>
- ASTM International. (2011). *ASTM D2866-11: Standard test method for total ash content of activated carbon*. Retrieved from <https://standards.iteh.ai/catalog/standards/astm/41110b9b-34bd-40be-a7f3-c302b6b13c37/astm-d2866-11>
- Astuti, W., Dwi Handayani, A., & Wulandari, D. A. (2018). Adsorpsi Methyl Violet oleh Karbon Aktif dari Limbah Tempurung Kelapa dengan Aktivator ZnCl₂ Menggunakan Pemanasan Gelombang Mikro. *Jurnal Rekayasa Kimia & Lingkungan*, 13(2), 189–199. <https://doi.org/10.23955/rkl.v13i2.11945>
- Benguettat-El Mokhtari, I., & Schmool, D. S. (2023). Ferromagnetic Resonance in Magnetic Oxide Nanoparticules: A Short Review of Theory and Experiment. *Magnetochemistry*, 9(8).

<https://doi.org/10.3390/magnetochemistry9080191>

- Carbofull. (2019). *Moisture content determination of activated carbon*. Carbofull Singapore. Retrieved from <https://www.carbofull.com.sg/uploads/soft/191109/1-191109195505.pdf>
- Chen, N., Wei, S., Shi, B., Yan, R., Li, X., & Zhan, T. (2021). Investigating the electromagnetic wave-absorbing capacity and mechanical properties of flexible radar-absorbing knitted compound materials. *Journal of Industrial Textiles*, 51(3), 343–361. <https://doi.org/10.1177/1528083719877006>
- Cheng, J. B., Shi, H. G., Cao, M., Wang, T., Zhao, H. B., & Wang, Y. Z. (2020). Porous carbon materials for microwave absorption. *Materials Advances*, 1(8), 2631–2645. <https://doi.org/10.1039/d0ma00662a>
- DAvino, G., Muccioli, L., Olivier, Y., & Beljonne, D. (2016). Charge Separation and Recombination at Polymer-Fullerene Heterojunctions: Delocalization and Hybridization Effects. *Journal of Physical Chemistry Letters*, 7(3), 536–540. <https://doi.org/10.1021/acs.jpcllett.5b02680>
- Dérobot, X., Balayssac, J. P., Sbartaï, Z. M., & Dumoulin, J. (2017). Electromagnetic Methods. *Non-Destructive Testing and Evaluation of Civil Engineering Structures*, 87–137. <https://doi.org/10.1016/B978-1-78548-229-8.50003-0>
- Dwi Ardianti, A. (2022). Analisis Morfologi dan Struktur Karbon Aktif Kulit Salak Wedi dengan Aktivator Bertingkat. *Jurnal Ilmu Dan Inovasi Fisika*, 6(1), 53–60. <https://doi.org/10.24198/jiif.v6i1.37720>
- Elmahaishi, M. F., Azis, R. S., Ismail, I., & Muhammad, F. D. (2022). A review on electromagnetic microwave absorption properties: their materials and performance. In *Journal of Materials Research and Technology* (Vol. 20, pp. 2188–2220). Elsevier Editora Ltda. <https://doi.org/10.1016/j.jmrt.2022.07.140>
- Emmanuel Onoja, A. (2017). Embedded System Based Radio Detection and Ranging (RADAR) System Using Arduino and Ultra-Sonic Sensor. *American Journal of Embedded Systems and Applications*, 5(1), 7. <https://doi.org/10.11648/j.ajes.20170501.12>
- Esposito, V. J., Ferrari, P., Buma, W. J., Fortenberry, R. C., Boersma, C., Candian, A., & Tielens, A. G. G. M. (2024). *The Infrared Absorption Spectrum of Phenylacetylene and its Deuterated Isotopologue in the Mid- to Far-IR*. <https://doi.org/10.1063/5.0191404>
- Fisli, A., Safitri, R. D., Nurhasni, N., & Deswita, D. (2018). Analisis Struktur dan Porositas Komposit Fe₃O₄-Karbon Aktif dari Limbah

- Kertas sebagai Adsorben Magnetik. *Jurnal Sains Materi Indonesia*, 19(4), 179. <https://doi.org/10.17146/jsmi.2018.19.4.4886>
- Ganapathe, L. S., Mohamed, M. A., Yunus, R. M., & Berhanuddin, D. D. (2020). Magnetite (Fe_3O_4) nanoparticles in biomedical application: From synthesis to surface functionalisation. *Magnetochemistry*, 6(4), 1–35. <https://doi.org/10.3390/magnetochemistry6040068>
- Gultom, G., Raymond Tambunan, D. S., & Irfan Situngkir, D. (2019). Karakterisasi Impedansi Polimer Komposit Dengan Filler Karbon Aktif Cangkang Kelapa Sawit Sebagai Absorber Material. *Jurnal Rekayasa Material, Manufaktur Dan Energi*, 2(1), 10–16. <https://doi.org/10.30596/rmme.v2i1.3064>
- Huang, Y. P., Hou, C. H., Hsi, H. C., & Wu, J. W. (2015). Optimization of highly microporous activated carbon preparation from Moso bamboo using central composite design approach. *Journal of the Taiwan Institute of Chemical Engineers*, 50, 266–275. <https://doi.org/10.1016/j.jtice.2014.12.019>
- Juhola, A. J. (1975). Iodine Adsorption and Structure of Activated Carbons. In *Carbon* (Vol. 13). Pergamon Press.
- Khaki-Jabar, L., Mirzaei, H., & Shateri Khalilabad, M. (2019). Facile synthesis of Fe_3O_4 /PANI hybrid composite via in situ oxidative polymerization of aniline in acidic media. *Journal of Applied Polymer Science*, 136(25), 47711. <https://doi.org/10.1002/app.47711>
- Laos, L. E., Masturi, & Yulianti, I. (2016, Oktober). *Pengaruh suhu aktivasi terhadap daya serap karbon aktif kulit kemiri*. Prosiding Seminar Nasional Fisika (E-Journal), 5, [halaman jika tersedia]. <http://snf-unj.ac.id/kumpulan-prosiding/snf2016/>
- Lestari, D. U. (2023). Sintesis Pigmen Merah Hematit ($\alpha\text{-Fe}_2\text{O}_3$) dari Pasir Besi dengan Metode Kopresipitasi dan Hidrotermal: A Review. *Asian Journal of Science, Technology, Engineering, and Art*, 1(2), 255–265. <https://doi.org/10.58578/ajstea.v1i2.2036>
- Li, B., Hu, J., Xiong, H., & Xiao, Y. (2020). Application and Properties of Microporous Carbons Activated by ZnCl_2 : Adsorption Behavior and Activation Mechanism. *ACS Omega*, 5(16), 9398–9407. <https://doi.org/10.1021/acsomega.0c00461>
- Li, W., Lin, L., Li, C., Wang, Y., & Zhang, J. (2019). Radar absorbing combinatorial metamaterial based on silicon carbide/carbon foam material embedded with split square ring metal. *Results in Physics*, 12(November 2018), 278–286. <https://doi.org/10.1016/j.rinp.2018.11.036>
- Luo, X. G. (2015). Principles of electromagnetic waves in

- metasurfaces. *Science China: Physics, Mechanics and Astronomy*, 58(9), 1–18. <https://doi.org/10.1007/s11433-015-5688-1>
- Malini, K., Selvakumar, D., & Kumar, N. S. (2023). Activated carbon from biomass: Preparation, factors improving basicity and surface properties for enhanced CO₂ capture capacity - A review. In *Journal of CO₂ Utilization* (Vol. 67). Elsevier Ltd. <https://doi.org/10.1016/j.jcou.2022.102318>
- Masthura, M., & Putra, Z. (2018). Karakterisasi Mikrostruktur Karbon Aktif Tempurung Kelapa dan Kayu Bakau. *Elkawanie*, 4(1), 45–54. <https://doi.org/10.22373/ekw.v4i1.3076>
- Material, J. R., Energi, M., Graphene, S., Go, O., & Tempurung, B. (2024). *FT-UMSU FT-UMSU*. 7(2), 281–288.
- Micheli, D., Apollo, C., Pastore, R., & Marchetti, M. (2010). X-Band microwave characterization of carbon-based nanocomposite material, absorption capability comparison and RAS design simulation. *Composites Science and Technology*, 70(2), 400–409. <https://doi.org/10.1016/j.compscitech.2009.11.015>
- Nadiyyah, K., Hardiyanto, D. W., Aprilia, D. I., Firmansyah, R., Triyuliana, N. A., & Zainuri, M. (2023). Analysis of Activated Carbon (Petung Bamboo)/Latex Composite As X-Band Wave-Absorbing Material. *Journal Online of Physics*, 8(2), 70–76. <https://doi.org/10.22437/jop.v8i2.23851>
- Paulraj, R., Shankar, P., Mani, G. K., Nallathambi, L., & Rayappan, J. B. B. (2017). Fabrication of PANI–ZnO nanocomposite thin film for room temperature methanol sensor. *Journal of Materials Science: Materials in Electronics*, 28(15), 10799–10805. <https://doi.org/10.1007/s10854-017-6857-y>
- Permana, E., Cristine, I., Murti, S. D. S., & Yanti, F. M. (2020). Preparation and Characterization of Cu/ZnO Catalysts With Activated Carbon Support Using H₃PO₄ and ZnCl₂ Activators. *Jurnal Teknologi*, 13(1), 6–15.
- Perrin, F. X., & Oueiny, C. (2017). Polyaniline-Based Thermoplastic Blends. In *Polyaniline Blends, Composites, and Nanocomposites*. <https://doi.org/10.1016/B978-0-12-809551-5.00005-9>
- Rahma, N. A., Kurniasari, A., Setyo Pambudi, Y. D., Bintang, H. M., Zulfia, A., & Hudaya, C. (2019). Characteristics of Corncob-Originated Activated Carbon Using Two Different Chemical Agent. *IOP Conference Series: Materials Science and Engineering*, 622(1). <https://doi.org/10.1088/1757-899X/622/1/012030>
- Rahmadini, A., & Nugraha, P. (2023). *Pembuatan karbon aktif dari ampas kopi robu sta dan tempurung kelapa dengan variasi*

- temperatur karbonisasi dan pengayakan 100 mesh. Jurnal Integrasi*, 15(2), 131–141. e-ISSN 2548-9828.
- Redaksi, P. (2014). *Jurnal Litbang Industri Jurnal Litbang Industri*. 2014(2), 73–81.
- Romero-Fierro, D., Bustamante-Torres, M., Bravo-Plascencia, F., Magaña, H., & Bucio, E. (2022). Polymer-Magnetic Semiconductor Nanocomposites for Industrial Electronic Applications. *Polymers*, 14(12), 1–23. <https://doi.org/10.3390/polym14122467>
- Saputro, A. C., Arseno, D., Pramudita, A. A., Telekomunikasi, S. T., Elektro, F. T., & Telkom, U. (2019). *Frequency Modulated Continous Wave Radar System Implementation for Distance Detection Based on USRP*. 6(2), 4100–4108.
- Silitonga, N., Tarigan, N., Saragih, G., Purwandari, V., & Akbari, A. Z. (2023). Pembuatan Nanokarbon dari Limbah Padat Kelapa Sawit Menggunakan Metode Hidrotermal. *Jurnal Kimia Saintek dan Pendidikan*, 7(1), 35–40. <https://doi.org/10.51544/kimia.v7i1.3906>
- Sirajuddin, Z. (2021). Pengaruh Densitas Bahan terhadap Mutu Briket Arang Tempurung Kelapa. *Mediagro*, 17(1), 25–37. <https://doi.org/10.31942/md.v17i1.3750>
- Siregar, J., Novika, S., Wahyuni, D., & Rambe, A. M. (2022). Struktur Kristal dan Morfologi Nanokomposit Fe₃O₄-ZnO. *Prosiding Hasil Seminar Penelitian*, 3–7.
- Su, Z., Dai, P., Yang, M., Zhang, W., & Zhang, Z. (2023). ZnO/Fe₃O₄ Nanoparticles Encapsulated in N-Doped Porous Carbon for Extraordinary Microwave Absorption. *Journal of Electronic Materials*, 52(2), 1233–1241. <https://doi.org/10.1007/s11664-022-10074-2>
- Taufiq, A., Sutiami, R., Subadra, S. U. I., Hidayat, A., Diantoro, M., Sunaryono, S., Hidayat, N., & Adi, W. A. (2020). Radar absorption performance of Fe₃O₄/AC/PANI nanocomposites prepared from natural iron sand. *International Journal of Engineering, Transactions B: Applications*, 33(2), 304–313. <https://doi.org/10.5829/IJE.2020.33.02B.15>
- Teh, C. H., Rozaidi, R., Rusli, D., & Sahrim, H. A. (2009). Synthesis and spectroscopic studies of DGEBA-grafted polyaniline. *Polymer - Plastics Technology and Engineering*, 48(1), 17–24. <https://doi.org/10.1080/03602550802539106>
- Tumimomor, F., Maddu, A., & Pari, G. (2017). Pemanfaatan Karbon Aktif Dari Bambu Sebagai Elektroda Superkapasitor. *Jurnal Ilmiah Sains*, 17(1), 73. <https://doi.org/10.35799/jis.17.1.2017.15802>
- widyanti et al., 2015. (2015). Prosiding Seminar Nasional Pendidikan

- Biologi 2015, yang diselenggarakan oleh Prodi Pendidikan Biologi FKIP Universitas Muhammadiyah Malang, tema: “Peran Biologi dan Pendidikan Biologi dalam Menyiapkan Generasi Unggul dan Berdaya Saing Global”, Malang, 21. *Pengaruh Pemberian Sari Jahe Terhadap Jumlah Koloni Bakteri Pada Ikan Tongkol*, 4(2007), 339–345.
- Yağmur, H. K., & Kaya, İ. (2021). Synthesis and characterization of magnetic ZnCl₂-activated carbon produced from coconut shell for the adsorption of methylene blue. *Journal of Molecular Structure*, 1232. <https://doi.org/10.1016/j.molstruc.2021.130071>
- Yang, H., Ye, T., Lin, Y., & Liu, M. (2015). Excellent microwave absorption property of ternary composite: Polyaniline-BaFe₁₂O₁₉-CoFe₂O₄ powders. *Journal of Alloys and Compounds*, 653, 135–139. <https://doi.org/10.1016/j.jallcom.2015.08.272>
- Yang, S. Y., Bai, B. C., & Kim, Y. R. (2024). Effective Surface Structure Changes and Characteristics of Activated Carbon with the Simple Introduction of Oxygen Functional Groups by Using Radiation Energy. *Surfaces*, 7(1), 12–25. <https://doi.org/10.3390/surfaces7010002>
- Yanti, I. F., Wibawa, P. J., & Mukimin, A. (2024). Fabrication of Coconut Shell-Derived Graphitic Activated Carbon for Carbon-based Electrode Materials. *Jurnal Kimia Sains Dan Aplikasi*, 27(9), 456–463. <https://doi.org/10.14710/jksa.27.9.456-463>
- Yin, P., Deng, Y., Zhang, L., Li, N., Feng, X., Wang, J., & Zhang, Y. (2018a). Facile synthesis and microwave absorption investigation of activated carbon@Fe₃O₄ composites in the low frequency band. *RSC Advances*, 8(41), 23048–23057. <https://doi.org/10.1039/c8ra04141e>
- Yin, P., Deng, Y., Zhang, L., Li, N., Feng, X., Wang, J., & Zhang, Y. (2018b). Facile synthesis and microwave absorption investigation of activated carbon@Fe₃O₄ composites in the low frequency band. *RSC Advances*, 8(41), 23048–23057. <https://doi.org/10.1039/c8ra04141e>
- Yulfriska, N., Affandi, Z., Yohandri, Dwiridal, L., & Ramli, R. (2020). Microwave absorption properties of Fe₃O₄/PANi nanocomposites synthesized by sol-gel methods. *Journal of Physics: Conference Series*, 1481(1). <https://doi.org/10.1088/1742-6596/1481/1/012006>
- Zhao, Y., Qiu, Z., & Huang, J. (2008). Preparation and analysis of Fe₃O₄ magnetic nanoparticles used as targeted-drug carriers. *Chinese Journal of Chemical Engineering*, 16(3), 451–455. [https://doi.org/10.1016/S1004-9541\(08\)60104-4](https://doi.org/10.1016/S1004-9541(08)60104-4)

Zhang, D., Chen, H., & Hong, R. (2019). Preparation and conductive and electromagnetic properties of Fe₃O₄/PANI nanocomposite via reverse in situ polymerization. *Journal of Nanomaterials*, 2019. <https://doi.org/10.1155/2019/7962754>

