

DAFTAR PUSTAKA

- Abdurachman, Triwiyono, B., Marjono, A., & Yulianto, A. (2022). Kajian Potensi, Teknologi Pengolahan dan Pemanfaatan Onggok untuk Industri Pangan. *Jurnal Pendidikan dan Konseling*, 4(4), Universitas Pahlawan Tuanku Tambusai.
- Abouzeid, R., Kamel, S., & Ali, K. A. (2024). *Microcrystalline cellulose production from sugarcane bagasse as sustainable process: A pilot plant. Egyptian Journal of Chemistry*, 67(9), 35-43.
- Ahmad, K., Roni, & Rifdah, T. S. (2020). Pemanfaatan ampas tebu menjadi *pulp* dengan proses peroksida alkali. *Publikasi Penelitian Terapan dan Kebijakan*, 3(1), 34-39.
- Alderborn, G., & Nyström, C. (1996). *Pharmaceutical powder compaction technology*. New York: I. Marcel Dekker.
- Almasi, H., Ghanbarzadeh, B., Dehghannia, J., Pirs, S., & Zandi, M. (2015). *Heterogeneous modification of softwoods cellulose nanofibers with oleic acid: Effect of reaction time and oleic acid concentration. Fibers and Polymers*, 16(8), 1715–1722.
- Amrillah, N. A. Z., Hanum, F. F., & Rahayu, A. (2022). Studi efektivitas metode ekstraksi selulosa dari *agricultural waste*. In *Seminar Nasional Penelitian 2022 Universitas Muhammadiyah Jakarta* (E-ISSN: 2745-6080). <http://jurnal.umj.ac.id/index.php/semnaslit>
- An, S., Li, W., Xue, F., Li, X., Xia, Y., Liu, Q., Chen, L., Jameel, H., & Chang, H.- m. (2020). *Effect of removing hemicellulose and lignin synchronously under mild conditions on enzymatic hydrolysis of corn stover. Fuel Processing Technology*, 204, 106407. <https://doi.org/10.1016/j.fuproc.2020.106407>
- Ashori, A., & Nourbakhsh, A. (2010). *Performance properties of Selulosa mikrokristal as a reinforcing agent in wood plastic composites. Composites Part B: Engineering*, 41(7), 578–581. <https://doi.org/10.1016/j.compositesb.2010.02.002>

- Asnani, A., Dharmawan, A. H., Juanda, B., & Darusman, D. (2021). *The contribution of sugarcane partnership for the livelihood structure and the development of rural areas in Lampung Province of Indonesia. International Journal of Current Science Research and Review*, 4(7), 667-676. <https://doi.org/10.47191/ijcsrr/V4-i7-08>
- Badan Pusat Statistik. (2023). *Produksi perkebunan rakyat menurut jenistanaman (ribu ton)*. <https://www.bps.go.id/id/statistics-table/2/NzY4IzI=/produksi-perkebunan-rakyat-menurut-jenis-tanaman--ribu-ton-.html>
- Bahri, S., Fitriani, & Jalaluddin. (2021). Pembuatan *biofoam* dari ampas tebu dan tepung maizena. *Jurnal Teknologi Kimia Unimal*, 10(1), 24-32. <https://ojs.unimal.ac.id/jtk/index>
- Bilbao-Sainz, C., Avena-Bustillos, R. J., Wood, D. F., Williams, T. G., & McHugh, T. H. (2010). *Composite edible films based on hydroxypropylmethylcellulose reinforced with Selulosa mikrokristalnanoparticles*. *Journal of Agricultural and Food Chemistry*, 58(6), 3753–3760. <https://doi.org/10.1021/jf903578>
- Börjesson, M., & Westman, G. (2015). *Crystalline nanocellulose Preparation, modification, and properties. Cellulose - Fundamental aspects and current trends* pp. 159-191. *InTech*. <https://doi.org/10.5772/61899>
- Bussermaker, M. J., & Zhang, D. (2013). *Effect of ultrasound on lignocellulosic biomass as a pretreatment for biorefinery and biofuel applications. Industrial & Engineering Chemistry Research*, 52(10), 3563-3580. <https://doi.org/10.1021/ie302448x>
- Butterworth, P. J., Warren, F. J., Grassby, T., Patel, H., & Ellis, P. R. (2012). *Analysis of starch amylolysis using plots for first-order kinetics. Carbohydrate Polymers*, 87(3), 2189–2197. doi:10.1016/j.carbpol.2011.10.048
- Cahyani, I. M., Lukitaningsih, E., Adhyatmika, A., & Sulaiman, T. N. S. (2022). *Preparation and characterization of Selulosa mikrokristal for pharmaceutical excipient: A review. Tropical Journal of Natural*

- Product Research*, 6(10), 1570-1575. <https://doi.org/10.2616-0684>
- Carta, G., Murru, E., Banni, S., & Manca, C. (2017). *Palmitic acid: Physiological role, metabolism and nutritional implications*. *Frontiers in Physiology*, 8, 902. <https://doi.org/10.3389/fphys.2017.00902>
- Chio, C., Sain, M., & Qin, W. (2019). *Lignin utilization: A review of lignin depolymerization from various aspects*. *Renewable and Sustainable Energy Reviews*, 107, 232–249. <https://doi.org/10.1016/j.rser.2019.03.008>
- Coniwanti, P., Nugra Prima Anka, M., & Sanders, C. (2015). Pengaruh konsentrasi, waktu dan temperatur terhadap kandungan lignin pada proses pemutihan bubur kertas bekas. *Jurnal Teknik Kimia*, 21(3), 47.
- Das, K., Ray, D., Bandyopadhyay, N.R. (2009). *A study of the mechanical, thermal and morphological properties of microcrystalline cellulose particles prepared from cotton slivers using different acid concentrations*. *Cellulose* 16, 783–793. <https://doi.org/10.1007/s10570-009-9280-6>
- Debnath, B., Duarah, P., Haldar, D., & Purkait, M. K. (2022). *Improving the properties of corn starch films for application as packaging material via reinforcement with microcrystalline cellulose synthesized from elephant grass*. *Food Packaging and Shelf Life*, 33, 100937. <https://doi.org/10.1016/j.fpsl.2022.100937>
- Deepa, B., Abraham, E., Cherian, B. M., Bismarck, A., Blaker, J. J., Pothan, L. A., Leao, A. L., de Souza, S. F., & Kottaisamy, M. (2011). *Structure, morphology and thermal characteristics of banana nano fibers obtained by steam explosion*. *Bioresource Technology*, 102(2), 1988–1997. <https://doi.org/10.1016/j.biortech.2010.09.030>
- Dharma, U. S., Rajabiah, N., & Setyadi, C. (2017). Pemanfaatan limbah blotong dan bagase menjadi biobriket dengan perekat berbahan

- baku tetes tebu dan setilage. *Turbo: Jurnal Teknik Mesin Universitas Muhammadiyah Metro*, 6(1), 92-100.
<http://ojs.ummetro.ac.id/index.php/turbo>
- Dong, X., Dong, Y., Jiang, M., Wang, L., Tong, J., & Zhou, J. (2013). *Modification of Selulosa mikrokristal by using soybean oil for surface hydrophobization. Industrial Crops and Products*, 46, 301–303.
<https://doi.org/10.1016/j.indcrop.2013.02.010>
- Elanthikkal, S., Gopalakrishnan, U., Varghese, S., & Guthrie, J. T. (2010). *Cellulose microfibrils produced from banana plant wastes: Isolation and characterization. Carbohydrate Polymers*, 80(3), 852–859. <https://doi.org/10.1016/j.carbpol.2009.12.045>
- Emenike, E. C., Iwuozor, K. O., Saliu, O. D., Ramontja, J., & Adeniyi, A. G. (2023). *Advances in the extraction, classification, modification, emerging and advanced applications of crystalline cellulose: A review. Carbohydrate Polymer Technologies and Applications*.
- Etale, A., Onyianta, A. J., Turner, S. R., & Eichhorn, S. J. (2023). *Cellulose: A review of water interactions, applications in composites, and water treatment. Chemical Reviews*, 123(5), 2016-2048.
- Fan, L., & Eskin, N. A. M. (2015). *The use of antioxidants in the preservation of edible oils. Handbook of Antioxidants for Food Preservation*, 373–388. doi:10.1016/b978-1-78242-089-7.00015-4
- Fathurrahman, I., Azmi, F. A., Fauzi, F., & Hisbullah, H. (2023). Ekstraksi selulosa dari ampas tebu menggunakan proses soda. *Jurnal Inovasi Ramah Lingkungan*, 4(1), 16-20.
- Fauziyah, B., Yuwono, M., Isnaeni, Nahdhia, N., & Sholihah, F. (2022). *Isolation and characterization of sugarcane (Saccharum officinarum L.) bagasse cellulose hydrolyzed with acid variation. Tropical Journal of Natural Product Research*, 6(6), 856-862.
<https://doi.org/10.26538/tjnpr/v6i6.4>

Fenik, S. "Effects of Chain Length, Saturation, and Bases on Saponification" (2025). Williams Honors College, Honors Research Projects.

https://ideaexchange.uakron.edu/honors_research_projects/1970

Freire, C. S. R., Silvestre, A. J. D., Pascoal Neto, C., Belgacem, M. N., & Gandini, A. (2006). *Controlled heterogeneous modification of cellulose fibers with fatty acids: Effect of reaction conditions on the extent of esterification and fiber properties*. *Journal of Applied Polymer Science*, 100(2), 1093–1102. <https://doi.org/10.1002/app.22605>

Gao, X., Xu, F., Huang, Y., & Liu, C. (2021). *Improvement of Adsorption Performance of Selulosa mikrokristal by Acid Modification for Removal of Heavy Metals from Wastewater*. *Journal of Hazardous Materials*, Vol 415, 125614. <https://doi.org/10.1016/j.jece.2021.105602>

GAPGINDO. (2023). Warga Sleman sulap limbah tebu jadi biobriket bagasse. <https://gapgindo.com/berita-110-warga-sleman-sulap-limbah-tebu-jadi-biobriket-bagasse.php>

Harunsyah, H., Kalsum, U., & Tamiogy, M. (2020). *Pengolahan ampas tebu menjadi selulosa mikrokristal dan aplikasinya dalam bioplastik*. *Jurnal Teknologi Lingkungan*, 24(2), 1-10. <https://ejournal.brin.go.id/JTL/article/download/993/544>

Hoang, V. C., Dave, K., & Gomes, V. G. (2019). *Carbon quantum dot-based composites for energy storage and electrocatalysis: Mechanism, applications and future prospects*. *Nano Energy*, 66, 104093. <https://doi.org/10.1016/j.nanoen.2019.104093>

Husnah, N., Nurlela, & Wahyudi, A. (2020). Kualitas minyak goreng sebelum dan sesudah dipakai ditinjau dari kandungan asam lemak bebas dan perubahan warna. *Jurnal Redoks*, 5(2), 96 - 107. <https://jurnal.univpgripalembang.ac.id/index.php/redoks/article/d>

[ownload/5036/4440](#)

- Irawan, D., & Arifin, Z. (2012). Sintesa gula dari sampah organik dengan proses hidrolisis menggunakan katalis asam. *Reaktor*, 14(2), 118-122.
- Isyanti, M., & Sirait, S.D. (2021). Fraksinasi Asam Laurat, *Short Chain Triglyceride* (SCT) dan *Medium Chain Triglyceride* (MCT) dari Minyak Kelapa Murni. *Warta IHP*, 38(2), 160-168
- Jaisamut, K., Paulova, L., Patakova, P., Rychtera, M., & Melzoh. (2013). *Optimization of alkali pretreatment of wheat straw to be used as substrate for biofuels production. Plant, Soil and Environment*, 59(12), 537-542. <https://doi.org/10.17221/181/2013-PSE>
- Jamshed, A., Hamid, A., Muhammad, N., & Naseer, A. (2017). *Cellulose-based materials for the removal of heavy metals from wastewater – An overview. ChemBioEng Reviews*, 4(1), 1-12. <https://doi.org/10.1002/cben.201700002>
- Kataya, G., Cornu, D., Bechelany, M., Hijazi, A., & Issa, M. (2023). *Biomass waste conversion technologies and its application for sustainable environmental development—A review. Agronomy*, 13(11), 2833. <https://doi.org/10.3390/agronomy13112833>
- Kawano, T., & Andou, Y. (2023). *Synthesis and mechanical performance of thermoformable cellulose fatty acid esters using natural soap. RSC advances*, 13(35), 24286-24290.
- Kargarzadeh, H., Mariano, M., Huang, J., Lin, N., Ahmad, I., Dufresne, A., & Thomas, S. (2017). Recent developments on nanocellulose reinforced polymer nanocomposites: A review. *Polymer*, 132, 368–393. <https://doi.org/10.1016/j.polymer.2017.09.043>
- Keskin, M. S., Horoz, S., Şahin, Ö., & Kutluay, S. (2024). *Development of Al₂O₃-supported nanobimetallic Co–La–B catalyst for boosting*

hydrogen release via sodium borohydride hydrolysis. Journal of the Australian Ceramic Society. <https://doi.org/10.1007/s41779-024-01035-5>

Kharismi, R. R. A. Y., Sutriyo, & Suryadi, H. (2018). *Preparation and characterization of microcrystalline cellulose produced from betung bamboo(dendrocalamus asper) through acid hydrolysis. Journal of Young Pharmacists*, 10(2), s79–s83. <https://doi.org/10.5530/jyp.2018.2s.15>

Khopade, S., Gomte, S. S., Janrao, C., Bavaskar, A., Agnihotri, T. G., Jain, A., & Khatik, R. (2024). *Peptide and protein delivery through cellulose, hyaluronic acid, and heparin in Peptide and protein drug delivery using polysaccharides* (pp. 75–113). Elsevier. <https://doi.org/10.1016/B978-0-443-18925-8.00003-9>

Kian, L. K., Jawaid, M., Ariffin, H., & Alothman, O. Y. (2017). *Isolation and characterization of microcrystalline cellulose from roselle fibers. International Journal of Biological Macromolecules*, 103, 931–940. <https://doi.org/10.1016/j.ijbiomac.2017.05.135>

Kian, L., Saba, N., Jawaid, M., & Fouad, H. (2020). *Characterization of microcrystalline cellulose extracted from olive fiber. International Journal of Biological Macromolecules*, 155, 1283–1291. <https://doi.org/10.1016/j.ijbiomac.2020.04.015>

Klunklin, W., Hinmo, S., Thipchai, P., & Rachtanapun, P. (2023). *Effect of bleaching processes on physicochemical and functional properties of cellulose and carboxymethyl cellulose from Young and mature coconut coir. Polymers*, 15(16), 3376.

Kunusa, W. R., Abdullah, R., Bilondatu, K., & Tulie, W. Z. (2020). *Analysis of cellulose isolated from sugar bagasse: Optimization and treatment process scheme. Journal of Physics: Conference Series*, 1422(1),

012040. <https://doi.org/10.1088/1742-6596/1422/1/012040>

Kunusa, W. R., Isa, I., Laliyo, L. A. R., & Iyabu, H. (2018). *FTIR, XRD and SEM analysis of microcrystalline cellulose (MCC) fibers from corncobs in alkaline treatment*. *IOP Conference Series: Journal of Physics: Conference Series*, 1028(1), 012199. <https://doi.org/10.1088/1742-6596/1028/1/012199>

Kusuma, H. S., Permatasari, D., Umar, W. K., & Sharma, S. K. (2023). *Sugarcane bagasse as an environmentally friendly composite material to face the sustainable development era*. *Biomass Conversion and Biorefinery*. <https://doi.org/10.1007/s13399-023-03764-2>

Laksono, S. E. (2024). Sintesis aerogel karbon hidrofob tersulfonasi sebagai katalis asam padat pada esterifikasi asam lemak rantai panjang .*Tesis magister, Institut Teknologi Sepuluh Nopember*. <https://repository.its.ac.id/106430/>

Le, V. D., Dat, T. T., Trần, T. K., & Trinh, H. V. (2023). *Synthesis of Selulosa mikrokristal from Sugarcane Bagasse and Its Incorporation into Polyvinyl Alcohol (PVA) Matrix to Test the Composites' Mechanical Properties*. *Materials Research Express*, 10(3). <https://doi.org/10.1088/2053-1591/acbd18>

Lease, J., Kawano, T., & Andou, Y. (2021). *Esterification of cellulose with long fatty acid chain through mechanochemical method*. *Polymers*, 13(24), 4397.

Lee, H. V., Hamid, S. B. A., & Zain, S. K. (2014). *Conversion of lignocellulosic biomass to nanocellulose: Structure and chemical process*. *The Scientific World Journal*, 2014, Article ID 631013, 20 pages. <https://doi.org/10.1155/2014/631013>

Lennholm, H., & Henriksson, G. (2007). *Cellulose and carbohydrate chemistry*. In M. Ek, G. Gellerstedt, & G. Henriksson (Eds.),

- Ljungberg textbook book 1: Wood chemistry and wood biotechnology. Fiber and Polymer Technology*, (pp. 73-102). KTH.
- Leppänen, K., Andersson, S., Torkkeli, M., Knaapila, M., Kotelnikova, N., Serimaa, R., & Pirkkalainen, K. (2009). *Structure of cellulose and Selulosa mikrokristal from various sources*. *Cellulose*, 16(6), 999–1015. <https://doi.org/10.1007/s10570-009-9334-1>
- Li, J., Zhang, X., Zhang, M., Xiu, H., & He, H. (2014). *Optimization of selective acid hydrolysis of cellulose for microcrystalline cellulose using FeCl₃*. *BioResources*, 9(1), 1334-1345.
- Li, X., Shi, Y., Kong, W., Wei, J., Song, W., & Wang, S. (2022). *Improving enzymatic hydrolysis of lignocellulosic biomass by bio-coordinated physicochemical pretreatment—A review*. *Energy Reports*, 8, 696–709. <https://doi.org/10.1016/j.egyr.2021.12.015>
- Lupidi, G., Pastore, G., Marcantoni, E., & Gabrielli, S. (2023). *Recent developments in chemical derivatization of Selulosa mikrokristal(MCC): Pre-treatments, functionalization, and applications*. *Molecules*, 28(5), 2009. <https://doi.org/10.3390/molecules28052009>
- Mathew, A. P., Oksman, K., & Sain, M. (2005). *Mechanical properties of biodegradable composites from poly lactic acid (PLA) and Selulosa mikrokristal(MCC)*. *Journal of Applied Polymer Science*, 97(5), 2014–2025. <https://doi.org/10.1002/app.22037>
- Mazumder, S., & Zhang, N. (2023). *Cellulose–hemicellulose–lignin interaction in the secondary cell wall of coconut endocarp*. *Biomimetics*, 8(2), 188. <https://doi.org/10.3390/biomimetics8020188>
- Melesse, G. T., Hone, F. G., & Mekonnen, M. A. (2022). *Extraction of cellulose from sugarcane bagasse optimization and characterization*. *Advances in materials science and engineering*, (1), 1712207.
- Miao, Y., Wang, X., Liu, Y., Liu, Z., & Chen, W. (2021). *Preparation of*

grapheneoxide/cellulose composites with microcrystalline cellulose acid hydrolysis using the waste acids generated by the Hummers method of graphene oxide synthesis. Polymers, 13(24), 4453. <https://doi.org/10.3390/polym13244453>

Mishra, S. (2024). *New Excipient for Oral Drug Delivery: CNC Derived from Sugarcane Bagasse-Derived Microcrystalline Cellulose. ACS omega, 9(17), 19353-19362.*

Mulyadi, I. (2019). Isolasi dan Karakterisasi Selulosa: Review. *Jurnal Saintika Unpam: Jurnal Sains Dan Matematika Unpam, 1(2), 177. <https://doi.org/10.32493/jsmu.v1i2.2381>*

Munandar, F. A., Yerizam, M., & Fadarina, H. C. (2022). Pembuatan selulosa asetat dari ampas tebu untuk diaplikasikan sebagai bahan baku plastik *biodegradable*. *Jurnal Pendidikan dan Teknologi Indonesia (JPTI), 2(9), 393-399. <https://doi.org/10.52436/1.jpti.206>*

Nawangsari, D. (2019). Isolasi dan karakterisasi Selulosa mikrokristal dari ampas tebu (*Saccharum officinarum* L.). *Pharmacon: Jurnal Farmasi Indonesia, 16(2), 67. <http://journals.ums.ac.id/index.php/pharmacon/article/view/3490>*

Norrrahim, M. N. F., Mohd Kasim, N. A., Knight, V. F., Ujang, F. A., Janudin, N., Abdul Razak, M. A. I., Ahmad Shah, N. A., Mohd Noor, S. A., Jamal, S. H., Ong, K. K., & Wan Yunus, W. M. Z. (2021). *Nanocellulose: The next super versatile material for the military. Materials Advances, 2(5), 1600–1627. <https://doi.org/10.1039/D0MA01011A>*

Novia, M., Makki, A. I., & Arafah, N. (2022). Karakterisasi serat ampas tebu (bagasse) sebagai alternatif bahan baku tekstil dan produk tekstil (TPT) terbaru. *Arena Tekstil, 37(1), 27-34.*

Panth, N., Abbott, K. A., Dias, C. B., Wynne, K., & Garg, M. L. (2023). *Saturated fatty acid chain length and risk of cardiovascular disease:*

- A systematic review. *Nutrients*, 15(1), 30.
<https://doi.org/10.3390/nu15010030MDPI+1>
- Parjaman, T., & Akhmad, D. (2019). Sebagai “Jalan Tengah” Atas Dikotomi Kuantitatif-Kualitatif. *Jurnal Moderat*, 5(4), 530-548.
<https://jurnal.unigal.ac.id/index.php/moderat>
- Peydecastaing, J., Girardeau, S., Vaca-Garcia, C., & Borredon, M. E. (2005). Long chain cellulose esters with very low DS obtained with non-acidic catalysts. *Cellulose*, 13(1), 95–103.
<https://doi.org/10.1007/s10570-005-9036-y>
- Phinichka, N., & Kaenthong, S. (2017). Regenerated cellulose from high alpha cellulose pulp of steam-exploded sugarcane bagasse. *Journal of Materials Research and Technology*, 7(1), 55-65.
<https://doi.org/10.1016/j.jmrt.2017.04.003>
- Putera, R. D. H. (2012). Ekstraksi Serat Selulosa Tanaman Eceng Gondok (*Eichornia crassipes*) dengan Variasi Pelarut. *Skripsi*. Fakultas Teknik Prodi Teknik Kimia Universitas Indonesia.
- Rahayu, N., & Mita, S. R. (2021). Efek penggunaan tunggal dan kombinasi asam oleat sebagai peningkat penetrasi pada sediaan transdermal. *Farmaka*, 14(1), 82–88.
- Ramadhanti, N., Putri, P. A., Wirmaningsih, D., & Irdawati. (2021). Pemanfaatan Ampas Tebu Menggunakan Enzim Selulase dari *Aspergillus niger* untuk Pembuatan Bioetanol - Mini Review. *Prosiding SEMNAS BIO 2021: Inovasi Riset Biologi dalam Pendidikan dan Pengembangan Sumber Daya Lokal*, Universitas Negeri Padang. ISBN 2809-8447.
- Rao, S., Madhushree, M., & Bhat, K. S. (2024). Characteristics of surface modified sugarcane bagasse cellulose: application of esterification and oxidation reactions. *Scientific Reports*, 14(1), 24136.
- Rathnayake, W. S. M., Karunanayake, L., & Amarasinghe, D. A. S. (2020).

Chemical modification of microcrystalline cellulose using sunflower oil. Proceedings of the Moratuwa Engineering Research Conference (MERCon) (pp. 20-31). IEEE.

- Ridho, M., & Sijabat, E. K. (2019). Perbandingan penggunaan natrium perkarbonat, hidrogen peroksida, hipoklorit, dan xilanase terhadap sifat optik *deinked pulp*. *Jurnal Selulosa*, 9(02), 97. <https://doi.org/10.25269/jsel.v9i02.276>
- Rizkiah, R., Kencanawati, K., Rosidin, A., & Wibowo, L. (2021). Sintesis Nitroselulosa Dari Serat Rami (Boechmerianivea) Menggunakan Trietilamin *Synthesis Nitrocellulose from Hempen Using Triethyleamin (Boechmerianivea)*. *Jurnal Sains Dan Teknik*, 3(1). <http://ejournal.uicm.unbar.ac.id/index.php/sainteks/>
- Ruiz Ruiz, A., Borda Beltrán, N., Leguizamón, A., Guevara, J. R., & Gil, I. D. (2011). *Control of an azeotropic distillation process to acetonitrile production. Computer Aided Chemical Engineering*, 29, 833–838. <https://doi.org/10.1016/B978-0-444-53711-9.50167-X>
- Roy, D., Semsarilar, M., Guthrie, J. T., & Perrier, S. (2009). *Cellulose modification by polymer grafting: A review. Chemical Society Reviews*, 38, 1825–2148. <https://doi.org/10.1039/B808639G>
- Salamah. (2009). *Bleaching Pulp* dari Eceng Gondok dengan Teknik Ozonasi. Seminar Rekayasa Kimia dan Proses. *Jurusan Teknik Kimia, UNTIRTA*.
- Saleh, H.A., J. Saokani, dan S. Rija. (2016). Penentuan nilai kalor serta pengaruh asam klorida (HCl) terhadap kadar bioetanol bonggol pisang (musa paradisiacal). *Jurnal AI Kimia*, 4(1) pp. 66-77.
- Sampora, Y., Devy, Y. A., Sondari, D., & Septevani, A. A. (2020). *Simultaneous pretreatment process on the isolation of cellulose mycrocrystalline from oil palm empty fruit bunches. Reaktor*, 20(4), 174-182.

- Silverio, H. A., Neto, W. P. F., Dantas, N. O., & Pasquini, D. (2013). *Extraction and characterization of cellulose nanocrystals from corncob for application as reinforcing agent in nanocomposites. Industrial Crops and Products*, 44, pp. 427–436. <https://doi.org/10.1016/j.indcrop.2012.10.014>
- Singh, R., Shukla, A., Tiwari, S., & Srivastava, M. (2014). *A review on delignification of lignocellulosic biomass for enhancement of ethanol production potential. Renewable and Sustainable Energy Reviews*, 32, 713-728. <https://doi.org/10.1016/j.rser.2014.01.051>
- Singh, S., Bharadwaja, S. T. P., Yadav, P. K., Vijayanand, Moholkar, S., & Goyal, A. (2014). *Mechanistic investigation in ultrasound-assisted (alkaline) delignification of Parthenium hysterophorus biomass. Industrial & Engineering Chemistry Research*, 53(37), 14241-14252. <https://doi.org/10.1021/ie501952y>
- Sinsukudomchai, P., Aht-Ong, D., Honda, K., & Napathorn, S. C. (2023). *Green composites made of polyhydroxybutyrate and long-chain fatty acid esterified microcrystalline cellulose from pineapple leaf. PLOS ONE*, 18(3), e0282311. <https://doi.org/10.1371/journal.pone.0282311>
- Siro, I., & Plackett, D. (2010). *Microfibrillated cellulose and new nanocomposite materials: A review, Cellulose*, 17(3), 459-494. <https://doi.org/10.1007/s10570-010-9405-y>
- Souhoka, F. A., & Latupeirissa, J. (2018). Sintesis dan karakterisasi selulosa asetat (CA). *Indonesian Journal of Chemistry Research*, 5(2), 58–62. <https://doi.org/10.30598/ijcr.2018.5-fen>
- Spoljaric, S., Genovese, A., & Shanks, R. A. (2009). *Polypropylene–Mikrokristalin Celulosa Composites with Enhanced Compatibility and Properties. Composites Part A: Applied Science and Manufacturing*, 40(6-7), 791–799. <https://doi.org/10.1016/j.compositesa.2009.03.006>
- Stavarache, C., Vinatoru, M., Nishimura, R., & Maeda, Y. (2005). *Fatty*

- acids methyl esters from vegetable oil by means of ultrasonic energy. Ultrasonics Sonochemistry*, 12(5), 367–372.
doi:10.1016/j.ultsonch.2004.04.001
- Sun, Y., & Cheng, J. (2002). *Hydrolysis of lignocellulosic materials for ethanol production: A review. Bioresource Technology*, 83(1), 1-11.
[https://doi.org/10.1016/S0960-8524\(01\)00112-5](https://doi.org/10.1016/S0960-8524(01)00112-5)
- Suryaningrum, L. H. (2020). *Lignin Degradation of Sugar Cane Bagasse as an Effort to Use It as Fish Feed Ingredient. Nucleus: Journal of Fisheries and Aquaculture Science*, 1(2).
<https://doi.org/10.37010/nuc.v1i2.175>
- Syahputra, H., Yuliasmi, S., & Sumaiyah. (2022). Kajian karakterisasi selulosa mikrokristalin dari kertas bekas dengan variasi konsentrasi asam klorida. *Parapemikir: Jurnal Ilmiah Farmasi*, 11(2), 91-96.
<https://doi.org/10.30591/pjif.v11i2.3209>
- Syahronie, A. (2011). Studi Proses *Bleaching* Serat Eceng Gondok Sebagai Reinforced Fiber. Pascasarjana Universitas Diponegoro. *Jurnal Ilmiah Faktor Exacta*, 4(4), pp. 282-292.
- Tang, X. G., Hou, M., Zou, J., & Truss, R. (2011). *Poly (vinylidene fluoride) Selulosa mikrokristalnanocomposites with enhanced compatibility and properties. Key Engineering Materials*, 471, 355–360.
<https://doi.org/10.4028/www.scientific.net/KEM.471-472.355>
- Trache, D., Donnot, A., Khimeche, K., Benelmir, R., & Brosse, N. (2014). *Physico-chemical properties and thermal stability of microcrystalline cellulose isolated from Alfa fibres. Carbohydrate Polymers*, 104, 223–230. <https://doi.org/10.1016/j.carbpol.2014.01.041>
- Trache, D., Hussin, M. H., Hui Chuin, C. T., Sabar, S., Fazita, M. R. N., Taiwo, O. F. A., Haafiz, M. K. M. (2016). *Microcrystalline cellulose: Isolation, characterization and bio-composites application—A review. International Journal of Biological Macromolecules*, 93, 789– 804.

<http://dx.doi.org/10.1016/j.ijbiomac.2016.09.056>

Trache, D., Tarchoun, A. F., Derradji, M., Hamidon, T. S., Masruchin, N., Brosse, N., & Hussin, M. H. (2020). Nanocellulose: From fundamentals to advanced applications. *Frontiers in Chemistry*, 8, 392. <https://doi.org/10.3389/fchem.2020.00392>

Tristantini, D., & Sandra, C. (2018). *Synthesis of cellulose acetate from palm oil bunches and dried jackfruit leaves*. *E3S Web of Conferences*, 67, 3–5. <https://doi.org/10.1051/e3sconf/20186704035>

Utomo, S. B., Farid, M., & Nurdiansah, H. (2017). Analisis Proses Pengikisan (*Bleaching*) Dari Hasil Untuk Penguat Bahan Komposit Absorpsi Suara. *Jurnal Teknik ITS*, 6(2), 4–8.

Volza. (2024). *Avicel import in Indonesia*. Volza. <https://www.volza.com/p/avicel/import/import-in-indonesia/>

Vydrina, I., Malkov, A., Vashukova, K., Tyshkunova, I., Mayer, L., Faleva, A., Shestakov, S., Novozhilov, E., & Chukhchin, D. (2023). A new method for determination of lignocellulose crystallinity from XRD data using NMR calibration. *Carbohydrate Polymer Technologies Applications*, 5, 100305. <https://doi.org/10.1016/j.cpta.2023.100305>

Wahyudi, H., & Palupi, W. A. (2023). *Natural resources curse in Indonesia*. *International Journal of Energy Economics and Policy*, 13(2), 349–356. <https://doi.org/10.32479/ijeep.1407>

Wahyuni, L. P. E., Widjaja, I. N. K., & Astuti, N. M. W. (2013). Analisis kualitatif asam oleat pada minyak kelapa sub varietas genjah. *Jurnal Farmasi Udayana*, 2(4). <https://jurnal.harianregional.com/jfu/id-7968>

Wittaya, T. (2009). *Microcomposites of rice starch film reinforced with Selulosa mikrokristal from palm pressed fiber*. *International Food Research Journal*, 16(4), 493–500.

- Wu, Q. J., Henriksson, M., Liu, X. H., & Berglund, L. A. (2007). *A high strength nanocomposite based on Selulosa mikrokristal and polyurethane*. *Biomacromolecules*, 8(12), 3687–3692.
<https://doi.org/10.1021/bm070314t>
- Wolfs, J., Scheelje, F. C. M., Matveyeva, O., & Meier, M. A. R. (2023). *Determination of the degree of substitution of cellulose esters via ATR-FTIR spectroscopy*. *Journal of Polymer Science*, 61(10), 2697–2707. <https://doi.org/10.1002/pol.20230220>
- Xu, J., Tang, X., Huang, G., Zhang, K., Yang, F., Meng, H., & Huang, Y. (2025). *An Oleoglator Extracted from Filter Sludge of Cane Sugar Manufacture: A Comparative Study of Microstructure, Crystallization Kinetic and Rheological Properties*. *Crystallization Kinetic and Rheological Properties*.
- Zhang, Q., Zhang, X., Zhu, Z., Zhang, A., Zhang, C., Wang, X., & Liu, C. (2018). *Mechanocatalytic solvent-free esterification of sugarcane bagasse*. *Polymers*, 10(3), 282.
- Zhou, Y., Stuart-Williams, H., Farquhar, G. D., & Hocart, C. H. (2010). *The use of natural abundance stable isotopic ratios to indicate the presence of oxygen-containing chemical linkages between cellulose and lignin in plant cell walls*. *Phytochemistry*, 71(8–9), <https://doi.org/10.1016/j.phytochem.2010.03.001>
- Zulnazri, Lestari, D., Hakim, L., Dewi, R., & Sulhatun. (2022). *Kajian ekstraksi selulosa dari kulit pinang dengan menggunakan larutan NaOH*. *Jurnal Teknologi Kimia Unimal*, 11(2), 193-206.