

DAFTAR PUSTAKA

- Agustina, L., & Putri, N. P. (2018). Analisis Fasa dan Ikatan Molekul Reduced Graphene Oxide (rGO) Berbahan Dasar Tempurung Kelapa. *Seminar Nasional Fisika*, 222–225.
- Alam, S. N., Sharma, N., & Kumar, L. (2017). Synthesis of Graphene Oxide (GO) by Modified Hummers Method and Its Thermal Reduction to Obtain Reduced Graphene Oxide (rGO)*. *Graphene*, 06(01), 1–18. <https://doi.org/10.4236/graphene.2017.61001>
- Alves Ribeiro, V. H., Reynoso-Meza, G., & dos Santos Coelho, L. (2021). Chapter 10 - Multiobjective optimization design procedures for data-driven unmanned aerial vehicles automatic target recognition systems. In A. Koubaa & A. T. Azar (Eds.), *Unmanned Aerial Systems* (pp. 231–256). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-820276-0.00017-0>
- Anas, M., El-Shorbagy, G., Abou-Aly, A., & Khalaf, A. (2022). Synthesis, Characterization and Activation energy of Nano-(GO)x/(Cu,Tl)-1234 Superconducting Composites. *Journal of Low Temperature Physics*, 206, 1–22. <https://doi.org/10.1007/s10909-021-02646-z>
- And, & and. (2013). X-Ray Diffraction Pattern of Graphite Oxide. *Chinese Physics Letters*, 30(9), 96101. <https://doi.org/10.1088/0256-307X/30/9/096101>
- Assyahidah, A. M., & Zainuri, M. (2015). *Pengaruh Fraksi Massa Polianilin dan Barium M Hexaferit Sebagai Material Penyerap Radar Pada Pelapisan Single Layer Baja AH36*. Institut Teknologi Sepuluh Nopember.
- Ba-Abbad, M. M., Kadhum, A. A. H., Mohamad, A. B., Takriff, M. S., & Sopian, K. (2012). Synthesis and catalytic activity of TiO₂ nanoparticles for photochemical oxidation of concentrated chlorophenols under direct solar radiation. *International Journal of Electrochemical Science*, 7(6), 4871–4888.
- Bakti, A. I., Harianto, Y. A., & Nugraha, M. K. (2022). Karakterisasi Karbon Aktif Yang Terbuat Dari Tempurung Kelapa Dengan Aktivasi Na₂CO₃ Dan Suhu 1000°C Menggunakan Teknik XRD Dan SEM-EDX. *Chemistry Progress*, 15(2), 76–82. <https://doi.org/10.35799/Cp.15.2.2022.44495>
- Balogun, A. O., Lasode, O., Li, H., & Mcdonald, A. (2014). Fourier Transform Infrared (FTIR) Study and Thermal Decomposition Kinetics of Sorghum bicolour Glume and Albizia pedicellaris Residues. *Waste and Biomass Valorization*, 6, 109–116. <https://doi.org/10.1007/s12649-014-9318-3>
- Bayu, A., Nandiyanto, D., Oktiani, R., & Ragadhita, R. (2019). *Indonesian Journal of Science & Technology How to Read and Interpret FTIR*

Spectroscopy of Organic Material. 1, 97–118.

- Bindumadhavan, K., Srivastava, S., & Srivastava, I. (2013). Green Synthesis of Graphene. *Journal of Nanoscience and Nanotechnology*, 13, 4320–4324. <https://doi.org/10.1166/jnn.2013.7461>
- Bissessur, R., Liu, P. K. Y., & Scully, S. F. (2006). Intercalation of polypyrrole into graphite oxide. *Synthetic Metals*, 156(16), 1023–1027. <https://doi.org/https://doi.org/10.1016/j.synthmet.2006.06.024>
- Blazhynska, M., Kyrychenko, A., Stepaniuk, D., Korsun, O., Kovalenko, S., Ivanov, V., Miannay, F.-A., Idrissi, A., & Kalugin, O. (2020). *Recent Advances in Theoretical Investigation of Titanium Dioxide Nanomaterials. A Review*. 34, 2020. <https://doi.org/10.26565/2220-637X-2020-34-01>
- Bunaciu, A. A., Udriștioiu, E. G., & Aboul-Enein, H. Y. (2015). X-ray diffraction: instrumentation and applications. *Critical Reviews in Analytical Chemistry*, 45(4), 289–299. <https://doi.org/10.1080/10408347.2014.949616>
- Byrappa, K., & Adschiri, T. (2007). Hydrothermal technology for nanotechnology. *Progress in Crystal Growth and Characterization of Materials*, 53(2), 117–166. <https://doi.org/https://doi.org/10.1016/j.pcrysgrow.2007.04.001>
- Celcilia, M., Syahbanu, I., & Aritonang, A. B. (2021). Pengaruh Waktu Polimerisasi Terhadap Karakteristik Komposit Polipirol/Karbon Aktif (PPy/KA) Dari Tempurung Kelapa Sebagai Elektroda Supercapacitor. *Jurnal Kimia*, 15(2), 237. <https://doi.org/10.24843/jchem.2021.v15.i02.p16>
- Chauhan, N. P. S., Zarrintaj, P., Rathore, B. S., & Pande, N. (2022). Polyaniline-Graphene Nanocomposite Based Supercapacitors. In L. F. Cabeza (Ed.), *Encyclopedia of Energy Storage* (pp. 508–522). Elsevier. <https://doi.org/https://doi.org/10.1016/B978-0-12-819723-3.00031-7>
- Chawla, K., Pooja, Sharma, S., Lal, N., Rathore, B. S., & Lal, C. (2024). Synthesis of Graphene Oxide by Modified New Hummer Method. *Macromolecular Symposia*, 413(5), 2400179. <https://doi.org/https://doi.org/10.1002/masy.202400179>
- Chen, L., Zhu, C., Si, Y., Yang, Q., Chen, X., & Zhou, C. (2025). Enhanced electromagnetic wave absorption performance of multi-layer Fe₃O₄@rGO composite absorber. *Applied Surface Science*, 688, 162434. <https://doi.org/https://doi.org/10.1016/j.apsusc.2025.162434>
- Chen, X., & Chen, B. (2015). Macroscopic and Spectroscopic Investigations of the Adsorption of Nitroaromatic Compounds on Graphene Oxide, Reduced Graphene Oxide, and Graphene Nanosheets. *Environmental Science & Technology*, 49(10), 6181–6189.

<https://doi.org/10.1021/es5054946>

- Chen, X., Liang, F., Lu, W., Jin, Z., Zhao, Y., & Fu, M. (2018). High permittivity nanocomposites embedded with Ag/TiO₂ core-shell nanoparticles modified by phosphonic acid. *Polymers*, 10(6). <https://doi.org/10.3390/polym10060586>
- Chen, X., Qu, Z., Liu, Z., & Ren, G. (2022). Mechanism of Oxidization of Graphite to Graphene Oxide by the Hummers Method. *ACS Omega*, 7(27), 23503–23510. <https://doi.org/10.1021/acsomega.2c01963>
- Chen, X., Wang, W., Shi, T., Wu, G., & Lu, Y. (2020). One pot green synthesis and EM wave absorption performance of MoS₂@nitrogen doped carbon hybrid decorated with ultrasmall cobalt ferrite nanoparticles. *Carbon*, 163, 202–212. <https://doi.org/https://doi.org/10.1016/j.carbon.2020.03.005>
- Choi, H. K., Lee, A., Park, M., Lee, D. S., Bae, S., Lee, S.-K., Lee, S. H., Lee, T., & Kim, T.-W. (2021). Hierarchical Porous Film with Layer-by-Layer Assembly of 2D Copper Nanosheets for Ultimate Electromagnetic Interference Shielding. *ACS Nano*, 15(1), 829–839. <https://doi.org/10.1021/acsnano.0c07352>
- Dai, B., Li, J., Liu, X., Wang, N., Dai, Y., & Qi, Y. (2022). Multiple synergistic losses in the absorption of electromagnetic waves by three-dimensional cross-linked carbon fiber. *Carbon*, 195, 308–318. <https://doi.org/https://doi.org/10.1016/j.carbon.2022.04.035>
- Dave, N. V., & Nerkar, D. M. (2020). The influence of the oxidant on structural and morphological properties of conductive polypyrrole. *Materials Today: Proceedings*, 45(xxxx), 5939–5943. <https://doi.org/10.1016/j.matpr.2020.09.104>
- De, S., & Bazil Raj, A. A. (2023). A survey on photonics technologies for radar applications. In *Journal of Optics* (Vol. 52, Issue 1, pp. 90–119). <https://doi.org/10.1007/s12596-022-00897-x>
- Deng, M., Yang, X., Silke, M., Qiu, W., Xu, M., Borghs, G., & Chen, H. (2011). Electrochemical deposition of polypyrrole/graphene oxide composite on microelectrodes towards tuning the electrochemical properties of neural probes. *Sensors and Actuators, B: Chemical*, 158(1), 176–184. <https://doi.org/10.1016/j.snb.2011.05.062>
- Desiyani, E. (2021). Sintesis Dan Karakterisasi Fe₃O₄-TiO₂/Karbon Aktif Untuk Adsorpsi Ion Logam Cu (II) Dan Cd (II) Dalam Larutan.
- Domínguez-Bajo, A., González-Mayorga, A., Guerrero, C. R., Palomares, F. J., García, R., López-Dolado, E., & Serrano, M. C. (2019). Myelinated axons and functional blood vessels populate mechanically compliant rGO foams in chronic cervical hemisectioned rats. *Biomaterials*, 192, 461–474. <https://doi.org/https://doi.org/10.1016/j.biomaterials.2018.11.024>

- DuCarme, J. (2019). 7 - Developing effective proximity detection systems for underground coal mines. In J. Hirschi (Ed.), *Advances in Productive, Safe, and Responsible Coal Mining* (pp. 101–119). Woodhead Publishing. <https://doi.org/10.1016/B978-0-08-101288-8.00003-1>
- Durmus, Z., Durmus, A., & Kavas, H. (2015). Synthesis and characterization of structural and magnetic properties of graphene/hard ferrite nanocomposites as microwave-absorbing material. *Journal of Materials Science*, 50(3), 1201–1213. <https://doi.org/10.1007/s10853-014-8676-3>
- Dyana, R. G. L., & Triwikantoro, T. (2017). Sintesis dan Karakterisasi Komposit PANi--SiO₂ dengan Pengisi Gel SiO₂ dari Pasir Bancar Tuban. *Jurnal Sains Dan Seni ITS*, 6(1), 14–19.
- Eftekhari, A., Shulga, Y. M., Baskakov, S. A., & Gutsev, G. L. (2018). Graphene oxide membranes for electrochemical energy storage and conversion. *International Journal of Hydrogen Energy*, 43(4), 2307–2326. <https://doi.org/10.1016/j.ijhydene.2017.12.012>
- Elashmawi, I. S., Ismail, A. M., & Abdelghany, A. M. (2023). The incorporation of polypyrrole (PPy) in CS/PVA composite films to enhance the structural, optical, and the electrical conductivity. *Polymer Bulletin*, 80(10), 11379–11399. <https://doi.org/10.1007/s00289-022-04611-6>
- Emiru, T. F., & Ayele, D. W. (2017). Controlled synthesis, characterization and reduction of graphene oxide: A convenient method for large scale production. *Egyptian Journal of Basic and Applied Sciences*, 4(1), 74–79. <https://doi.org/10.1016/j.ejbas.2016.11.002>
- F. Ruiz Perez, S.M. Lopez Estrada, F. Caballero Briones, U. P. aramo G. (2021). Invisibilidad al radar: de la ficción a la realidad » Avance y Perspectiva. *Av. y Perspect, CINVESTAV, January 2021*, 2021–2023. <https://avanceyperspectiva.cinvestav.mx/invisibilidad-al-radar-de-la-ficcion-a-la-realidad/>
- Farooq, M. U., Jalees, M. I., & others. (2020). Application of magnetic graphene oxide for water purification: heavy metals removal and disinfection. *Journal of Water Process Engineering*, 33, 101044.
- Feng, M., Lu, W., Zhou, Y., Zhen, R., He, H., Wang, Y., & Li, C. (2020). Synthesis of polypyrrole/nitrogen-doped porous carbon matrix composite as the electrode material for supercapacitors. *Scientific Reports*, 10(1), 1–12. <https://doi.org/10.1038/s41598-020-72392-x>
- Fisli, A., Winatapura, D. S., Sukirman, E., Mustofa, S., Adi, W. A., & Taryana, Y. (2019). Iron oxide/titania composites for radar absorbing material (RAM) applications. *Ceramica*, 65(375), 470–476. <https://doi.org/10.1590/0366-69132019653752728>

- Gaber, S. M., & Ibrahim, A. A. (2024). Terahertz RCS reduction employing reconfigurable graphene-based AMC structures. *Optical and Quantum Electronics*. <https://api.semanticscholar.org/CorpusID:270830331>
- Ganash, E. A., Al-Jabarti, G. A., & Altuwirqi, R. M. (2020). The synthesis of carbon-based nanomaterials by pulsed laser ablation in water. *Materials Research Express*, 7(1). <https://doi.org/10.1088/2053-1591/ab572b>
- Gödel, A., Kasaliwal, G., & Pötschke, P. (2009). Selective Localization and Migration of Multiwalled Carbon Nanotubes in Blends of Polycarbonate and Poly(styrene-acrylonitrile). *Macromolecular Rapid Communications*, 30(6), 423–429. <https://doi.org/10.1002/marc.200800549>
- Guettiche, D., Mekki, A., Benmouloud, L., Tebizi-Tighilt, F.-Z., & Boudjellal, A. (2021). Flexible chemiresistive nitrogen oxide sensors based on a nanocomposite of polypyrrole-reduced graphene oxide-functionalized carboxybenzene diazonium salts. *Journal of Materials Science: Materials in Electronics*, 32. <https://doi.org/10.1007/s10854-021-05721-z>
- Gurunathan, S., Han, J., Park, J., Kim, E., Choi, Y., Kwon, D.-N., & Kim, J.-H. (2015). Reduced graphene oxide–silver nanoparticle nanocomposite: a potential anticancer nanotherapy. *International Journal of Nanomedicine*, 10, 6257–6276. <https://doi.org/10.2147/IJN.S92449>
- Habib, A., Ngatijo, & Gusti, D. R. (2019). Sintesis dan karakterisasi magnetit terlapis dimerkaptosilika. *Chempublish Journal*, 4(2), 81–88. <https://doi.org/10.22437/chp.v4i2.8034>
- Hanam, E. S., Awilawati, W. A., & Rismawati, E. (2024). Pengukuran Karakteristik Resistivitas Pada Bahan Grafit Pensil Tipe B, F Dan H. *PASCAL (Journal of Physics and Science Learning)*, 8(1), 35–42. <https://doi.org/10.30743/pascal.v8i1.9431>
- Hanifah, N., Subadra, S. T. U. I., Hidayat, N., Sunaryono, Yogihati, C. I., Adi, W. A., Munasir, Amrillah, T., Abd Aziz, M. S., & Taufiq, A. (2024). A novel Fe₃O₄/ZnO/PANI/rGO nanohybrid material for radar wave absorbing . In *Materials Chemistry and Physics* (Vol. 317). <https://doi.org/10.1016/j.matchemphys.2024.129169>
- He, S., Su, T., He, L., Chen, J., & Xia, L. (2023). Inversion of Equivalent Electromagnetic Parameters of Multilayer Absorbing Materials Based on Simulated Annealing Algorithm. *Journal of Physics: Conference Series*, 2447(1). <https://doi.org/10.1088/1742-6596/2447/1/012006>
- Hu, J., Hu, Y., Ye, Y., & Shen, R. (2023). Unique applications of carbon materials in infrared stealth: A review. *Chemical Engineering Journal*, 452, 139147.

- Huang, Y., Ding, X., Li, S., Zhang, N., & Wang, J. (2016). Magnetic reduced graphene oxide nanocomposite as an effective electromagnetic wave absorber and its absorbing mechanism. *Ceramics International*, 42(15), 17116–17122.
- Hussein, L., & Alkufi, H. (2022). A General Review on Carbon Nanotubes: Advantages, Disadvantages, Biomedical Applications and Analytical Techniques. *Azerbaïdzhanskiĭ Meditsinskiĭ Zhurnal* = *Aserbajdschanische Medizinische Zeitschrift*, 62, 3593–3603.
- Indera C. Pradana, & Diah Susanti. (2013). Analisa Pengaruh Komposisi Graphane- TiO₂ Terhadap Unjuk Kerja Dye Sensitized Solar Cell (DSSC). *Jurnal Teknik Pomits*, 2(1), 83–88.
- Iskandar, F., Hikmah, U., Stavila, E., & Aimon, A. H. (2017). Microwave-assisted reduction method under nitrogen atmosphere for synthesis and electrical conductivity improvement of reduced graphene oxide (rGO). *RSC Advances*, 7(83), 52391–52397. <https://doi.org/10.1039/c7ra10013b>
- Kaftelen-Odabaşı, H., Ruiz-Perez, F., Odabaşı, A., Helhel, S., López-Estrada, S. M., & Caballero-Briones, F. (2024). EMI-shielding response of GO/Fe₃O₄/polypyrrole(PPy)/thermoplastic polyurethane (TPU) composites. *Engineering Science and Technology, an International Journal*, 55, 101753. <https://doi.org/https://doi.org/10.1016/j.jestch.2024.101753>
- Khan, M. S., Yadav, R., Vyas, R., Sharma, A., Banerjee, M. K., & Sachdev, K. (2020). Synthesis and evaluation of reduced graphene oxide for supercapacitor application. *Materials Today: Proceedings*, 30, 153–156. <https://doi.org/https://doi.org/10.1016/j.matpr.2020.05.403>
- Kokmat, P., Surinlert, P., & Ruammaitree, A. (2023). Growth of High-Purity and High-Quality Turbostratic Graphene with Different Interlayer Spacings. *ACS Omega*, 8(4), 4010–4018. <https://doi.org/10.1021/acsomega.2c06834>
- Kong, M., Liu, X., Jia, Z., Wang, B., Wu, X., & Wu, G. (2021). Porous magnetic carbon CoFe alloys@ZnO@C composites based on Zn/Co-based bimetallic MOF with efficient electromagnetic wave absorption. *Journal of Colloid and Interface Science*, 604, 39–51. <https://doi.org/https://doi.org/10.1016/j.jcis.2021.07.003>
- Kumar, A., & Pandey, G. (2018). *Synthesis , Characterization of Polypyrrole / Titania / GO by Co- Precipitation Method*. 4(1), 693–700.
- Kusrini, E., Suhrowati, A., Usman, A., Khalil, M., & Degirmenci, V. (2019). Synthesis and characterization of graphite oxide, graphene oxide, and reduced graphene oxide from graphite waste using modified hummers' method and zinc as reducing agent. *International Journal of Technology*, 10(6), 1093–1104.

<https://doi.org/10.14716/ijtech.v10i6.3639>

- Lavelim, B., Destiarti, L., Adhitiyawarman, A., & Sasri, R. (2023). Synthesis of Reduced Graphene Oxide-Bentonite Composite and Its Application as a Lead(II) Ion Adsorbent. *Indonesian Journal of Chemistry*, 23(1), 1–11. <https://doi.org/10.22146/ijc.67993>
- Lavin-Lopez, M. del P., Romero, A., Garrido, J., Sanchez-Silva, L., & Valverde, J. L. (2016). Influence of different improved hummers method modifications on the characteristics of graphite oxide in order to make a more easily scalable method. *Industrial & Engineering Chemistry Research*, 55(50), 12836–12847.
- Lee, X. J., Hiew, B. Y. Z., Lai, K. C., Lee, L. Y., Gan, S., Thangalazhy-Gopakumar, S., & Rigby, S. (2019). Review on graphene and its derivatives: Synthesis methods and potential industrial implementation. *Journal of the Taiwan Institute of Chemical Engineers*, 98, 163–180. <https://doi.org/https://doi.org/10.1016/j.jtice.2018.10.028>
- Li, S., Ma, C., Liu, R., Chen, M., Yan, J., Wang, Z., Duan, S., & Zhang, H. (2021). Super-absorbent swellable polymer as grouting material for treatment of karst water inrush. *International Journal of Mining Science and Technology*, 31(5), 753–763. <https://doi.org/https://doi.org/10.1016/j.ijmst.2021.06.004>
- Li, W., Lin, L., Li, C., Wang, Y., & Zhang, J. (2019). Radar absorbing combinatorial metamaterial based on silicon carbide/carbon foam material embedded with split square ring metal. *Results in Physics*, 12, 278–286.
- Li, Y., Bober, P., Trchová, M., & Stejskal, J. (2017). Polypyrrole prepared in the presence of methyl orange and ethyl orange: Nanotubes versus globules in conductivity enhancement. *Journal of Materials Chemistry C*, 5(17), 4236–4245. <https://doi.org/10.1039/c7tc00206h>
- Liang, Y., He, X., Chen, L., & Zhang, Y. (2014). Preparation and characterization of TiO₂-Graphene@Fe₃O₄ magnetic composite and its application in the removal of trace amounts of microcystin-LR. *RSC Advances*, 4, 56883–56891. <https://api.semanticscholar.org/CorpusID:97790871>
- Lin, C., Gao, Y., Zhang, J., Xue, D., Fang, H., Tian, J., Zhou, C., Zhang, C., Li, Y., & Li, H. (2020). GO/TiO₂ composites as a highly active photocatalyst for the degradation of methyl orange. *Journal of Materials Research*, 35(10), 1307–1315. <https://doi.org/10.1557/jmr.2020.41>
- Lin, T., Yu, H., Wang, L., Fahad, S., Khan, A., Naveed, K.-R., Haq, F., Nazir, A., & Amin, B. U. (2021). A review of recent advances in the preparation of polyaniline-based composites and their electromagnetic absorption properties. *Journal of Materials Science*, 56(9), 5449–5478. <https://doi.org/10.1007/s10853-020-05631-1>

- Ling, A., Tan, G., Man, Q., Lou, Y., Chen, S., Gu, X., Li, R.-W., Pan, J., & Liu, X. (2019). Broadband microwave absorbing materials based on MWCNTs' electromagnetic wave filtering effect. *Composites Part B: Engineering*, 171, 214–221. <https://doi.org/https://doi.org/10.1016/j.compositesb.2019.04.034>
- Lisyte, V., & Popov, A. (2023). 1. *Comparative Analysis of Structure, Synthesis, and Properties of Polyaniline and Polypyrrole: Insights into Conductive Polymer Variability*. <https://doi.org/10.3390/ecsoc-27-16058>
- Lita Nur Azizah, & Diah Susanti. (2014). Pengaruh Variasi Kadar Zn Dan TemperaturHydrothermal Terhadap Struktur Dan NilaiKonduktivitas Elektrik Material Graphene. *Jurnal Teknik Pomits*, 3(2), F209–F214.
- Liu, J., Chen, S., Liu, Y., & Zhao, B. (2022). Progress in preparation, characterization, surface functional modification of graphene oxide: A review. *Journal of Saudi Chemical Society*, 26(6), 101560. <https://doi.org/https://doi.org/10.1016/j.jscs.2022.101560>
- Liu, Y., Liu, X., E, X., Wang, B., Jia, Z., Chi, Q., & Wu, G. (2022). Synthesis of $\text{Mn}_x\text{O}_y/\text{C}$ hybrid composites for optimal electromagnetic wave absorption capacity and wideband absorption. *Journal of Materials Science & Technology*, 103, 157–164. <https://doi.org/https://doi.org/10.1016/j.jmst.2021.06.034>
- Lu, L., Zeng, C., Wang, L., Yin, X., Jin, S., Lu, A., & Jason Ren, Z. (2015). Graphene oxide and H_2 production from bioelectrochemical graphite oxidation. *Scientific Reports*, 5(1), 16242.
- Ma, C., Yang, K., Wang, L., & Wang, X. (2017). Facile Synthesis of Reduced Graphene Oxide/ Fe_3O_4 Nanocomposite Film. *Journal of Applied Biomaterials & Functional Materials*, 15. <https://doi.org/10.5301/jabfm.5000341>
- Mahun, A., Abbrent, S., Bober, P., Brus, J., & Kobera, L. (2020). Effect of structural features of polypyrrole (PPy) on electrical conductivity reflected on ^{13}C ssNMR parameters. *Synthetic Metals*, 259(October 2019), 3–8. <https://doi.org/10.1016/j.synthmet.2019.116250>
- Mashuri, M., Ningsih, L., Asrori, M. Z., Triwikantoro, T., & Darminto, D. (2020). Sintesis dan Sifat Penyerapan Gelombang Mikro Grafena Alam (reduced graphene oxide) Berbahan Dasar Arang Bambu Kuning (Bambusa Vulgaris), Ori (Bambusa Bambos Miq) dan Petung (Dendrocalamus Asper). *Jurnal Fisika Dan Aplikasinya*, 16(3), 173. <https://doi.org/10.12962/j24604682.v16i3.6973>
- Mashuri, M., Usman, A. A., & Suyatno, S. (2023). Reduced graphene oxide-ferrite microcomposites based on petung bamboo (dendrocalamus asper) charcoal and iron sand as lightweight microwave absorbing materials. *Materials Research Express*, 10(1).

<https://doi.org/10.1088/2053-1591/acb1a3>

- Mitrayana. (2018). *Gelombang Mikro: Teori Dan Aplikasi*. Gadjah Mada University Press.
<https://books.google.co.id/books?id=BHxIDwAAQBAJ>
- Muhammad, A. J., Yumnawati, Al Rayid, M. H., & Saleh, I. (2022). Synthesis and Morphological Characterization of Graphene (rGO) from Graphene Oxide (GO). *Indonesian Journal of Physics and Its Applications*, 2(1), 1–3.
- Muhammad Junaidi, D. S. (2014). Pengaruh Variasi Waktu Ultrasonikasi Dan Waktu Hydrothermal Terhadap Struktur Dan Konduktivitas Listrik Material Graphene. *Jurnal Teknik Pomits Vol. 3, No. 1, (2014) ISSN: 2337-3539 (2301-9271 Print)*, 3(1), 1–6.
- Muzyka, R., Drewniak, S., Pustelny, T., Sajdak, M., & Drewniak, Ł. (2021). Characterization of graphite oxide and reduced graphene oxide obtained from different graphite precursors and oxidized by different methods using raman spectroscopy statistical analysis. *Materials*, 14(4), 769.
- Naebe, M., Wang, J., Amini, A., Khayyam, H., Hameed, N., Li, L. H., Chen, Y., & Fox, B. (2014). Mechanical Property and Structure of Covalent Functionalised Graphene/Epoxy Nanocomposites. *Scientific Reports*, 4(1), 4375. <https://doi.org/10.1038/srep04375>
- Nishina, Y., & Eigler, S. (2020). Chemical and electrochemical synthesis of graphene oxide--a generalized view. *Nanoscale*, 12(24), 12731–12740.
- Nurfitriyana, N., Najma Annuria Fithri, Fitria, & Rini Yanuarti. (2022). Analisis Interaksi Kimia Fourier Transform Infrared (FTIR) Tablet Gastrorentif Ekstrak Daun Petai (*Parkia Speciosa* Hassk) Dengan Polimer HPMC-K4M Dan Kitosan. *ISTA Online Teknologi Journal*, 3(2), 27–33. <https://doi.org/10.62702/ion.v3i2.69>
- Pattanaik, B., & Chauhan, A. (2023). A study of stealth technology. *Materials Today: Proceedings*, 81, 543–546.
<https://doi.org/https://doi.org/10.1016/j.matpr.2021.03.705>
- Popov, I. A., Bozhenko, K. V., & Boldyrev, A. I. (2012). Is graphene aromatic? *Nano Research*, 5(2), 117–123.
<https://doi.org/10.1007/s12274-011-0192-z>
- Putri, G. P., Triyono, E., BBS, A. H., & Widodo, S. (2019). Suhendro, "Pengaruh Penggunaan Komposit-Rami sebagai Penyerap Gelombang Radar Pada Stealth Technology," *Semin. Nas. Sains Teknol. Dan Inov. Indones*, 1(1), 49–56.
- Qin, F., & Brosseau, C. (2012). A review and analysis of microwave absorption in polymer composites filled with carbonaceous particles.

- Journal of Applied Physics*, 111(6). <https://doi.org/10.1063/1.3688435>
- Rahmawati, A., & Kusumawati, D. H. (2020). Review : Komposit TiO₂/rGO Sebagai Fotokatalis Untuk Mendegradasi Zat Warna. *Inovasi Fisika Indonesia*, 9(2), 78–84. <https://doi.org/10.26740/ifi.v9n2.p78-84>
- Rajendran, S., Blanco, A., Gnanasekaran, L., Jalil, A. A., Chen, W.-H., & Gracia, F. M. (2023). 1. Harvesting visible light for enhanced catalytic degradation of wastewater using TiO₂@Fe₃O₄ embedded on two dimensional reduced graphene oxide nanosheets. *Chemosphere*. <https://doi.org/10.1016/j.chemosphere.2023.140418>
- Rani, P., Kumar, K. S., Pathak, A. D., & Sharma, C. S. (2020). Pyrolyzed pencil graphite coated cellulose paper as an interlayer: An effective approach for high-performance lithium-sulfur battery. *Applied Surface Science*, 533, 147483. <https://doi.org/https://doi.org/10.1016/j.apsusc.2020.147483>
- Rezvani-Moghaddam, A., Ranjbar, Z., Sundararaj, U., & Jannesari, A. (2024). Examining the varied localization of oxygen groups on graphene nanosheets and their entangled influence on electromagnetic waves' absorption within polymeric coatings. *Applied Surface Science*, 671, 160726. <https://doi.org/https://doi.org/10.1016/j.apsusc.2024.160726>
- Righetti, M. C. (2018). Amorphous Fractions of Poly (lactic acid). *Synthesis, Structure and Properties of Poly (Lactic Acid)*, 195–234.
- Ruiz-Perez, F., López-Estrada, S. M., Tolentino-Hernández, R. V., & Caballero-Briones, F. (2022). Carbon-based radar absorbing materials: A critical review. *Journal of Science: Advanced Materials and Devices*, 7(3), 100454. <https://doi.org/https://doi.org/10.1016/j.jsamd.2022.100454>
- Saraswati, T. E., Prasiwi, O. D. I., Masykur, A., & Anwar, M. (2019). Synthesis of Magnetic Composite of Iron Compounds/Carbon Nanotubes in Chemical Vapor Deposition. *Jurnal Sains Materi Indonesia*, 20(3), 111–119.
- Saville, P. (2005). Review of radar absorbing materials Defence R \& D Canada--Atlantic. *Def. Res. Dev. Canada*, 62.
- Series, C. (2021). *Effect of Adding Fe₃O₄ in Graphene/TiO₂/Fe₃O₄ Composite for Phenol Photodegradation Application*. <https://doi.org/10.1088/1742-6596/2049/1/012089>
- Shah, R., Kausar, A., Muhammad, B., & Shah, S. (2015). Progression from Graphene and Graphene Oxide to High Performance Polymer-Based Nanocomposite: A Review. *Polymer-Plastics Technology and Engineering*, 54, 173–183.

- Shao, G., Lu, Y., Wu, F., Yang, C., Zeng, F., & Wu, Q. (2012). Graphene oxide: The mechanisms of oxidation and exfoliation. *Journal of Materials Science*, 47(10), 4400–4409. <https://doi.org/10.1007/s10853-012-6294-5>
- Sheikholia Lavasani, F., Khalaj, Z., Kabirifard, H., & Monajjemi, M. (2023). Fabrication and characterization of the $\text{Fe}_3\text{O}_4@\text{SiO}_2\text{-rGO}$ nanocomposite: a catalyst for multi-component reactions. *Phys. Chem. Chem. Phys.*, 25(4), 2821–2829. <https://doi.org/10.1039/D2CP05354C>
- Shen, Z.-Y., Wang, Y., Tang, Y., Yu, Y., Luo, W.-Q., Wang, X., Li, Y., Wang, Z., & Song, F. (2019). Glass modified barium strontium titanate ceramics for energy storage capacitor at elevated temperatures. *Journal of Materiomics*, 5(4), 641–648. <https://doi.org/https://doi.org/10.1016/j.jmat.2019.06.003>
- Shin, D. S., Kim, H. G., Ahn, H. S., Jeong, H. Y., Kim, Y.-J., Odkhuu, D., Tsogbadrakh, N., Kim, B. H., & others. (2017). Distribution of oxygen functional groups of graphene oxide obtained from low-temperature atomic layer deposition of titanium oxide. *RSC Advances*, 7(23), 13979–13984.
- Sholihah, L. K. (2010). Sintesis dan Karakteristik Partikel Nano Fe_3O_4 yang Berasal Dari Pasir Besi dan Fe_3O_4 Bahan Komersial (Aldrich). *Tugas Akhir. Jurusan Fisika F-MIPA ITS. Surabaya.*
- Shuiqing, L., Yichang, L., Zhipeng, X., Da, Z., Bin, Y., & Feng, L. (2024). Carbon-Based Composite Absorbing Materials. *Progress in Chemistry*, 36(4), 556–574. <https://doi.org/10.7536/PC230814>
- Si, T., Xie, S., Ji, Z., Ma, C., Wu, Z., Wu, J., & Wang, J. (2023). Modification of basalt fiber with Ni and carbon black formed synergistic microstructure for enhanced electromagnetic wave absorption. *Journal of Materials Science: Materials in Electronics*, 34(12), 1035. <https://doi.org/10.1007/s10854-023-10468-w>
- Singh, P., Mukherjee, S., Ghosh, C., & Maitra, S. (2017). Influence of precursor type on structural, morphological, dielectric and magnetic properties of TiO_2 nanoparticles. *Cerâmica*, 63, 549–556. <https://doi.org/10.1590/0366-69132017633682145>
- Singh, S. K., Akhtar, M. J., & Kar, K. K. (2019). Impact of Al_2O_3 , TiO_2 , ZnO and BaTiO_3 on the microwave absorption properties of exfoliated graphite/epoxy composites at X-band frequencies. *Composites Part B: Engineering*, 167, 135–146. <https://doi.org/https://doi.org/10.1016/j.compositesb.2018.12.012>
- Singh, S. K., Prakash, H., Akhtar, M. J., & Kar, K. K. (2018). Lightweight and high-performance microwave absorbing heteroatom-doped carbon derived from chicken feather fibers. *ACS Sustainable Chemistry & Engineering*, 6(4), 5381–5393.

- Stankovich, S., Dikin, D. A., Dommett, G. H. B., Kohlhaas, K. M., Zimney, E. J., Stach, E. A., Piner, R. D., Nguyen, S. T., & Ruoff, R. S. (2006). Graphene-based composite materials. *Nature*, 442(7100), 282–286. <https://doi.org/10.1038/nature04969>
- Sujiono, E. H., Zurnansyah, Zabrian, D., Dahlan, M. Y., Amin, B. D., Samnur, & Agus, J. (2020). Graphene oxide based coconut shell waste: synthesis by modified Hummers method and characterization. *Heliyon*, 6(8), e04568. <https://doi.org/10.1016/j.heliyon.2020.e04568>
- Sun, J., Chen, W., Jia, K., Li, S., Jia, P., Wang, W., Song, Z., Zhao, X., Mao, Y., & Chen, S. (2023). *Lithium Battery Graphite*.
- Sunaryono, S., Taufiq, A., Mashuri, M., Pratapa, S., Zainuri, M., Triwikantoro, T., & Darminto, D. (2015). Various magnetic properties of magnetite nanoparticles synthesized from iron-sands by coprecipitation method at room temperature. *Materials Science Forum*, 827, 229–234.
- Suo, X., Eldridge, B. N., Zhang, H., Mao, C., Min, Y., Sun, Y., Singh, R., & Ming, X. (2018). P-glycoprotein-targeted photothermal therapy of drug-resistant cancer cells using antibody-conjugated carbon nanotubes. *ACS Applied Materials & Interfaces*, 10(39), 33464–33473.
- Suryanto, H. (2019). *Polimer Matrik Komposit*. November 2019, 128.
- Swatsitang, E., Phokha, S., Hunpratub, S., Usher, B., Bootchanont, A., Maensiri, S., & Chindapasirt, P. (2016). Characterization and magnetic properties of cobalt ferrite nanoparticles. *Journal of Alloys and Compounds*, 664, 792–797. <https://doi.org/https://doi.org/10.1016/j.jallcom.2015.12.230>
- Syahir, N., Nurlina, R., Anam, S., Aprilia, A., Hidayat, S., & -, F. (2015). Kajian Pembuatan Oksida Grafit untuk Produksi Oksida Grafena dalam Jumlah Besar (Halaman 26 s.d. 29). *Jurnal Fisika Indonesia*, 19(56), 26–29. <https://doi.org/10.22146/jfi.24354>
- Tarekegne, A., & Ayele, D. (2019). Synthesis and Characterization of Reduced Graphene Oxide (rGO) Started from Graphene Oxide (GO) Using the Tour Method with Different Parameters. *Advances in Materials Science and Engineering*, 2019, 1–9. <https://doi.org/10.1155/2019/5058163>
- Thakur, A. K., Choudhary, R. B., Majumder, M., & Gupta, G. (2017). In-situ integration of waste coconut shell derived activated carbon/polypyrrole/rare earth metal oxide (Eu₂O₃): a novel step towards ultrahigh volumetric capacitance. *Electrochimica Acta*, 251, 532–545.
- Thakur, A., Kumar, S., & Rangra, V. S. (2015). Synthesis of reduced graphene oxide (rGO) via chemical reduction. *AIP Conference Proceedings*, 1661(June). <https://doi.org/10.1063/1.4915423>

- Theivasanthi, T., & Alagar, M. (n.d.). *Titanium dioxide (TiO_2) Nanoparticles - XRD Analyses – An Insight*.
- Uly, E., Tampubolon, T., Kusuma, B., & Aritonang, S. (2025). *Studi Komparasi Bahan Barium Ferrite Magnet dan Pani / Fe_3O_4 , Sebagai Radar Absorbing Material (RAM)*. 1.
- Usman, A. A., MASHURI, D., & Si, M. (2019). *Penyerap Gelombang Radar Mikrokomposit rGO- Fe_3O_4 Berbasis Bahan Alam Pada Frekuensi 8-12 GHz*. Doctoral dissertation, Institut Teknologi Sepuluh Nopember.
- Usman, M. R. (2013). *Kinetika Fotokatalisis Diazinon dengan Titanium Dioksida (TiO_2)*.
- Vaghri, E., Dorranean, D., & Ghoranneviss, M. (2018). Effects of CTAB concentration on the quality of graphene oxide nanosheets produced by green laser ablation. *Materials Chemistry and Physics*, 203, 235–242.
<https://doi.org/https://doi.org/10.1016/j.matchemphys.2017.10.010>
- Van, H. H., & Thi, T. T. (2022). 2. Synthesis of the high durability photocatalytic materials with tertiary components. *Tạp Chí Xúc Tác và Hấp Phụ*. <https://doi.org/10.51316/jca.2022.038>
- Vechot, L., Buston, J. E. H., Kay, J., Round, G. A., Masharani, S., Tickle, G. A., & Rowlands, R. (2011). Experimental study of the liquid phase hydrolysis reaction of titanium tetrachloride. *Institution of Chemical Engineers Symposium Series*, 156, 238–245.
- Wang, Y., Jin, Y., Zhao, C., Pan, E., & Jia, M. (2018). Fe_3O_4 nanoparticle/graphene aerogel composite with enhanced lithium storage performance. *Applied Surface Science*, 458, 1035–1042.
<https://doi.org/https://doi.org/10.1016/j.apsusc.2018.07.127>
- Wang, Z., Zhao, P., He, D., Cheng, Y., Liao, L., Li, S., Luo, Y., Peng, Z., & Li, P. (2018). Cerium oxide immobilized reduced graphene oxide hybrids with excellent microwave absorbing performance. *Phys. Chem. Chem. Phys.*, 20(20), 14155–14165.
<https://doi.org/10.1039/C8CP00160J>
- Widiastuti, N. luh G. K. (2019). Pendidikan Sains Terintegrasi Keterkaitan Konsep Ikatan Kimia Dengan Berbagai Bidang Ilmu. *Jurnal Kajian Pendidikan Widya Accarya FKIP Universitas Dwijendra*, 1(1), 3.
- Wulandari, F. P., Audrey Nur, A., Elsa Gafira, C., & Sovian, A. (2024). Review Jurnal: Nanokomposit Sebagai Penyerap Gelombang Elektromagnetik Untuk Radar Absorbent Material. *Jurnal Rekayasa Material, Manufaktur Dan Energi*, 7(1), 151–159.
<https://creativecommons.org/licenses/by-sa/4.0/>
- Wypych, A., Bobowska, I., Tracz, M., Opasinska, A., Kadlubowski, S., Krzywania-Kaliszewska, A., Grobelny, J., & Wojciechowski, P. (2014).

- Dielectric properties and characterisation of titanium dioxide obtained by different chemistry methods. *Journal of Nanomaterials*, 2014. <https://doi.org/10.1155/2014/124814>
- Yang, H., Wu, X., Ma, Q., Yilihamu, A., Yang, S., Zhang, Q., Feng, S., & Yang, S.-T. (2019). Fungal transformation of graphene by white rot fungus *Phanerochaete chrysosporium*. *Chemosphere*, 216, 9–18.
- Yang, R., Yuan, J., Yu, C., Yan, K., Fu, Y., Xie, H., Chen, J., Chu, P. K., & Wu, X. (2020). Efficient electromagnetic wave absorption by SiC/Ni/NiO/C nanocomposites. *Journal of Alloys and Compounds*, 816, 152519.
- Yilmaz Atay, H. (2016). Mikro Ve Nano-Boyutlu Baryum Hekzaferrit Tozları ile Takviye Edilmiş Polimer Kompozitlerin Radar Abzorblayıcı Özellikleri Üzerine Bir Karşılaştırma. *Mugla Journal of Science and Technology*, 2, 88. <https://doi.org/10.22531/muglajsci.269979>
- Zangiabadi, M., Shamspur, T., Saljooqi, A., & Mostafavi, A. (2019). Evaluating the efficiency of the GO-Fe₃O₄/TiO₂ mesoporous photocatalyst for degradation of chlorpyrifos pesticide under visible light irradiation. *Applied Organometallic Chemistry*, 33(5). <https://doi.org/10.1002/aoc.4813>
- Zeng, X., Li, E., Xia, G., Xie, N., Shen, Z.-Y., Moskovits, M., & Yu, R. (2021). Silica-based ceramics toward electromagnetic microwave absorption. *Journal of the European Ceramic Society*, 41(15), 7381–7403. <https://doi.org/https://doi.org/10.1016/j.jeurceramsoc.2021.08.009>
- Zhang, F., Xue, X., Huang, X., & Yang, H. (2021). 3. Magnetic TiO₂@Fe₃O₄/reduced graphene oxide nanocomposites with enhanced photocatalytic activities. *MRS Communications*. <https://doi.org/10.1557/S43579-021-00052-W>
- Zhang, Y., Ruan, K., Zhou, K., & Gu, J. (2023). Controlled distributed Ti₃C₂T_x hollow microspheres on thermally conductive polyimide composite films for excellent electromagnetic interference shielding. *Advanced Materials*, 35(16), 2211642.
- Zhao, T., Hou, C., Zhang, H., Zhu, R., She, S., Wang, J., Li, T., Liu, Z., & Wei, B. (2014). Electromagnetic Wave Absorbing Properties of Amorphous Carbon Nanotubes. *Scientific Reports*, 4(1), 5619. <https://doi.org/10.1038/srep05619>
- Zhu, T., Chang, S., Song, Y.-F., Lahoubi, M., & Wang, W. (2019). PVP-encapsulated CoFe₂O₄/rGO composites with controllable electromagnetic wave absorption performance. *Chemical Engineering Journal*, 373, 755–766. <https://doi.org/https://doi.org/10.1016/j.cej.2019.05.079>